

MADE IN BELGIUM  SINCE 1966


  
**SOUDAL**



# PRODUCT CATALOG

---

  
**SOUDAL**



## SOUDAL WORLDWIDE

Soudal is the largest independent European manufacturer of PU foams, sealants, adhesives and building chemicals for the construction, retail and industrial markets.

Soudal operates on a fully global basis with 28 manufacturing locations, 77 subsidiaries and sales into over 140 countries. Continued investments in R&D, a long-term vision for innovation and adaptations to local market requirements have resulted in Soudal's excellent performance over the past 54 years, for which it was named Company of the Year in 2011.

Our focus on quality and product performance has resulted in the most innovative and comprehensive range of branded sealants, adhesives, fillers, building chemicals, cleaners, lubricants and ancillary products for the retail, construction and industrial markets. The Soudal brand is a welcome reference point for customers trying to make the right product choice for their project or application.

Soudal is a multi-award winning company. In 2015, the prestigious Golden Bridge Award was awarded to Soudal for outstanding achievements in export to the UK. The judges praised the impressive track record of 40% growth during the previous three years, the high degree of integration in the UK market and the array of products specifically developed for the UK. This demonstrates respect for local markets and a long-term vision for sustainable growth.

## PRODUCTION SITES

### EUROPE

**Turnhout (Belgium)**  
Sealants (Plant 1)  
Foams (Plant 2)  
Adhesives (Plant 3)

**Overpelt (Belgium)**  
Aerosols

**Nazareth (Belgium)**  
Foam systems

**Weert (Netherlands)**  
Adhesives

**Bergen op Zoom (Netherlands)**  
Sealants

**Pionki (Poland)**  
Sealants - Foams (Plant 1)  
Adhesives (Plant 2)

**Bialystok (Poland)**  
Tapes - Membranes

**Srpenica (Slovenia)**  
Sealants - Foams - Adhesives -  
Admixtures

**Sežana (Slovenia)**  
Adhesives

**Dobele (Latvia)**  
Sealants

**Durante Adesivi (Italy)**  
Adhesives

**Istanbul (Turkey)**  
Sealants

**Moscow Novomoskovsk (Russia)**  
Foams

### NORTH AMERICA

**Kentucky (USA)**  
Sealants - Adhesives

### SOUTH AMERICA

**Santiago (Chile)**  
Sealants - Adhesives

### ASIA

**Bawal (India)**  
Sealants

**Chennai (India)**  
Sealants

**Shanghai (China)**  
Sealants - Foams

**Seoul (South-Korea)**  
Sealants

**Sharjah (U.A.E.)**  
Sealants - Adhesives - Tapes

**Umm Al Quwain (U.A.E.)**  
Foams - Aerosols



**The Address Residences Dubai Opera**  
- Dubai, UAE



**EXPO 2020 Dubai**  
- Dubai, UAE



**BVLGARI Hotel & Resort**  
Dubai, UAE



**King Abdul Aziz International Airport**  
- Jeddah, Kingdom of Saudi Arabia



| SEALANTS                          |    |
|-----------------------------------|----|
| Silicone Sealants                 |    |
| Silirub AC+                       | 5  |
| Silicone Universal GP             | 6  |
| Silicone U                        | 6  |
| Silirub WS+                       | 7  |
| Silirub NOS / NOST                | 8  |
| Silirub NES                       | 8  |
| Aquarium Silicone                 | 8  |
| Silirub 2                         | 9  |
| Natural Stone Silicone            | 10 |
| Silirub 2S                        | 11 |
| Silirub Color                     | 11 |
| Silirub Cleanroom                 | 13 |
| Soudaseal Cleanroom               | 13 |
| PU Sealants                       |    |
| Soudaflex 40FC                    | 14 |
| Soudaflex 41XS                    | 14 |
| Soudaflex 42FX                    | 15 |
| Soudaflex 20LM                    | 15 |
| Soudaflex 33SL                    | 15 |
| Paintable Sealants & Fillers      |    |
| Paintable Sealant                 | 17 |
| Acryrub                           | 17 |
| AcryrubN                          | 17 |
| Soudaduct HVAC                    | 18 |
| Repair Express Plaster            | 19 |
| Repair Express Cement             | 19 |
| Polibutene Sealants               |    |
| Butyrub                           | 19 |
| High Temperature Range            |    |
| Silirub HT-A                      | 20 |
| Silirub HT-N                      | 20 |
| High Temperature Sealant          | 20 |
| Firecement HT                     | 21 |
| Calofer                           | 21 |
| Gasketseal                        | 21 |
| HYBRIDS                           |    |
| Special Hybrid Polymers           |    |
| HMX Façade Pro                    | 22 |
| HMX Façade Pro                    | 23 |
| Special Hybrid Polymers           |    |
| Pool Fix                          | 24 |
| Green Fix                         | 24 |
| Metal Fix                         | 24 |
| Mirror Fix                        | 25 |
| Hybrids                           |    |
| Multibond MS35                    | 26 |
| Ultra Repair Adhesive             | 26 |
| Soudaseal Mirror Grey             | 26 |
| Soudaseal 240FC                   | 27 |
| Soudaseal 270HS                   | 27 |
| Fix All Range                     |    |
| Fix All Flexi                     | 29 |
| Fix All High Tack                 | 29 |
| Fix All High Tack Invisible       | 30 |
| Fix All Crystal                   | 30 |
| Fix All Turbo                     | 30 |
| Fix All Xtreme Power              | 31 |
| Fix All Xtreme Xpress             | 31 |
| Fix All Floor & Wall              | 31 |
| TAPES                             |    |
| Fix All Range                     |    |
| Fix All mounting tape transparent | 32 |
| Fix All mounting tape white       | 32 |

| FOAMS                                 |    |
|---------------------------------------|----|
| Polyurethane Foams                    |    |
| Soudafoam 1K EXP                      | 33 |
| Soudafoam Gun                         | 33 |
| Gun & Foam Cleaner                    | 33 |
| Soudal Fill & Fix Foam                | 34 |
| Filling Foam Compact                  | 34 |
| Fix & Bond Compact                    | 34 |
| Genius Foam                           | 35 |
| 750ML TRADE SOUDABOND EASY GENIUS GUN | 36 |
| ADHESIVES                             |    |
| Montage Adhesives                     |    |
| T-Rex Heavy Materials 80%             | 37 |
| T-Rex Montage Super Grab              | 37 |
| T-Rex Montage Direct Grab             | 37 |
| T-Rex Montage Fix It                  | 38 |
| T-Rex Montage Neoprene                | 38 |
| Timber Adhesives                      |    |
| Timber Adhesive D3                    | 39 |
| Timber Adhesive D4                    | 39 |
| Timber Adhesive PRO 45P D4            | 40 |
| Purocol Express                       | 40 |
| Wood Fix                              | 40 |
| Contact Adhesives                     |    |
| Neoprene Contact Liq (44A)            | 41 |
| Contact Adhesive 110LQ                | 41 |
| Contact Adhesive 100LQ                | 41 |
| Spray Contact Adhesive 20L            | 42 |
| Contact Spray Adhesive 2 in 1         | 42 |
| Cyano Mitre Kit                       | 42 |
| Soudabond 280 Power Spray             | 43 |
| Soudabond 365 Classic Spray           | 43 |
| Flooring Adhesives                    |    |
| 29A Wall Paper Adhesive               | 44 |
| 24A Super Tile Adhesive               | 44 |
| LVT Premium Floor&Wall Adhesive       | 45 |
| DS-11CT Carpet Adhesive               | 45 |
| Parket Flooring Adhesives             |    |
| MS20 Plus Timber Flooring Adhesive    | 47 |
| SMX30 Plus Timber Flooring Adhesive   | 47 |
| SMX® -15P Wooden Floor Adhesive       | 47 |
| Parquet Sealant                       | 48 |
| Artificial Grass Adhesives            |    |
| Soudabond AG 2K 342                   | 49 |
| Seaming Tape 100 x 30cm               | 50 |
| FIRE RANGE                            |    |
| Fire Range                            |    |
| Firesilicone B1 FR                    | 51 |
| Firecryl                              | 51 |
| Soudaseal FR                          | 52 |
| Soudafoam FR HY                       | 54 |
| B2 Expanding Foam                     | 54 |
| B1 Soudafoam                          | 54 |
| CHEMICAL ANCHOR                       |    |
| Chemical Anchor                       |    |
| Chemical Anchor CA1400                | 55 |
| Soudafix P-300 SF                     | 55 |
| Soudafix VE400-SF Chemical Anchor     | 56 |

| AEROSOLS                               |    |
|--|----|
| Prep and Remove Aerosols               |    |
| Soudal Surface Prep/Air                | 58 |
| Soudal Surface Booster                 | 58 |
| Soudal Sealant Remover                 | 59 |
| Soudal Adhesive Remover                | 59 |
| Soudal PU Foam Remover                 | 59 |
| TECHNICAL AEROSOLS                     |    |
| Technical Aerosols - Industrial Sprays |    |
| Multi Spray                            | 60 |
| Silicone Spray                         | 60 |
| PTFE Spray                             | 60 |
| White Grease Spray                     | 61 |
| Vaseline Spray                         | 61 |
| Cleaner & Degreaser                    | 62 |
| Sealant Remover                        | 62 |
| Adhesive Remover                       | 62 |
| Multi Cleaner                          | 63 |
| Brake Cleaner                          | 63 |
| Compressed Air                         | 63 |
| Cockpit Maintenance Mat                | 64 |
| Cockpit Cleaner                        | 64 |
| Label Remover                          | 64 |
| Rim Cleaner                            | 65 |
| PVC Cleaner                            | 65 |
| Glass & Mirror Cleaner                 | 65 |
| Zinc Spray Matt                        | 66 |
| Alu-Zinc Spray                         | 66 |
| Contact Spray                          | 66 |
| Degrip All                             | 67 |
| Cutting Oil                            | 67 |
| Anti Spat Spray                        | 67 |
| Genius Spray                           |    |
| Genius Spray Protect All               | 68 |
| Genius Spray Lubricate All             | 68 |
| Genius Spray All-in-One                | 68 |
| Genius Spray Clean All                 | 69 |
| Genius Spray Degrip All                | 69 |
| ACCESSORIES                            |    |
| Accessories                            |    |
| Yellow Skeleton gun                    | 70 |
| Heavy Duty Sealant gun                 | 70 |
| Heavy Duty Sealant Gun on Blister      | 70 |
| Double Barrel Gun for Foil Bags        | 71 |
| Cox Gun for Foil Bags                  | 71 |
| Pneumatic Airflow 3 Gun for Foil Bags  | 71 |
| Compact Foam Gun                       | 72 |
| Heavy Duty Foam Gun                    | 72 |
| Swipex                                 | 72 |
| Swipex Handcleaner                     | 73 |
| Silicone Remover                       | 73 |
| Trowels                                | 73 |
| CONSTRUCTION CHEMICALS                 |    |
| Waterproofing                          |    |
| Aquaswell                              | 74 |
| Soudapack WST                          | 74 |
| Soudaplug ST                           | 75 |
| Soudagum LM 13 kg                      | 75 |
| Soudaprim DP                           | 76 |
| Soudabond MT 15 kg                     | 77 |
| Soudaclear Facade W                    | 77 |
| Soudagum Hydro                         | 78 |
| AUTOMOTIVE                             |    |
| Automotive Range                       |    |
| Carbond 940 FC                         | 79 |
| Carbond 955 DG                         | 79 |
| Carbond 955 DG Primer                  | 79 |
| Carbond 955 DG Cleaner/Activator       | 80 |
| Soudabond 690DG                        | 80 |
| Underbody Protection Aerosol           | 80 |
| Underbody Protection Sprayable Tin     | 81 |
| Anti-Gravel aerosol                    | 81 |
| Anti-Gravel tin                        | 81 |



## SILICONE SEALANTS



### SILIRUB AC+

Silirub AC+ is a premium quality, elastic, multipurpose sealant based on silicones. Mainly for indoor applications.

#### APPLICATIONS :

- Building- and construction joints, especially in sanitary and humid places
- Glazing and joint works
- Connection joints
- Sealing in air-conditioning systems
- Joints in bathrooms and kitchens
- Sanitary applications
- Sealing in cold store rooms and container construction

#### FEATURES & BENEFITS :

- Very easy to apply
- Colourfast and UV resistant
- Impervious to mould (anti fungus)
- Permanently elastic after curing
- Very good adhesion on many materials
- Typical acetic smell

| Cartridge   |        |                      |       |         |               |
|---|--------|----------------------|-------|---------|---------------|
|    | 121194 | Transparent          | 280ml | 24/ box | 5411183057760 |
|    | 121193 | White RAL9010        | 280ml | 24/ box | 5411183134201 |
|    | 121198 | Light Champagne      | 280ml | 24/ box | N/A           |
|    | 121197 | Light Beige RAL1015  | 280ml | 24/ box | N/A           |
|    | 121293 | Bahamabeige          | 280ml | 24/ box |               |
|   | 121297 | Dark Beige RAL1019   | 280ml | 24/ box |               |
|  | 125609 | Sepia Brown          | 280ml | 24/ box | 5411183122376 |
|  | 121294 | Copper Brown RAL8004 | 280ml | 24/ box |               |
|  | 121295 | Mahogany RAL8016     | 280ml | 24/ box |               |
|  | 121292 | Grey RAL9006         | 280ml | 24/ box | N/A           |
|  | 126961 | Basalt Grey RAL7012  | 280ml | 24/ box |               |
|  | 121195 | Black                | 280ml | 24/ box | 5411183134218 |





## SILICONE UNIVERSAL GP






Silicone Universal GP is a high quality, elastic, one-component sealant based on silicones.

### APPLICATIONS :

- Building- and construction joints, especially in sanitary and humid places
- Glazing and joint works
- Connection joints
- Sealing in air-conditioning systems
- Joints in bathrooms and kitchens
- Sanitary applications
- Sealing in cold store rooms and container construction

### FEATURES & BENEFITS :

- Very easy to apply
- UV-resistant
- Impervious to mould (anti fungus)
- Permanently elastic after curing
- Very good adhesion on many materials
- Typical acetic smell

| Cartridge   |        |               |       |         |               |
|---|--------|---------------|-------|---------|---------------|
|  | 137643 | Clear         | 280ml | 24/ box | 5411183158399 |
|  | 137644 | Black         | 280ml | 24/ box | 5411183158382 |
|  | 137645 | White         | 280ml | 24/ box | 5411183158375 |
|  | 144238 | Beige RAL1015 | 280ml | 24/ box | 5411183158993 |
|  | 144239 | Grey          | 280ml | 24/ box | 5411183159006 |



## SILICONE U






Silicone U is a high quality, elastic, 1-component sealant based on silicones.

### APPLICATIONS :

- Building- and construction joints
- Glazing and joint works
- Connection joints
- Sealing in cold store rooms and container construction
- Sealing in airconditioning systems
- Sanitary applications
- Joints in humid spaces as bathrooms and kitchens

### FEATURES & BENEFITS :

- Very easy to apply
- Colourfast and UV resistant
- Impervious to mould (anti fungus)
- Permanently elastic after curing
- Very good adhesion on many materials
- Typical acetic smell

| Cartridge   |        |               |       |         |               |
|---|--------|---------------|-------|---------|---------------|
|  | 110056 | White         | 280ml | 24/ box | 5411183039582 |
|  | 110057 | Clear         | 280ml | 24/ box | 5411183039599 |
|  | 110055 | Black         | 280ml | 24/ box | 5411183039575 |
|  | 110052 | Grey          | 280ml | 24/ box | 5411183039544 |
|  | 110054 | Beige RAL1015 | 280ml | 24/ box | 5411183039568 |







## SILIRUB WS+






Silirub WS+ is a high performance, low odor, one-component joint and glazing sealants, based on neutral silicone. Silirub WS+ has been developed for weather sealing of expansion joints in the façade industry.

### APPLICATIONS :

- Weatherseal in curtain wall applications
- All usual building, connection, expansion and dilatation joints

### FEATURES & BENEFITS :

- Compatible with PVB-film
- Compatible with sealants for double glazing based on polysulphides and silicones
- Very easy to apply
- Colourfast and UV resistant
- Permanently elastic after curing
- Very good adhesion on many materials
- Corrosion free
- Resistant against UV-radiation, rain, frost, wind, ozone and extreme temperatures
- Excellent adhesion properties on glass, laminated glass, coated aluminium, galvanised steel, concrete and masonry

| Sausage   |        |       |       |         |               |
|---|--------|-------|-------|---------|---------------|
|  | 128894 | Black | 600ml | 12/ box | 5411183133013 |
|  | 134545 | White | 600ml | 12/ box | 5411183151857 |
| Cartridge   |        |       |       |         |               |
|  | 160381 | Clear | 280ml | 24/ box |               |
|  | 158446 | White | 280ml | 24/ box |               |
|  | 158510 | Black | 280ml | 24/ box |               |





## SILIRUB N05+

Silirub N05+ is a high quality, elastic one-component joint sealant based on silicone.

### APPLICATIONS :

- All usual building joints with high movement. Glazing and joint works. Expansion joints between many different construction materials. Sealing between PVC, treated wooden and metal profiles and glass.

### FEATURES & BENEFITS :

- Very easy to apply . Excellent UV-resistance. Neutral curing . Excellent moisture resistance . Low modulus. Very good adhesion on many materials. Very good resistance to ageing. Permanently elastic after curing. Not paintable. Not suitable for natural stone.

| Cartridge |        |             |       |         |              |
|-----------|--------|-------------|-------|---------|--------------|
|           | 167425 | White       | 300ml | 24/ box | 635341511269 |
|           | 167427 | Black       | 300ml | 24/ box | 635341511221 |
|           | 167428 | Transparent | 300ml | 24/ box | 635341511276 |
| foil bag  |        |             |       |         |              |
|           | 168225 | Transparent | 600ml | 12/ box | 635341470108 |
|           | 167446 | Black       | 600ml | 12/ box | 635341470023 |



## SILIRUB NES

Silirub NES is a high-quality, neutral, elastic one-component silicone based joint sealant.

### APPLICATIONS :

- Joints in sanitary rooms (on synthetic baths and tubs) and kitchens
- All usual building joints with high movement
- Expansion joints between many different construction materials
- Sealing between metal components
- All usual construction and glazing joints

### FEATURES & BENEFITS :

- Very easy to apply
- Colourfast and UV resistant
- Impervious to mould
- Permanently elastic after curing
- Very good adhesion on many materials
- Neutral curing

| Cartridge |        |             |       |         |               |
|-----------|--------|-------------|-------|---------|---------------|
|           | 127828 | White       | 280ml | 24/ box | 5411183134249 |
|           | 127830 | Transparent | 280ml | 24/ box | 5411183134263 |
|           | 127827 | Bronze      | 280ml | 24/ box | 5411183134232 |
|           | 127829 | Black       | 280ml | 24/ box | 5411183134256 |
|           | 127835 | Alu Grey    | 280ml | 24/ box | 5411183134270 |



## AQUARIUM SILICONE

Soudal Aquarium Silicone is a permanently elastic silicone sealant especially developed for bonding of glass to glass. As it withstands permanent immersion in water the product is highly suitable for the construction and repair of aquaria and terraria.

### APPLICATIONS :

- Installation and repair of aquaria. Production of full glass aquaria. Bonding and sealing of glass constructions, window displays, terraria etc.

### FEATURES & BENEFITS :

- Very easy to apply
- Once fully cured harmless for fish and plant life
- Fully water resistant, even in long term immersion
- High bond strength glass on glass
- EC1 Plus certified, very low emission value

| Cartridge |        |       |       |         |               |
|-----------|--------|-------|-------|---------|---------------|
|           | 107090 | Clear | 290ml | 12/ box | 5411183024298 |





SILIRUB 2








Silirub 2 is a premium grade neutral cure silicone with fast skin formation and high mechanical performance for the sealing of most types of construction and glazing joints. Silirub 2 has excellent adhesion onto most types of building surfaces including most types of plastic and PVC. Official approvals include ATG (Belgium), ISO 11600 F25LM and G25LM.

APPLICATIONS :

- The Number One choice for sealing around window- and door frames, for glazing applications and for façade applications. Can be used on porous and non-porous surfaces. High mechanical performance and flexibility.

FEATURES & BENEFITS :

- UV resistant
- Temperature resistance -60°C until + 150°C
- Fast curing
- Suitable for interior and exterior applications
- Colourfast
- Can be used on PVC and most types of plastics
- Suitable for applications in contact with laminated glass and secondary double glazing sealants (test is best)
- Externally tested to ISO 11600 F25LM and G25LM

| Cartridge  |        |        |       |         |               |
|--|--------|--------|-------|---------|---------------|
|   | 102384 | Clear  | 300ml | 15/ box | 5411183001619 |
|   | 102392 | White  | 300ml | 15/ box | 5411183001626 |
|   | 102393 | Black  | 300ml | 15/ box | 5411183001657 |
|   | 102422 | Grey   | 300ml | 15/ box | 5411183001633 |
|   | 102423 | Bronze | 300ml | 15/ box | 5411183001688 |
| Sausage/foil bag   |        |        |       |         |               |
|   | 100252 | Grey   | 600ml | 12/ box | 5411183002982 |
|  | 100253 | Black  | 600ml | 12/ box | 5411183014350 |





NATURAL STONE SILICONE




Natural Stone Silicone is a high-quality, neutral, elastic one-component silicone based joint sealant.  
\*More colours available upon request

APPLICATIONS :

- Sealing of joints that are in contact with natural stones (marble, blue stone, granite, ...) or other porous surfaces
- Sealing of joints in sanitary areas and kitchens which are in contact with natural stones
- Expansion joints between many different construction materials
- Top sealing in glazing

FEATURES & BENEFITS :

- No staining on porous surfaces such as marble, granite and other natural stones
- Very easy to apply
- Colourfast and UV resistant
- Impervious to mould, contains biocide with fungicidal action
- Permanently elastic after curing
- Very good adhesion on many materials
- Low modulus
- MEKO free

| Cartridge   |        |             |       |         |               |
|---|--------|-------------|-------|---------|---------------|
|  | 104085 | Marble Grey | 290ml | 15/ box | 5411183010345 |
|  | 104086 | Travertine  | 290ml | 15/ box | 5411183010765 |
|  | 109922 | Transparent | 290ml | 15/ box | 5411183038882 |







## SILIRUB 2S

Silirub 2/S is a high-quality, neutral, elastic one-component silicone based joint sealant.

### APPLICATIONS :

- Joints in sanitary rooms (on synthetic baths and tubs) and kitchens
- Top sealing in glazing
- Sealing in cold store rooms and container construction
- Sealing in airconditioning systems

### FEATURES & BENEFITS :

- Excellent moisture resistance
- Neutral curing
- Low modulus
- Impervious to mould
- Very easy to apply
- UV-resistant
- Permanently elastic after curing
- Very good adhesion on many materials
- Very good resistance to ageing
- Not paintable
- Not suitable for natural stone

| Sausage/foil bag |        |             |       |         |               |
|------------------|--------|-------------|-------|---------|---------------|
|                  | 100697 | White       | 600ml | 12/ box | 5411183019881 |
| Cartridge        |        |             |       |         |               |
|                  | 101989 | White       | 300ml | 15/ box | 5411183005174 |
| Sausage/foil bag |        |             |       |         |               |
|                  | 100749 | Transparent | 600ml | 12/ box | 5411183022614 |
| Cartridge        |        |             |       |         |               |
|                  | 101990 | Transparent | 300ml | 15/ box | 5411183005488 |



## SILIRUB COLOR

Silirub Color is a premium grade neutral cure silicone with fast skin formation and high mechanical performance for the sealing in the exact colour of powdercoated door- and window frames and of most types of construction and glazing joints. Silirub Color has excellent adhesion onto most types of building surfaces including powdercoated substrates and most types of plastic and PVC.

### APPLICATIONS :

- Sealing in the exact RAL colour of frames, verandas, curtain walls, etc. General glazing applications and for façade applications. Can be used on porous and non-porous surfaces. High mechanical performance and flexibility. More than 30 RAL colours always on stock, more than 140 RAL colours can be matched.

### FEATURES & BENEFITS :

- UV resistant
- Temperature resistance -60°C until + 150°C
- Fast curing
- Suitable for interior and exterior applications
- Available in more than 140 RAL colours
- Can be used on PVC and most types of plastics
- Complies to ISO 11600 F25LM and G25LM

| Cartridge   |         |                           |       |         |     |
|---|---------|---------------------------|-------|---------|-----|
|  | various | more than 130 RAL colours | 300ml | 15/ box | N/A |



## SILIRUB CLEANROOM

Silirub Cleanroom is a high-quality, neutral, elastic one-component silicone based joint sealant. Silirub Cleanroom has been developed for sealing applications in critical surroundings (hospitals, laboratories, pharmaceutical industry) and in food safe applications.

### APPLICATIONS :

- Sealing in cleanroom applications in hospitals, laboratories and other critical surroundings
- Sealing of rooms in which food is processed and stored
- Sealing of several panel types (like e.g. HPL-panels)
- Joints in sanitary rooms (on synthetic baths and tubs) and kitchens

### FEATURES & BENEFITS :

- Very easy to apply
- UV-resistant
- Impervious to mould, contains ZnP (biocide with fungicidal action)
- Permanently elastic after curing
- Very good adhesion on many materials
- Meets GEV EMICODE EC-1 PLUS: very low emission
- Low modulus
- Slow skinning time
- Tested according to FDA regulations code CFR 21 § 177.2600 (e) and (f)

### Cartridge

|  |        |       |       |         |               |
|--|--------|-------|-------|---------|---------------|
|  | 112346 | White | 310ml | 15/ box | 5411183047815 |
|--|--------|-------|-------|---------|---------------|



## SOUDASEAL CLEANROOM

Soudaseal Cleanroom is a high quality, neutral, elastic, one-component construction joint and adhesive sealant based on SMX Hybrid Polymer. Soudaseal Cleanroom is developed for sealing and bonding in cleanroom applications.

### APPLICATIONS :

- Sealing and sticking applications in cleanroom applications
- Sanitary applications
- Strong elastic bonding in vibrating constructions
- Sealing of floor joints
- Sealing of several panel types (like e.g. HPL-panels)

### FEATURES & BENEFITS :

- Good extrudability
- Stays elastic after curing and very durable
- Excellent adhesion on nearly all surfaces, even if slightly moist
- Can be painted with water based systems
- No odour
- Very low emission, EC1+ certified
- Impervious to mould, contains biocide with fungicidal action
- Does not contain solvents, isocyanates, acids, halogens and toxic components, completely neutral
- Colourfast
- Good weather and UV resistance

### Cartridge

|  |        |       |       |         |               |
|--|--------|-------|-------|---------|---------------|
|  | 112302 | White | 290ml | 12/ box | 5411183047679 |
|--|--------|-------|-------|---------|---------------|







## SILIRUB EPDM

Neutral cure single component silicone based sealant-adhesive in black colour for the sealing and bonding of EPDM based materials.

### APPLICATIONS :

- Bonding and sealing of EPDM on EPDM and other building surfaces.

### FEATURES & BENEFITS :

- Especially developed for EPDM applications
- Highly flexible
- Very good adhesion on many materials
- Low modulus

| Cartridge        |        |       |       |         |               |
|------------------|--------|-------|-------|---------|---------------|
|                  | 112501 | Black | 300ml | 15/ box | 5411183048270 |
| Sausage/foil bag |        |       |       |         |               |
|                  | 112130 | Black | 600ml | 12/ box | 5411183103351 |



## SOUDASEAL EPDM

Soudaseal EPDM is a high quality, neutral, elastic, 1-component Hybrid polymer based adhesive sealant for bonding and sealing of EPDM membranes in interior and exterior applications. Soudaseal EPDM is part of Soudal Window System.

### APPLICATIONS :

- For bonding of EPDM vapour barriers and waterproofing membranes in facade applications. For bonding and sealing of EPDM membranes to each other as well as to structural work, masonry, concrete, plaster, cement, aluminium, wood, etc. Particularly suitable for making airtight connections in window installations.

### FEATURES & BENEFITS :

- Very good adhesion to EPDM membranes
- Good adhesion on most common building materials
- Primerless adhesion even on damp surfaces due to unique adhesion promoters
- Easy to tool, extrude (even at low temperatures) and finish in all weather conditions
- Meets GEV EMICODE EC-1R Plus: very low emission
- Stays elastic after curing and very sustainable
- Solvent, halogen, acid and isocyanate free
- UV resistant, waterproof and resistant to weathering
- For in and outdoor use

| Sausage/foil bag |        |       |       |         |               |
|------------------|--------|-------|-------|---------|---------------|
|                  | 130549 | Black | 600ml | 12/ box | 5411183135154 |



## PU SEALANTS



### SOUDAFLEX 40FC

Soudaflex 40FC is a high quality, neutral, elastic, one-component construction joint and adhesive sealant based on polyurethane.

#### APPLICATIONS :

- All sealing and bonding applications in the building industry
- Structural bondings in vibrating constructions
- Sealing of shrinking joints in concrete floors
- Bonding of roof tiles

#### FEATURES & BENEFITS :

- Very easy to apply
- Permanently elastic after curing
- Excellent resistance to UV radiation
- Very good adhesion on many materials
- Excellent resistance to many chemicals

#### Sausage/foil bag

|  |        |               |       |         |               |
|--|--------|---------------|-------|---------|---------------|
|  | 116905 | Concrete Grey | 600ml | 12/ box | 5411183080027 |
|  | 102486 | White         | 600ml | 12/ box | 5411183008892 |
|  | 104103 | Black         | 600ml | 12/ box | 5411183019751 |
|  | 134715 | Grey          | 600ml | 12/ box | 5411183152618 |
|  | 121280 | Sandstone     | 600ml | 12/ box | 5411183099081 |



### SOUDAFLEX 41XS

Soudaflex 41XS is a high quality, neutral, elastic, one-component construction joint and adhesive sealant based on polyurethane.

#### APPLICATIONS :

- All sealing and bonding applications in the building industry
- Structural bondings in vibrating constructions
- Connection joints between window- and doorframes and walls
- Connection joints in building industry
- Sealing of floor joints
- Bonding of roof tiles

#### FEATURES & BENEFITS :

- Very easy to apply
- Long open time
- Good sag resistance
- Permanently elastic after curing
- Excellent resistance to many chemicals
- Can be painted with most types of paint systems
- Good weather and UV resistance

#### Sausage/foil bag

|  |        |               |       |         |               |
|--|--------|---------------|-------|---------|---------------|
|  | 132265 | Black         | 600ml | 12/ box | 5411183143791 |
|  | 132266 | White         | 600ml | 12/ box | 5411183143784 |
|  | 146233 | Concrete Grey | 600ml | 12/ box | 5411183162969 |







## SOUDAFLEX 42FX

Soudaflex 42FX is a high-quality, elastic, one-component joint and adhesive sealant polyurethane base.

### APPLICATIONS :

- All sealing and adhesive applications in construction and metal industry
- Structural bonding in vibrating constructions
- Sealing of shrink joints in concrete floors
- Bonding of roof tiles

### FEATURES & BENEFITS :

- Very easy to process
- Permanently elastic after curing
- Good UV resistance
- Very good adhesion to many materials
- Good chemical resistance
- Not suitable for natural stone
- Paintable

#### Sausage/foil bag

|  |        |               |       |         |               |
|--|--------|---------------|-------|---------|---------------|
|  | 152750 | White         | 600ml | 12/ box | N/A           |
|  | 152579 | Concrete Grey | 600ml | 12/ box | 5411183167445 |
|  | 146913 | Black         | 600ml | 12/ box | 5411183164727 |
|  | 151950 | Grey          | 600ml | 12/ box | 5411183166745 |
|  | 153546 | Brown         | 600ml | 12/ box | 5411183170513 |



## SOUDAFLEX 20LM

Soudaflex 20LM is a high quality, elastic, one-component sealant based on polyurethane.

### APPLICATIONS :

- All usual building joints with high movement
- Connection joints between window- and doorframes and walls
- Expansion joints between many different construction materials
- Joints with large movement

### FEATURES & BENEFITS :

- Very easy to apply
- Permanently elastic after curing
- Low modulus
- No bubble formation within sealant in high temperature and humidity applications
- Very good adhesion on many materials
- Excellent resistance to UV radiation
- Excellent resistance to many chemicals
- Paintable

#### Sausage/foil bag

|  |        |               |       |         |               |
|--|--------|---------------|-------|---------|---------------|
|  | 126923 | Concrete Grey | 600ml | 12/ box | 5411183124981 |
|--|--------|---------------|-------|---------|---------------|



## SOUDAFLEX 33SL

Soudaflex 33SL is a high quality, flexible, one-component, self-leveling joint sealant based on polyurethane.

### APPLICATIONS :

- Sealing of shrinking joints in concrete floors
- Sealing of floor joints
- All usual horizontal building, connection, expansion and dilatation joints
- Excellent for sealing of joints in environments where fuel and oil contact occurs
- Hydraulic fluids, lubricants, oils - Fuels (petrol and gasoline): Resistant to splash and spillage contact. Can withstand long-term intense contact-immersion (up to 1 week) in combination with Primer 100

### FEATURES & BENEFITS :

- Very easy to apply
- Self-leveling
- Usable up to max. slope of 3%
- Excellent chemical resistance
- Good weather and UV resistance
- Permanently elastic after curing
- Very good adhesion on many materials
- No bubble formation within sealant (in high temperature and humidity applications)
- No staining on porous surfaces such as marble, granite and other natural stones

#### Sausage/foil bag

|  |        |               |       |         |               |
|--|--------|---------------|-------|---------|---------------|
|  | 130635 | Concrete Grey | 600ml | 12/ box | 5411183135635 |
|--|--------|---------------|-------|---------|---------------|

# SOUDAFLEX SEALANTS

## SEALING OF FLOOR JOINTS



**Soudaflex 41XS:** Long open time

**Soudaflex 42FX:** Paintable

**Soudaflex 33SL:** Self-levelling

- Permanently elastic after curing
- Good chemical resistance
- Good UV resistance
- Very good adhesion to many materials



## PAINTABLE SEALANTS & FILLERS



### PAINTABLE SEALANT

Paintable sealant is a high-quality, plasto-elastic one-component joint sealant based on acrylic dispersions.

#### APPLICATIONS :

- Joints on window sills, between plinths and walls, between masonry, ...
- Finishing of various board and ceiling lists and decorative elements such as moldings

#### FEATURES & BENEFITS :

- Very easy to apply
- Colourfast and waterproof after curing
- Can be painted over after curing
- Very good adhesion on many porous surfaces and aluminium

#### Cartridge

|  |        |       |       |         |               |
|--|--------|-------|-------|---------|---------------|
|  | 123974 | White | 270ml | 24/ box | 5411183110670 |
|--|--------|-------|-------|---------|---------------|



### ACRYRUB

Acryrub is a one-component, quickly paintable, plasto-elastic sealant based upon acrylic dispersion. Due to its unique composition, it minimizes the risk for crazing, even with highly filled and covering paints.

#### APPLICATIONS :

- Joints with movement till max. 12,5%
- Connection joints in building industry
- Joints on window sills, between plinths and walls, between masonry

#### FEATURES & BENEFITS :

- Very easy to apply
- Colourfast and waterproof after curing
- EC-1 PLUS label: very low emission
- Can be painted over after curing
- Very good adhesion on many porous surfaces and aluminium

#### Cartridge

|  |        |       |       |         |               |
|--|--------|-------|-------|---------|---------------|
|  | 102600 | White | 310ml | 15/ box | 5411183057685 |
|--|--------|-------|-------|---------|---------------|

#### Sausage/foil bag

|  |        |       |       |         |               |
|--|--------|-------|-------|---------|---------------|
|  | 102603 | White | 600ml | 15/ box | 5411183407459 |
|--|--------|-------|-------|---------|---------------|



### ACRYRUB N

Acryrub N is a high-quality, plasto-elastic one-component joint sealant based on acrylic.

#### APPLICATIONS :

- Joints with movement till max. 15%. Connection joints in building industry. Joints on window sills, between plinths and walls, between masonry, ... Filling of cracks in concrete and plasterwork.

#### FEATURES & BENEFITS :

- Very easy to apply.
- Colourfast and waterproof after curing.
- Can be painted over after curing.
- Very good adhesion on many porous surfaces and aluminium.

#### Cartridge

|  |        |       |       |         |               |
|--|--------|-------|-------|---------|---------------|
|  | 113671 | White | 280ml | 15/ box | 5411183057685 |
|  | 113672 | Grey  | 280ml | 15/ box | 5411183057708 |
|  | 113673 | Brown | 280ml | 15/ box | 5411183057692 |
|  | 114596 | Black | 280ml | 15/ box | 5411183067240 |





Soudaduct HVAC

Soudaduct HVAC is a high-quality, plasto-elastic, solvent free HVAC ducting sealant for all types of metal ducts.

APPLICATIONS :

- Joints with movement till max.12,5%
- Sealing of joints, seams and overlaps in HVAC systems

FEATURES & BENEFITS :

- Very easy to apply
- Does not contain solvents
- Virtually odourless
- Colourfast and waterproof after curing
- Excellent adhesion on aluminum
- Good adhesion on anodized aluminum

| Cartridge |        |      |       |                       |
|-----------|--------|------|-------|-----------------------|
|           | 146444 | Grey | 270ml | 24/ box 5411183163041 |





## REPAIR EXPRESS PLASTER

Soudal Repair Express Plaster is a high quality lightweight filler for the easy and shrink-free repair or filling of gaps and cracks as well as drilled holes in walls and ceilings. The product does not shrink and can be painted with all types of paint.

### APPLICATIONS :

- Ideally suited for the shrink free filling of gaps, cracks and drilled holes prior to painting and finishing.

### FEATURES & BENEFITS :

- Does not shrink
- Very fast curing
- Very smooth finish
- Can be sanded after curing
- Can be painted as soon as a skin has formed (ca 15 min.)
- Ultra-light weight
- Easy to clean with damp cloth

### Cartridge

|  |        |       |       |         |               |
|--|--------|-------|-------|---------|---------------|
|  | 122525 | White | 290ml | 12/ box | 5411183112513 |
|--|--------|-------|-------|---------|---------------|



## REPAIR EXPRESS CEMENT

Soudal Repair Express Cement is a high quality rigid filler for the easy and shrink free repair or filling of gaps and cracks in concrete. The product does not shrink and can be painted with all types of paint.

### APPLICATIONS :

- Repairing of holes and cracks in concrete, brick, stone, cement, etc. Repairing of damage in concrete structures.

### FEATURES & BENEFITS :

- Does not shrink
- Can be used both outdoors and indoors
- Granular structure
- Very fast curing
- Very good adhesion to concrete, brick and other mineral surfaces
- Can be painted

### Cartridge

|  |        |      |       |         |               |
|--|--------|------|-------|---------|---------------|
|  | 125786 | Grey | 290ml | 12/ box | 5411183123076 |
|--|--------|------|-------|---------|---------------|

# POLIBUTENE SEALANTS



## BUTYRUB

Butyrub is a high quality, permanent plastic one-component sealant based on polybutene. Butyrub is a non-setting sealant which forms an elastic and watertight skin.

### APPLICATIONS :

- Joints with limited movement (max. 5%)
- Sealant for joints in masonry, door- and windowframes, windowsills
- Installation of single glass in wooden, concrete and steel window frames like in greenhouses
- Sealing of joints in coachwork and container construction
- Sealing of all openings in roof constructions
- Repairing and renovation of roofs and gutters

### FEATURES & BENEFITS :

- Very easy to apply
- Forms an elastic and tight skin
- Paintable after 24 hours
- Very good adhesion on many porous materials
- Excellent resistance to many chemicals
- UV-resistant
- Weatherproof

### Cartridge

|  |        |       |       |         |               |
|--|--------|-------|-------|---------|---------------|
|  | 102570 | Grey  | 300ml | 15/ box | 5411183407350 |
|  | 102572 | White | 300ml | 15/ box | 5411183001749 |

## HIGH TEMPERATURE RANGE



### SILIRUB HT-A

Silirub HT ° - A is a one-component sealant elastic silicone-based, which resists very high temperatures.

#### APPLICATIONS :

- Sealing of heating installations
- Seals for pumps and motors
- All sealing applications requiring resistance to high temperatures

#### FEATURES & BENEFITS :

- Permanent elasticity after polymerization
- Thermal resistance of max. 285°C
- Good adhesion to metals, glass and with ceramic materials
- Typical vinegar smell

#### Cartridge

|        |       |       |         |               |
|--------|-------|-------|---------|---------------|
| 108265 | Black | 310ml | 15/ box | 5411183036024 |
|--------|-------|-------|---------|---------------|



### SILIRUB HT-N

Silirub HT ° - N is an engineering sealant elastic and single-component silicone based that resists very high temperatures.

#### APPLICATIONS :

- Sealing of heating installations
- Seals for pumps and motors
- All sealing applications requiring resistance to high temperatures

#### FEATURES & BENEFITS :

- Permanent elasticity after polymerization
- Temperature resistance of max. 280°C
- Strong end-strength

#### Cartridge

|        |       |       |         |               |
|--------|-------|-------|---------|---------------|
| 108266 | Black | 310ml | 15/ box | 5411183036031 |
|--------|-------|-------|---------|---------------|



### HIGH TEMPERATURE SEALANT

Soudal High Temperature Sealant is a hard setting sealant with very high temperature resistance of up to 1500°C. Soudal High Temperature Sealant is suitable for sealing applications exposed to very high temperatures.

#### APPLICATIONS :

- Highly suitable for all types of low movement sealing applications. Can be used on brick-work, metals, concrete etc. Suitable for the installation and repair of ovens, barbecues, furnaces, heating systems etc.

#### FEATURES & BENEFITS :

- Free of solvents
- Free of asbestos
- For low movement joints
- Withstands temperatures of up to 1500°C
- After application warm up slightly during 12 hours to improve structure

#### Cartridge

|        |       |       |         |               |
|--------|-------|-------|---------|---------------|
| 102270 | Black | 290ml | 12/ box | 5411183412002 |
|--------|-------|-------|---------|---------------|





## FIRECEMENT HT

Firecement HT<sup>®</sup> is a one-component ready to use sealing paste which cures to form a hard joint which withstand temperatures of up to 1500°C.

### APPLICATIONS :

- Sealing of joints and openings where high temperatures are possible
- Sealing of stoves, ovens, fireplaces
- Heat retardant sealing at existing constructions

### FEATURES & BENEFITS :

- Ready for use
- No fragmentation or cracking after curing
- Heat resistant up to 1500°C
- Free of asbestos
- Hard setting
- Fire Rating of 120 minutes (Test Report 7830)

### Cartridge

|        |       |       |         |               |
|--------|-------|-------|---------|---------------|
| 108264 | Black | 310ml | 15/ box | 5411183036017 |
|--------|-------|-------|---------|---------------|



## CALOFER

Calofer is a high quality sealing paste based on sodium silicate.

### APPLICATIONS :

- Sealing of joints and openings where high temperatures are possible
- Sealing of stoves, ovens, fireplaces

### FEATURES & BENEFITS :

- Ready for use
- Not elastic after curing
- No fragmentation or cracking after curing
- Heat resistant up to 1500°C
- Free of asbestos

### Cartridge

|        |       |       |         |               |
|--------|-------|-------|---------|---------------|
| 100127 | Black | 310ml | 15/ box | 5411183002906 |
|--------|-------|-------|---------|---------------|



## GASKETSEAL

Gasketseal is a temperature resistant, elastic, one-component silicone sealant and replaces all cork, felt, fiber, paper and rubber gaskets in all thicknesses and widths.

### APPLICATIONS :

- Formation of gasket and sealing rings
- Sealing between metal components
- Sealing of heating installations

### FEATURES & BENEFITS :

- Excellent resistance to fuels, oils and grease
- High temperature resistance
- Very easy to apply
- Permanently elastic after curing
- Neutral curing, high modulus

### Cartridge

|        |              |       |         |               |
|--------|--------------|-------|---------|---------------|
| 103460 | Grey RAL7040 | 310ml | 12/ box | 5411183001831 |
|--------|--------------|-------|---------|---------------|

## SPECIAL HYBRID POLYMERS



### HMX FAÇADE PRO

HMX Facade Pro is a high quality, elastic, 1-component joint sealant based on cross-linked hydro polymers.

#### APPLICATIONS :

- All usual building joints with high movement. Expansion joints between many different construction materials. Expansion and connection joints in the building industry: sealing of joints in prefabricated buildings, sealing between window and door frames,... Connection and expansion joints between window frames and wall that are painted.

#### FEATURES & BENEFITS :

- Very good adhesion on many materials.
- Very easy to apply.
- Odorless.
- UV-resistant.
- Low modulus.
- Very good resistance to ageing.
- Excellent moisture resistance.
- Permanently elastic after curing.
- Paintable.
- No staining on porous surfaces such as marble, granite and other natural stones.
- EC-1 Plus label: very low emission

| Cartridge |        |       |       |         |               |
|-----------|--------|-------|-------|---------|---------------|
|           | 157721 | Grey  | 300ml | 15/ box | 5411183179226 |
|           | 157937 | Teak  | 300ml | 15/ box | 5411183179196 |
|           | 157719 | Brown | 300ml | 15/ box | 5411183179189 |
|           | 157723 | Beige | 300ml | 15/ box | 5411183179202 |
|           | 157724 | White | 300ml | 15/ box | 5411183179165 |
|           | 157905 | Black | 300ml | 15/ box | 5411183179172 |



## REVOLUTIONARY SEALING TECHNOLOGY





-  FACADE
-  SANITATION
-  MORE SUSTAINABLE
-  EXCELLENT ADHESION
-  HIGH ELASTICITY
-  INSIDE & OUTSIDE
-  WATER RESISTANT
-  MOLD RESISTANT
-  NATURAL STONE
-  PAINTABLE
-  ODORLESS
-  EASY HANDLING



## HMX SANITARY PRO







HMX Sanitary PRO is a high performance elastic sanitary sealant that is based on our revolutionary HMX technology. The product is especially designed for sanitary applications and combines the highest sanitary class XS1 (the highest resistance against mould) with a superior adhesion to many substrates used in sanitary rooms. Furthermore, HMX Sanitary PRO is easy to work with, more sustainable, odourless and can be used on natural stone.

### APPLICATIONS :

- Sealing in kitchens
- Sealing in bathrooms

### FEATURES & BENEFITS :

- Excellent & unique tooling (no threading, no slump, easy cleaning)
- Impervious to mould
- Permanently elastic after curing
- Very good adhesion to many substrates (tiles, bathtubs,...)
- Excellent moisture resistance
- Can be used on natural stone
- Excellent paintability
- Odourless
- A more sustainable solution: doesn't contain hazardous substrates (tin-free, phthalate-free, solvent-free)
- EC-1 Plus label: very low emission

| Cartridge   |        |       |       |         |               |
|---|--------|-------|-------|---------|---------------|
|    | 157681 | Grey  | 300ml | 15/ box | 5411183179301 |
|    | 157936 | Teak  | 300ml | 15/ box | 5411183179271 |
|    | 157683 | Beige | 300ml | 15/ box | 5411183179288 |
|   | 157708 | Brown | 300ml | 15/ box | 5411183179264 |
|  | 157709 | White | 300ml | 15/ box | 5411183179240 |
|  | 157894 | Black | 300ml | 15/ box | 5411183179257 |



# REVOLUTIONARY SEALING TECHNOLOGY





FACADE



SANITATION



MORE SUSTAINABLE



EXCELLENT ADHESION



HIGH ELASTICITY



INSIDE & OUTSIDE



WATER RESISTANT



MOLD RESISTANT



NATURAL STONE



PAINTABLE



ODORLESS



EASY HANDLING



## SPECIAL HYBRID POLYMERS



### POOL FIX

Soudal Pool Fix is a sealant and adhesive designed for fixing and repairing swimming pool areas.


#### APPLICATIONS :

- Repairing of mosaic and tiles in and around swimming pools, sealing of swimming pool components, temporary repair of small leaks.

#### FEATURES & BENEFITS :

- Excellent adhesion on almost all substrates, even humid
- Excellent sanitary performance
- Outstanding mechanical performance
- Combines strength with flexibility

#### Cartridge

|   |        |               |       |        |               |
|---|--------|---------------|-------|--------|---------------|
|  | 132196 | Crystal Clear | 290ml | 6/ box | 5411183142008 |
|---|--------|---------------|-------|--------|---------------|



### GREEN FIX

Soudal Green Fix is a high-quality adhesive in a special green colour for bonding and sealing on and around artificial grass.


#### APPLICATIONS :

- Bonding seams and outer edges of artificial grass, for small scale full surface bonding of artificial grass onto all types of substrates on balconies, terrasses, etc.

#### FEATURES & BENEFITS :

- Excellent adhesion on almost all substrates, even humid
- Special green colour
- Outstanding bond strength

#### Cartridge

|   |        |       |       |        |               |
|---|--------|-------|-------|--------|---------------|
|  | 132197 | Green | 290ml | 6/ box | 5411183139893 |
|---|--------|-------|-------|--------|---------------|



### METAL FIX

Soudal Metal Fix is a high strength construction adhesive for bonding metal materials to each other and to a wide range of surfaces.


#### APPLICATIONS :

- 

#### FEATURES & BENEFITS :

- Excellent adhesion on almost all substrates, even humid
- Special metallic grey colour
- Outstanding mechanical performance
- High green strength
- Suitable for use in sanitary applications
- Fast strength build up

#### Cartridge

|   |        |          |       |        |               |
|---|--------|----------|-------|--------|---------------|
|  | 132436 | Alu Grey | 290ml | 6/ box | 5411183126510 |
|---|--------|----------|-------|--------|---------------|



## MIRROR FIX

Soudal Mirror Fix is a high strength flexible adhesive for the bonding of mirrors with an acetone resistant backing to all types of surfaces.

### APPLICATIONS :

- Direct bonding of mirrors onto vertical substrates.

### FEATURES & BENEFITS :

- Excellent adhesion on almost all substrates, even humid
- Outstanding mechanical performance
- High green strength
- Suitable for use in sanitary applications
- Fast strength build up
- Suitable for all types of mirrors with acetone resistant backing

### Cartridge

|  |        |       |       |        |               |
|--|--------|-------|-------|--------|---------------|
|  | 132437 | White | 290ml | 6/ box | 5411183144002 |
|--|--------|-------|-------|--------|---------------|



## HYBRIDS



### MULTIBOND MS35

Multibond 35 is a high quality, neutral, elastic, one component adhesive sealant based on SMX Polymer.

#### APPLICATIONS :

- Sealing and bonding in the building and construction industry
- Strong elastic bonding in vibrating constructions
- Sealing and bonding in the building and construction industry

#### FEATURES & BENEFITS :

- Good extrudability
- Stays elastic after curing and very sustainable
- Excellent adhesion on nearly all surfaces, even if slightly moist
- Can be painted with water based systems
- No odour
- Does not contain solvents, isocyanates, acids, halogens and toxic components, completely neutral
- Good colour stability, weather and UV resistance

| Sausage/foil bag |        |               |       |         |               |
|------------------|--------|---------------|-------|---------|---------------|
|                  | 121584 | White         | 600ml | 12/ box | 5411183100701 |
|                  | 123030 | Concrete Gray | 600ml | 12/ box | 5411183123250 |
|                  | 130801 | Beige         | 600ml | 12/ box | 5411183135970 |



### ULTRA REPAIR ADHESIVE

Soudal Ultra Repair Adhesive is a superfast SMX Polymer based ready to use, fully transparent flexible high strength adhesive for the bonding of almost all types of materials to porous and non porous surfaces.

#### APPLICATIONS :

- Superfast bonding of almost all materials to each other and to all types of surfaces. Bonding of transparent materials such as glass and Plexiglas. Bonding of ceramics, pottery, gemstones, etc.

#### FEATURES & BENEFITS :

- For high strength small scale repair joints
- Fully transparent
- Very high end strength
- Remains fully flexible and can bridge gaps of up to 2mm
- Free of solvents, does not smell
- Water resistant for indoor and outdoor applications

| Tube |        |             |      |         |               |
|------|--------|-------------|------|---------|---------------|
|      | 134478 | Transparent | 20ml | 10/ box | 5411183069251 |



### SOUDASEAL MIRROR GREY

Soudaseal Mirror is a high quality, neutral, 1-component mirror adhesive based on MS Polymer.

#### APPLICATIONS :

- Stress-free bonding of mirrors that comply with EN 1036-1 and EN 1036-2. For other mirrors the compatibility needs to be tested.

#### FEATURES & BENEFITS :

- Fast curing
- Stays elastic after curing and very sustainable
- Very low emission, EC1 PLUS R certified
- Low odour
- Does not contain solvents
- Does not contain isocyanates and no silicones
- No risk for staining on porous substrates (migration of plasticizer)

| Cartridge |        |      |       |         |               |
|-----------|--------|------|-------|---------|---------------|
|           | 117339 | Grey | 290ml | 12/ box | 5411183083035 |





## SOUDASEAL 240FC

Soudaseal 240FC is a high quality, neutral, elastic, 1-component construction joint and adhesive sealant based on MS-Polymer.

### APPLICATIONS :

- Bonding applications in construction and metal constructions
- Strong elastic bonding in vibrating constructions
- Sanitary applications
- Sealing of floor joints
- Connection joints in sheet metal fabrication, sealing of air conditioning systems
- Bonding of security and safety glass
- Supple bonding in car bodies, caravans and containers

### FEATURES & BENEFITS :

- Excellent adhesion on nearly all surfaces, even if slightly moist
- Very good mechanical characteristics
- High elasticity – movement accommodation up to  $\pm 20\%$
- Impervious to mold, contains biocide with fungicidal action
- Good extrudability even at low temperatures
- Non staining including hydrophobic effect
- Very low emission, EC1+ certified
- No bubble formation within sealant in high temperature and humidity applications
- Good weather and UV resistance
- Free of isocyanates, solvents, halogens and acids
- Can be painted with water based systems

| Cartridge        |        |       |       |         |               |
|------------------|--------|-------|-------|---------|---------------|
|                  | 101364 | White | 290ml | 12/ box | 5411183000629 |
| Sausage/foil bag |        |       |       |         |               |
|                  | 101809 | White | 600ml | 12/ box | 5411183032309 |
| Cartridge        |        |       |       |         |               |
|                  | 104925 | Black | 290ml | 12/ box | 5411183004122 |
| Sausage/foil bag |        |       |       |         |               |
|                  | 108148 | Black | 600ml | 12/ box | 5411183030169 |
| Cartridge        |        |       |       |         |               |
|                  | 105027 | Grey  | 290ml | 12/ box | 5411183004139 |



## SOUDASEAL 270HS

Soudaseal 270HS is a high quality, neutral, elastic, 1-component adhesive sealant based on MS-Polymer.

### APPLICATIONS :

- For use in elastic structural bonding applications where a tough and rigid bond is required
- Structural bonding in vibrating constructions
- Elastic structural bonding in automotive applications: buses, trains, trucks, caravans or trailers ...
- Joints between metal plates

### FEATURES & BENEFITS :

- Excellent adhesion on nearly all surfaces, even if slightly moist
- Very good mechanical characteristics
- Combines high end strength with certain rigidity
- High initial tack and fast build-up of end strength
- Very low emission, EC1+ certified
- Easy to use and apply, also under difficult circumstances
- No bubble formation within sealant in high temperature and humidity applications
- Good weather and UV resistance
- Free of isocyanates, solvents, halogens and acids
- Can be painted with water based systems and industrial varnishes and coatings

| Cartridge        |        |          |       |         |               |
|------------------|--------|----------|-------|---------|---------------|
|                  | 110207 | White    | 290ml | 12/ box | 5411183068261 |
| Sausage/foil bag |        |          |       |         |               |
|                  | 113761 | CS_white | 600ml | 12/ box | 5411183068605 |
| Cartridge        |        |          |       |         |               |
|                  | 111029 | Black    | 290ml | 12/ box | 5411183042667 |
| Sausage/foil bag |        |          |       |         |               |
|                  | 110645 | Black    | 600ml | 12/ box | 5411183041691 |



ALL you need is...  
Fix ALL®



## FIX ALL RANGE



### FIX ALL FLEXI

Fix All High Flexi is an All-in One Sealant and Adhesive. The product can be used as a sanitary sealant, a paintable sealant, a high strength adhesive, a sealant for natural stone and a sealant for expansion joints.

#### APPLICATIONS :

- For all sealing and bonding applications both inside and outside. For bonding and sealing of natural stone, for bathroom & kitchen sealing and bonding,, etc. Can be used painted and used on humid substrates.

#### FEATURES & BENEFITS :

- For sealing and for bonding
- Combines flexibility with strength
- Interior and exterior applications
- Free of solvents and isocyanates
- For sealing and bonding of natural stone
- For applications which need to be painted
- For sanitary applications

#### Cartridge

|  |        |       |       |         |               |
|--|--------|-------|-------|---------|---------------|
|  | 106036 | White | 290ml | 12/ box | 5411183007192 |
|--|--------|-------|-------|---------|---------------|

#### Tube

|  |        |       |       |         |               |
|--|--------|-------|-------|---------|---------------|
|  | 131082 | White | 125ml | 10/ box | 5411183137332 |
|--|--------|-------|-------|---------|---------------|



### FIX ALL HIGH TACK

Fix All High Tack is a high strength flexible adhesive and sealant which combines high end strength with high initial tack. The product can be applied both outside and inside, can be painted and used in sanitary areas.

#### APPLICATIONS :

- For all sealing and bonding applications both inside and outside where initial grab and high end strength is important. Can be used on humid substrates and in bathroom applications.

#### FEATURES & BENEFITS :

- For bonding and for sealing
- Very high end strength
- High initial tack
- Interior and exterior applications
- Free of solvents and isocyanates
- For bonding of natural stone
- For sanitary applications

#### Cartridge

|  |        |       |       |         |               |
|--|--------|-------|-------|---------|---------------|
|  | 101444 | White | 290ml | 12/ box | 5411183031890 |
|  | 101454 | Grey  | 290ml | 12/ box | 5411183031920 |
|  | 101459 | Black | 290ml | 12/ box | 5411183031944 |

#### Tube

|  |        |       |       |         |               |
|--|--------|-------|-------|---------|---------------|
|  | 153976 | White | 125ml | 10/ box | 5411183170926 |
|--|--------|-------|-------|---------|---------------|







## FIX ALL HIGH TACK INVISIBLE

Fix All High Tack Invisible is a high strength flexible adhesive which combines very high end strength with high initial tack. The product is 100% transparent and can be applied both outside and inside, can be painted and used in sanitary areas.

### APPLICATIONS :

- For bonding applications both inside and outside where a transparent product is needed and where initial grab and high end strength is important. Can be used on humid substrates.

### FEATURES & BENEFITS :

- For invisible bonding
- Very high end strength
- Interior and exterior applications
- Free of solvents and isocyanates
- 100% transparent

### Cartridge

|        |             |       |         |               |
|--------|-------------|-------|---------|---------------|
| 131209 | Glass Clear | 290ml | 12/ box | 5411183138209 |
|--------|-------------|-------|---------|---------------|



## FIX ALL CRYSTAL

Fix All Crystal is a super clear flexible sealant, adhesive and filler which can be applied both inside and outside onto almost all - even humid - surfaces, both porous and smooth. Fix All Crystal can be painted, is suitable for sanitary applications and meets FDA 177-2600 (e) for contact with aqueous food.

### APPLICATIONS :

- For all bonding and sealing applications both inside and outside where transparency is important. Sanitary applications in kitchens and bathrooms. Can be used on humid substrates.

### FEATURES & BENEFITS :

- 100% crystal clear
- For sealing and bonding
- High end strength
- Free of solvents and isocyanates
- Foodsafe (aqueous food)
- For sanitary applications

### Cartridge

|        |               |       |         |               |
|--------|---------------|-------|---------|---------------|
| 118779 | Crystal Clear | 290ml | 12/ box | 5411183088023 |
|--------|---------------|-------|---------|---------------|

### Tube

|        |               |       |         |               |
|--------|---------------|-------|---------|---------------|
| 131080 | Crystal Clear | 125ml | 10/ box | 5411183137356 |
|--------|---------------|-------|---------|---------------|



## FIX ALL TURBO

Fix All Crystal is a super clear flexible sealant, adhesive and filler which can be applied both inside and outside onto almost all - even humid - surfaces, both porous and smooth. Fix All Crystal can be painted, is suitable for sanitary applications and meets FDA 177-2600 (e) for contact with aqueous food.

### APPLICATIONS :

- For all flexible bonding applications both inside and outside where very fast curing is important. Can be used on humid substrates.

### FEATURES & BENEFITS :

- Hand tight within 20 minutes (wood to wood)
- For fast flexible bonding both inside and outside
- Superior end strength
- Free of solvents and isocyanates
- For bonding of marble and other types of natural stone

### Cartridge

|        |       |       |         |               |
|--------|-------|-------|---------|---------------|
| 122236 | White | 290ml | 12/ box | 5411183102842 |
|--------|-------|-------|---------|---------------|

### Tube

|        |       |       |         |               |
|--------|-------|-------|---------|---------------|
| 131077 | White | 125ml | 10/ box | 5411183137387 |
|--------|-------|-------|---------|---------------|



## FIX ALL XTREME POWER

Fix All Xtreme Power is a flexible adhesive with ultimate grab for bonding applications both inside and outside. Fix All Xtreme Power is easy to extrude and has primerless adhesion on almost all types of substrates (even humid).

### APPLICATIONS :

- For all flexible bonding applications both inside and outside where direct bonding is important. Bonded applications will not budge during the curing process. Can be used on humid substrates.

### FEATURES & BENEFITS :

- Ultimate Initial grab of 400kg/m<sup>2</sup>
- High end strength
- Remains flexible
- Interior and exterior applications
- Free of solvents and isocyanates
- For bonding of natural stone

### Cartridge

|  |        |       |       |         |               |
|--|--------|-------|-------|---------|---------------|
|  | 127479 | White | 290ml | 12/ box | 5411183127715 |
|--|--------|-------|-------|---------|---------------|



## FIX ALL XTREME XPRESS

Fix ALL X-Treme Power Express is a high quality, neutral, elastic, 1-component adhesivesealant based on SMX-Polymer with an extremely high initial tack of min. 400 kg/m<sup>2</sup> and a very fast strength build-up.

### APPLICATIONS :

- Bonding in building and metal industry. Elastic bonding of objects, panels, profile-sand other pieces on the most common substrates. For bonded facade panels we refer to the Soudal Panel System.

### FEATURES & BENEFITS :

- Extreme high initial tack of min. 400 kg/m<sup>2</sup>
- Quickly manipulable and very fast build-up of strength with thin adhesive layer and on porous substrates.
- Fast curing
- Good workability with included triangular shaped nozzle.
- Stays elastic after curing and very durable
- No odour
- Good weather and UV resistance
- Excellent adhesion on nearly all surfaces, even if slightly moist.
- Paintable with waterbased paints.
- No staining on porous surfaces such as marble, granite and other natural stones

### Cartridge

|  |        |       |       |         |               |
|--|--------|-------|-------|---------|---------------|
|  | 154560 | White | 290ml | 12/ box | 5411183172470 |
|--|--------|-------|-------|---------|---------------|



## FIX ALL FLOOR & WALL

Fix All Floor & Wall is a flexible adhesive with very high end strength for full surface bonding applications both inside and outside. Fix All Xtreme Power is easy to extrude and can be spread smoothly and has primerless adhesion on almost all types of substrates (even humid).

### APPLICATIONS :

- For all full surface flexible bonding applications both inside and outside both horizontally (flooring materials) and vertically (tiles, metal sheets, etc.). Can be used on humid substrates.

### FEATURES & BENEFITS :

- For horizontal and vertical direct bonding
- High end strength
- Remains flexible
- Interior and exterior applications
- Free of solvents and isocyanates
- For bonding of natural stone

### foil bag in plastic tub

|  |        |       |      |        |               |
|--|--------|-------|------|--------|---------------|
|  | 120137 | White | 4 kg | 1/ box | 5411183093379 |
|--|--------|-------|------|--------|---------------|

### Bucket

|  |        |       |        |        |               |
|--|--------|-------|--------|--------|---------------|
|  | 157736 | White | 1,5 kg | 6/ box | 5411183179448 |
|--|--------|-------|--------|--------|---------------|

## FIX ALL RANGE

## FIX ALL MOUNTING TAPE TRANSPARENT



Transparent double-sided mounting tape. A quick and easy solution for permanently mounting and bonding on a wide range of materials (glass, mirror, tiles, stone, steel, most types of metal, coated wood, veneer and most plastics).

**APPLICATIONS :**

- Fix ALL Mounting Tape ensures a highly durable and long-lasting adhesion to the surface, providing a strong bond inside and outside. The clear acrylic core provides visual congruity when used with glass or clear materials.

**Blister**

|        |             |       |         |               |
|--------|-------------|-------|---------|---------------|
| 155514 | Transparent | 160mm | 30/ box | 5411183175556 |
|--------|-------------|-------|---------|---------------|

## FIX ALL MOUNTING TAPE WHITE



Ultra-strong double-sided mounting tape. A quick and easy solution for permanently mounting and bonding on a wide range of materials (glass, mirror, tiles, stone, steel, most types of metal, coated wood, veneer and most plastics).

**APPLICATIONS :**

- Fix ALL Mounting Tape ensures a highly durable and long-lasting adhesion to the surface, providing an ultra-strong bond inside and outside.

**Blister**

|        |       |       |         |               |
|--------|-------|-------|---------|---------------|
| 155515 | white | 160mm | 30/ box | 5411183175563 |
|--------|-------|-------|---------|---------------|

**NEW!**

**Double-sided mounting tape**  
**CUT. STICK. AND PRESS!**



156013-0TH



## POLYURETHANE FOAMS



### SOUDAFOAM 1K EXP

Soudafoam 1K EXP is a one-component, self-expanding, ready to use PU-foam, which contains HCFC- and CFC-free propellants who are not harmful for the ozone layer.

#### APPLICATIONS :

- Filling of cavities
- Sealing of all openings in roof constructions
- Apply of an acoustic baffle
- Improving thermal isolation in cooling systems
- All foam applications in static and not static joints

#### FEATURES & BENEFITS :

- Excellent stability (no shrinkage or post expansion)
- High filling capacity
- High insulation value, thermal and acoustic
- Freon free (not harmless to ozone layer and greenhouse effect)
- Not UV-resistant
- Low curing pressure

#### Aerosol can

|             |           |       |         |               |
|-------------|-----------|-------|---------|---------------|
| 120719      | Champagne | 750ml | 12/ box | 5411183464001 |
| Aerosol can |           |       |         |               |
| 123308      | Champagne | 650gr | 12/ box | 5411183098510 |



### SOUDAFOAM GUN

Soudafoam Gun is a Polyurethane based construction foam with excellent thermal and acoustic insulation values for the filling of large gaps and construction openings and for the installation of door- and window frames. To be applied with a special high quality Foam Gun.

#### APPLICATIONS :

- Quick and easy filling of all types of gaps and cracks in all types of construction materials. Insulation of roof panels, corrugated iron etc. Installation of door- and window frames. Filling of all types of cavities. One handed application thanks to Soudal's patented Genius Gun adaptor.

#### FEATURES & BENEFITS :

- Excellent stability (no shrink or post-expansion)
- High filling capacity – expands more than 30 times after extrusion
- Excellent bond onto all surfaces (except PE, PP, PFTE, ...)
- Can be applied onto moist surfaces
- High thermal and acoustical insulation values
- 2 years shelf life due to the patented Dura-valve system
- Fitted with a threaded applicator for use with Soudal Foam Guns

#### Aerosol can

|        |           |       |         |               |
|--------|-----------|-------|---------|---------------|
| 104193 | Champagne | 750ml | 12/ box | 5411183464049 |
|--------|-----------|-------|---------|---------------|



### GUN & FOAM CLEANER

Soudal Gun & Foam Cleaner is a ready to use aerosol cleaner for use with Soudal's Gun Foams and PU Foams.

#### APPLICATIONS :

- Cleaning of Gun foam tools. Cleaning and removing of uncured PU Foam.

#### FEATURES & BENEFITS :

- Contains Acetone
- Removes uncured foam and cleans and degreases acetone resistant smooth surfaces
- Fitted with an adaptor for use in combination with Soudafoam Gun and its application tools
- Fitted with a replacement spray nozzle so that it can also be used to clean other types of PU Foam

#### Aerosol can

|        |       |       |         |               |
|--------|-------|-------|---------|---------------|
| 113433 | Clear | 500ml | 12/ box | 5411183052154 |
|--------|-------|-------|---------|---------------|



## SOUDAL FILL & FIX FOAM

Fill and Fix Foam is a one-component, self-expanding, ready to use PU-foam, which contains HCFC- and CFC-free propellants who are not harmful for the ozone layer.

### APPLICATIONS :

- Installing of window and door frames
- Filling of cavities
- Sealing of all openings in roof constructions
- Apply of an acoustic baffle
- Improving thermal isolation in cooling systems

### FEATURES & BENEFITS :

- Excellent stability (no shrinkage or postexpansion)
- High filling capacity
- Good adhesion on all surfaces (except PE, PP and PTFE)
- High insulation value, thermal and acoustic
- Very good bonding properties
- Not UV-resistant
- Freon free (not harmless to ozone layer and greenhouse effect)

| Aerosol can |        |           |       |         |               |
|-------------|--------|-----------|-------|---------|---------------|
|             | 111115 | Champagne | 300ml | 12/ box | 5411183040328 |
| Aerosol can |        |           |       |         |               |
|             | 110389 | Champagne | 500ml | 12/ box | 5411183040335 |
| Aerosol can |        |           |       |         |               |
|             | 110178 | Champagne | 750ml | 12/ box | 5411183039957 |



## FILLING FOAM COMPACT

Soudal Filling Foam Compact is a one-component, high volume expansion gap filling, ready to use PU-foam, which contains HCFC- and CFC-free propellants who are not harmful for the ozonlayer. It has been fitted with the unique Compact system for fast use and maximum comfort during application. The high performance PU foam is suitable for indoor and outdoor use. The 150ml canister expands up to 4L when applied.

### APPLICATIONS :

- Ideal for sealing cracks in walls, filling around pipes and general filling of holes and voids. The fast curing foam can be cut, sanded and plastered once fully cured

### FEATURES & BENEFITS :

- High Volume Expansion
- High Thermal and Acoustic Insulation
- Compact ApplicatorFast Curing Ideal for use in tight spaces

| Aerosol can |        |           |       |         |               |
|-------------|--------|-----------|-------|---------|---------------|
|             | 158880 | Champagne | 150ml | 12/ box | 5411183181991 |



## FIX & BOND COMPACT

Compact Fix and Bond is a ready-to-use, single component, self-expanding polyurethane adhesive for the clean, efficient and economical permanent bonding of small materials and decorative elements. It has been fitted with the unique Compact system for fast use and maximum comfort during application.

### APPLICATIONS :

- 

| Aerosol can |        |           |       |         |               |
|-------------|--------|-----------|-------|---------|---------------|
|             | 158879 | Champagne | 150ml | 12/ box | 5411183182004 |



## GENIUS FOAM

Soudal Genius Gun Foam is a polyurethane based construction foam with excellent thermal and acoustic insulation values for the filling of large gaps and construction openings and for the installation of door- and window frames. It is fitted with Soudal's patented Genius Foam adaptor for ultimate ease of use.

### APPLICATIONS :

- Suitable for small fixing and bonding applications (horizontally and vertically).
- Bonding of skirting boards to walls.
- Bonding of decorative elements to walls and ceilings.
- Fills cavities between individual thermal insulation panels.

### FEATURES & BENEFITS :

- Easy and fast to apply (saving of up to 30% in labour time)
- Excellent initial bond, even at low temperatures
- Compact system for fast and easy in use
- Economical in use due to precise application
- Good adhesion on all surfaces (except PE, PP and PTFE)
- Suitable for vertical applications
- Levels uneven surfaces
- Open time: Max 8 min
- Remains flexible, does not become brittle
- Substantial space and weight savings compared to conventional PU adhesives, bonding mortars, etc.
- Fast curing and trimmed after 1 hour
- Solvent free
- Resistant to a variety of solvents, paints and chemicals
- Does not age or rot, mould and mildew resistant, but not UV resistant
- Water repellent but not waterproof

| Aerosol can |        |           |       |         |               |
|-------------|--------|-----------|-------|---------|---------------|
|             | 124008 | Champagne | 600ml | 12/ box | 5411183114333 |
| Aerosol can |        |           |       |         |               |
|             | 126886 | Champagne | 400ml | 12/ box | 5411183124882 |







## SOUDABOND EASY GENIUS GUN

Soudabond Easy Genius is a ready-to-use, single component, self-expanding polyurethane adhesive for clean, efficient and economical permanent bonding of insulation panels and plasterboard in building and construction.

### APPLICATIONS :

- Clean, efficient and economical permanent bonding of insulation panels
- Suitable for bonding polystyrene (EPS + XPS), polyurethane (PUR/PIR) and phenol resin foam based insulation panels for flat roofs, perimeters, facades, insulation/drain elements, cellar ceilings, internal insulation, etc.
- Suitable for bonding gypsum plasterboard/ gypsum fiberboard in dry lining applications
- Suitable for bonding non-load bearing walls, e.g. partition walls, screen walls, cellar bars, stone shelves, etc., of concrete precision blocks (aerated concrete, sand-lime brick, gypsum,...)
- Fills cavities between individual thermal insulation panels

### FEATURES & BENEFITS :

- Cuts working time by up to 30%
- Excellent initial bond, even at low temperatures
- Economical in use due to precise application
- One can covers up to 12 m<sup>2</sup> of insulation
- Suitable for vertical applications
- Can be applied at temperatures between -5 °C and +35 °C
- Thermal conductivity 0,036 W/m.K enhances performance of insulation panels when filling gaps
- Remains flexible, does not become brittle
- Levels uneven surfaces
- Limited post expansion for fast and precise installation of insulation panels and plasterboard
- Substantial space and weight savings compared to conventional PU roof adhesives, bonding mortars, etc
- Fast curing, work can continue about 1 hour after application
- Solvent-free
- Resistant to a variety of solvents, paints and chemicals
- Does not age or rot, mould and mildew resistant, but not UV resistant
- Water resistant (not watertight)

### Aerosol can

|  |        |        |       |         |               |
|--|--------|--------|-------|---------|---------------|
|  | 130426 | Orange | 750ml | 12/ box | 5411183134706 |
|--|--------|--------|-------|---------|---------------|



## SOUDAFOAM TEJAS GUN TERRACOTA

Single-component, self-expanding PU foam ready-to-use PU foam. The combination of this special formula with the MEGA adaptor offers higher performance and, thanks to its lower allows you to cover even more running running metres.

### APPLICATIONS :

- Installation and repair of roof tiles.
- Filling of cavities.
- Sealing of all openings in roof constructions.
- Apply of an acoustic baffle.

### FEATURES & BENEFITS :

- Quick and easy to apply (saves up to 30 time saved).
- Excellent adhesion to all substrates, except PE/PP.
- Replaces mortar.
- Costs less than traditional systems.
- Excellent characteristics for assembly.
- Very fast curing.
- Easy to apply, thanks to the use of a foam gun (precise dosage).
- Resists ageing, rot-proof, but not resistant to UV rays.
- Extremely light.

### Aerosol can

|  |        |        |       |         |               |
|--|--------|--------|-------|---------|---------------|
|  | 130449 | Orange | 750ml | 12/ box | 5411183134751 |
|--|--------|--------|-------|---------|---------------|

## MONTAGE ADHESIVES



### T-REX HEAVY MATERIALS 80%

T-Rex Montage Heavy materials - Recycled is a waterbased grab adhesive from recycled material with a high initial tack. Extremely suitable for porous surfaces.

#### APPLICATIONS :

- Very good adhesion on all usual porous building surfaces! Suitable for solid fixing of materials like wood, synthetic materials, stone, wall tiles, metal on surfaces of concrete, stone, plasterwork, wood, chipboard etc. Suitable for bonding panel work, panels, skirting boards of wood and PVC, cable tray and the most frequent decoration materials

#### FEATURES & BENEFITS :

- 80% recycled material
- Contains bio based material
- Initial tack: 250 kg/m<sup>2</sup> (full surface bonding)
- Suitable for bonding on uneven surfaces
- Direct application onto one substrate
- Very good adhesion on many porous materials
- Suitable for interior use

#### Cartridge

|  |        |       |       |         |               |
|--|--------|-------|-------|---------|---------------|
|  | 157637 | Beige | 300ml | 12/ box | 5411183179325 |
|--|--------|-------|-------|---------|---------------|



### T-REX MONTAGE SUPER GRAB

Soudal T-Rex Montage Super Grab is a strong ready to use solvent free construction adhesive for the bonding of a wide range of materials to each other and to walls. At least one of the substrates should be porous.

#### APPLICATIONS :


- Rockfast bonding of a wide range of materials (timber, plastics, stone, tiles, PS, insulation materials, metals ...) onto porous surfaces. Suitable for decoration panels, skirting, decorative elements, polystyrene, ...

#### FEATURES & BENEFITS :

- Free of solvents
- Suitable for applications onto uneven surfaces
- Very high green strength - 140kg/m<sup>2</sup>
- Suitable for direct bonding without support
- One substrate should be porous
- Apply onto one substrate and press on directly
- Do not expose cartridge to frost

#### Cartridge

|  |        |       |       |         |               |
|--|--------|-------|-------|---------|---------------|
|  | 146162 | Beige | 350gr | 12/ box | 5411183161412 |
|--|--------|-------|-------|---------|---------------|





## T-REX MONTAGE DIRECT GRAB

Soudal T-Rex Montage Direct Grab is a strong ready to use solvent free construction adhesive for the immediate bonding of a wide range of materials to each other and to walls. At least one of the substrates should be porous.

### APPLICATIONS :

- Rockfast bonding of a wide range of materials (timber, plastics, stone, tiles, PS, insulation materials, metals ...) onto porous surfaces. Unsurpassed initial grab. Suitable for heavy porous materials, decoration panels, skirting, decorative elements, polystyrene, ...

### FEATURES & BENEFITS :

- Free of solvents
- Suitable for applications onto uneven surfaces
- Fibre re-enforced for increased end strength
- Unsurpassed green strength - >250kg/m<sup>2</sup>
- Suitable for direct bonding without support
- One substrate should be porous
- Apply onto one substrate and press on directly
- Do not expose cartridge to frost

### Cartridge

|  |        |       |       |         |               |
|--|--------|-------|-------|---------|---------------|
|  | 146163 | Beige | 350gr | 12/ box | 5411183161429 |
|--|--------|-------|-------|---------|---------------|



## T-REX MONTAGE FIX IT

T-Rex Montage Fix It is a ready to use, solvented construction adhesive based on synthetic rubber.

### APPLICATIONS :

- All bonding in assembly techniques
- Bonding in the renovation industry
- Bonding in construction industry
- Bonding of cable trays and panels

### FEATURES & BENEFITS :

- Universal use
- Suitable for bonding on uneven surfaces
- Makes the use of screws and nails redundant
- Water resistant
- Suitable for bonding polystyrene

### Cartridge

|  |        |       |       |         |               |
|--|--------|-------|-------|---------|---------------|
|  | 146161 | Beige | 350gr | 12/ box | 5411183161399 |
|--|--------|-------|-------|---------|---------------|



## T-REX MONTAGE NEOPRENE

T-Rex Montage Neoprene is a ready to use, solvented construction adhesive based on polychloroprene rubber.

### APPLICATIONS :

- All bonding in assembly techniques
- Bonding in the renovation industry
- Bonding in construction industry
- Bonding of cable trays and panels
- Bonding of wooden construction elements

### FEATURES & BENEFITS :

- Direct application onto one substrate with a caulking gun
- Excellent initial grab
- Very fast powerful bonding
- Bonding on uneven surfaces, gap filling capacity
- Makes the use of screws and nails redundant
- Water resistant

### Cartridge

|  |        |       |       |         |               |
|--|--------|-------|-------|---------|---------------|
|  | 146164 | Beige | 350gr | 12/ box | 5411183161405 |
|--|--------|-------|-------|---------|---------------|



## TIMBER ADHESIVES



### TIMBER ADHESIVE D3

PRO 30D is a ready to use, fast drying, PVA-based adhesive with superior water resistance (D3).

#### APPLICATIONS :

- Interior applications with frequent short-term exposure of the bonds to running or condensed water
- Interior applications which are exposed to high relative humidity
- Exterior applications which are not exposed to weather factors
- Manufacturing of door and window-frames that need to meet class D3 according to EN204
- Bonding of wood, board, chipboard, veneer
- Assembly gluing of soft wood
- Construction bonding such as mortise and tenon joints, punches, etc.

#### FEATURES & BENEFITS :

- Easy to tool
- Transparent after drying
- High end strength
- Fast drying time
- Resistant against high temperatures

#### Plastic bottle

|  |        |       |       |        |               |
|--|--------|-------|-------|--------|---------------|
|  | 100062 | White | 750gr | 6/ box | 5411183001299 |
|--|--------|-------|-------|--------|---------------|

#### Bidon

|  |        |       |     |        |               |
|--|--------|-------|-----|--------|---------------|
|  | 103069 | White | 20L | 1/ box | 5411183001312 |
|--|--------|-------|-----|--------|---------------|



### TIMBER ADHESIVE D4

Soudal Liquid PU Adhesive Pro 40P is a single component ready to use polyurethane timber adhesive which combines extreme bond strength with high water resistance.

#### APPLICATIONS :

- Bonding of timber to timber and to many types of substrates. Bonding of window and door frames and of other timber based construction elements.

#### FEATURES & BENEFITS :

- Based on Polyurethane
- Meets the highest requirements for water resistance: D4 to EN 204
- Foams up to fill empty spaces
- Full bond strength after 3 hours when parts are clamped
- Supreme end strength
- Suitable for humid surfaces

#### Bidon

|  |        |       |       |        |               |
|--|--------|-------|-------|--------|---------------|
|  | 100059 | Brown | 750gr | 6/ box | 5411183008014 |
|--|--------|-------|-------|--------|---------------|

#### Can

|  |        |       |     |        |               |
|--|--------|-------|-----|--------|---------------|
|  | 108901 | Brown | 5kg | 4/ box | 5411183037410 |
|--|--------|-------|-----|--------|---------------|



## TIMBER ADHESIVE PRO 45P D4

PRO 45P Superfast wood glue is a one-component, unfilled, ready to use polyurethane based adhesive with excellent water resistance

### APPLICATIONS :

- Interior applications which are exposed to high relative humidity
- Exterior applications which are exposed to direct weather influence
- Bonding of windows and door frames (also corner connections) which need to meet class D4 according to EN204
- Bonding of wooden construction elements

### FEATURES & BENEFITS :

- Fast strength build-up
- Easy to tool
- Professional quality
- Foaming penetration action to fill bond cavities
- Water resistant D4
- Suitable for wet wood types

### Bidon

|        |       |       |        |               |
|--------|-------|-------|--------|---------------|
| 108765 | Brown | 750gr | 6/ box | 5411183036628 |
|--------|-------|-------|--------|---------------|

### Can

|        |       |     |        |               |
|--------|-------|-----|--------|---------------|
| 108902 | Brown | 5gr | 4/ box | 5411183037427 |
|--------|-------|-----|--------|---------------|



## PUROCOL EXPRESS

Purocol Express is a transparent ready to use universal construction adhesive based on polyurethane.

### APPLICATIONS :

- Interior applications which are exposed to high relative humidity
- Exterior applications which are exposed to direct weather influence
- Bonding of windows and door frames (also corner connections) which need to meet class D4 according to EN204
- Bonding of wooden construction elements
- Bonding of insulation materials (also polystyrene)

### FEATURES & BENEFITS :

- Professional quality
- Transparent
- Fast strength build-up
- Filling characteristics (foam formation), suitable for the bonding onto uneven surfaces
- Water resistant D4
- Solvent free

### Cartridge

|        |             |       |         |               |
|--------|-------------|-------|---------|---------------|
| 112524 | Transparent | 310ml | 12/ box | 5411183048331 |
|--------|-------------|-------|---------|---------------|



## WOOD FIX

Wood Fix is a unique waterproof (D4), nonfoaming, very strong, isocyanate free construction adhesive.

### APPLICATIONS :

- Suitable for the bonding of non-carrying bondings between different sorts of wood
- Specific for bondings with a wooden seam which will remain visible
- Suitable for all fitting outside connections who are exposed to weather effects: doors, windows, other constructions who are in a need of a D4 water resistance classification

### FEATURES & BENEFITS :

- Isocyanate free construction adhesive
- No black fingers
- Water resistant D4
- Non foaming
- For in and outdoor use
- Self-leveling and flows to fill connections
- End strength up to 110 kg/cm²
- Clamping not necessary
- Gap filling capacity, up to 1mm
- Can be finished immediately after application
- High heat resistance
- Fast setting - handtight after 60 minutes

### Cartridge

|        |       |       |        |               |
|--------|-------|-------|--------|---------------|
| 137842 | Brown | 290ml | 6/ box | 5411183153639 |
|--------|-------|-------|--------|---------------|

## CONTACT ADHESIVES



### NEOPRENE CONTACT LIQ (44A)

44A Contact adhesive is a universal, toluene free, solvented ready to use contact adhesive based upon rubber and synthetic resins.

#### APPLICATIONS :

- Bonding of many materials such as rubber, leather, cork, plastic, felt, etc. on various types of substrates or among themselves
- Bonding synthetic decoration panels and worktops in wood, metal or board

#### FEATURES & BENEFITS :

- Fast drying
- High adhesive strength
- Moisture resistant

| Tube |        |        |       |         |               |
|------|--------|--------|-------|---------|---------------|
|      | 131974 | yellow | 125ml | 12/ box | 5411183140578 |



### CONTACT ADHESIVE 110LQ

110LQ Contact Adhesive is a ready to use, solvented contact adhesive based on polychloroprene rubber.

#### APPLICATIONS :

- Bonding of many materials such as rubber, leather, cork, plastic, felt, etc. on various types of substrates or among themselves
- Suitable for bonding metals, rubber, plastics, leather, wood, etc.

#### FEATURES & BENEFITS :

- High initial tack and fast build-up of end strength
- High adhesive strength
- Fast drying
- Moisture resistant
- High heat resistance
- Easy application

| Tin |        |            |              |         |               |
|-----|--------|------------|--------------|---------|---------------|
|     | 145037 | Dark Amber | 0.55kg/650ml | 12/ box | 5411183160927 |
| Tin |        |            |              |         |               |
|     | 146061 | Dark Amber | 0.85kg       | 12/ box | 5411183161924 |
| Can |        |            |              |         |               |
|     | 144302 | Dark Amber | 4.25kg       | 2/ box  | 5411183160088 |



### CONTACT ADHESIVE 100LQ

100LQ is a ready to use, universal contact adhesive based on rubber and synthetic resins.

#### APPLICATIONS :

- Bonding of many materials such as rubber, leather, cork, plastic, felt, etc. on various types of substrates or among themselves
- Suitable for bonding metals, rubber, plastics, leather, wood, etc.

#### FEATURES & BENEFITS :

- High initial tack and fast build-up of end strength
- High adhesive strength
- Fast drying
- Moisture resistant
- High heat resistance
- Easy application

| Can |        |             |              |         |               |
|-----|--------|-------------|--------------|---------|---------------|
|     | 146063 | Transparent | 0.55kg/650ml | 12/ box | 5411183161948 |
| Can |        |             |              |         |               |
|     | 146061 | Transparent | 0.85kg       | 12/ box | 5411183161924 |
| Can |        |             |              |         |               |
|     | 146062 | Transparent | 4.25kg       | 2/ box  | 5411183161931 |



## SPRAY CONTACT ADHESIVE 20L



Ready to use, toluene free, pink, sprayable contact adhesive based on polychloroprene (Neoprene®).

### APPLICATIONS :

- Used in two-sided adhesions on various materials, wood and stratified decorative coveringpanels (Formica®, Resopal®,...), veneer, stairsteps and nosings, PVCplinth, leather, cork, textile, with each other for wood, wood derivatives, stone, concrete, plaster, metal and other smooth, non-porous surfaces
- Meant for all adhesions where a fast bonding is required, for adhesions of two non-porous materials
- Only for interior use

### FEATURES & BENEFITS :

- Ready to use, on a sprayable viscosity
- Immediately fixed
- Fast strength build-up
- Moisture resistant
- Resistant against high temperatures
- Toluene free

| Can |        |             |     |        |               |
|-----|--------|-------------|-----|--------|---------------|
|     | 109777 | Pink        | 20L | 1/ box | 5411183038653 |
|     | 128677 | Transparent | 20L | 1/ box | 5411183131866 |

## CONTACT SPRAY ADHESIVE 2 IN 1



Contact Adhesive Spray is a ready-to-use contact adhesive in aerosol based on synthetic rubber.

### APPLICATIONS :

- Bonding of paper products
- For bonding a broad range of materials (not suitable for uneven surfaces)
- Suitable for the fast bonding of e.g. plastics, metal, timber, porcelain, cork, leather, ceramics, cardboard, paper and rubber

### FEATURES & BENEFITS :

- For temporary or permanent bond
- Ready to use and very user friendly
- Fast drying process.
- Good adhesion to many materials
- Fast hand tight bond

| Aerosol can |        |             |       |        |               |
|-------------|--------|-------------|-------|--------|---------------|
|             | 132675 | Transparent | 300ml | 6/ box | 5411183152533 |

## SOUDABOND 280 POWER SPRAY



Soudabond 280 Power Spray is a ready-to-use, strong and fast contact adhesive based on synthetic rubbers. It is applied two-sided and carried in an aerosol. Compatible gun for Click & Spray : 110225.

### APPLICATIONS :

- For bonding a broad range of materials (not suitable for uneven surfaces)
- Suitable for the fast bonding of e.g. plastics, metal, timber, porcelain, cork, leather, ceramics, cardboard, paper and rubber
- Suitable for bonding of low energy surfaces

### FEATURES & BENEFITS :

- Universal use
- Short evaporation time
- Fast strength build-up
- High end strength
- Ready to use and very user friendly
- Dichloromethane (DCM) free
- Doesn't attack polystyrene
- Fast drying process
- Good adhesion to many materials
- Fast hand tight bond

| Aerosol can |        |             |       |         |               |
|-------------|--------|-------------|-------|---------|---------------|
|             | 146311 | Transparent | 500ml | 12/ box | 5411183162525 |



## SOUDABOND 280 POWER SPRAY CLICK & SPRAY

Soudabond 280 Power Spray is a ready-to-use, strong and fast contact adhesive based on synthetic rubbers. It is applied two-sided and carried in an aerosol. Compatible gun for Click & Spray : 110225.

### APPLICATIONS :

- For bonding a broad range of materials (not suitable for uneven surfaces)
- Suitable for the fast bonding of e.g. plastics, metal, timber, porcelain, cork, leather, ceramics, cardboard, paper and rubber
- Suitable for bonding of low energy surfaces

### FEATURES & BENEFITS :

- Universal use
- Short evaporation time
- Fast strength build-up
- High end strength
- Ready to use and very user friendly
- Dichloromethane (DCM) free
- Doesn't attack polystyrene
- Fast drying process
- Good adhesion to many materials
- Fast hand tight bond

### Aerosol can Click & Spray

|        |             |       |         |               |
|--------|-------------|-------|---------|---------------|
| 167506 | Transparent | 750ml | 12/ box | 5411183193352 |
|--------|-------------|-------|---------|---------------|



## SOUDABOND 265 CLASSIC SPRAY

Soudabond 265 Classic is a ready-to-use, universal contact adhesive based on synthetic rubbers. It is applied two-sided and carried in an aerosol. Compatible gun for Click & Spray : 110226.

### APPLICATIONS :

- For bonding a broad range of materials (not suitable for uneven surfaces)
- Suitable for the fast bonding of e.g. plastics, metal, timber, porcelain, cork, leather, ceramics, cardboard, paper and rubber

### FEATURES & BENEFITS :

- Universal use
- Ready to use and very user friendly
- Doesn't attack polystyrene
- Fast drying process
- Good adhesion to many materials
- Fast hand tight bond
- Dichloromethane (DCM) free

### Aerosol can

|        |             |       |         |               |
|--------|-------------|-------|---------|---------------|
| 146309 | Transparent | 500ml | 12/ box | 5411183162501 |
|--------|-------------|-------|---------|---------------|



## SOUDABOND 265 CLASSIC SPRAY CLICK & SPRAY

Soudabond 265 Classic is a ready-to-use, universal contact adhesive based on synthetic rubbers. It is applied two-sided and carried in an aerosol. Compatible gun for Click & Spray : 110227.

### APPLICATIONS :

- For bonding a broad range of materials (not suitable for uneven surfaces)
- Suitable for the fast bonding of e.g. plastics, metal, timber, porcelain, cork, leather, ceramics, cardboard, paper and rubber

### FEATURES & BENEFITS :

- Universal use
- Ready to use and very user friendly
- Doesn't attack polystyrene
- Fast drying process
- Good adhesion to many materials
- Fast hand tight bond
- Dichloromethane (DCM) free

### Aerosol can

|        |             |       |        |               |
|--------|-------------|-------|--------|---------------|
| 167505 | Transparent | 750ml | 12/box | 5411183193345 |
|--------|-------------|-------|--------|---------------|



## CYANO MITRE KIT



Cyano Mitre Kit is a two pack adhesive system based on a Cyanoacrylate instant adhesive and an aerosol activator.

### APPLICATIONS :

- Superfast bonding of wooden mitre joints, full surface lamination, fixing and repairing of wooden parts.

### FEATURES & BENEFITS :

- Set of Adhesive and Activator Spray
- Very fast curing
- Will not drip, suitable for vertical substrates
- Spray activator on one surface, apply adhesive on the second surface and press together immediately
- Bonds within 60 seconds
- Suitable for porous and non-porous surfaces

| Set   |        |       |             |         |               |
|---|--------|-------|-------------|---------|---------------|
|  | 135623 | Clear | 50gr/200ml  | 30/ box | 5411183115309 |
| Set   |        |       |             |         |               |
|  | 135624 | Clear | 100gr/400ml | 24/ box | 5411183115323 |



## SOUDAL SUPER GLUE LIQUID

Soudal Super Glue Liquid is a superfast drying liquid adhesive with high strength to bond perfectly fitting surfaces. Ideal for repair jobs.

### APPLICATIONS :

- Suitable for the fast bonding of non-porous surfaces such as rubber, metals, plastics, glass, etc

### FEATURES & BENEFITS :

- High adhesive strength
- Fast curing
- Single component system without catalyst

| Bottle |       |     |         |               |  |
|--------|-------|-----|---------|---------------|--|
| 101125 | Clear | 20g | 12/ box | 5411183002432 |  |



## SOUDAL SUPER GLUE GEL

Professional quality cyanoacrylate based medium viscosity superglue. High strength, super-fast curing adhesive, suitable for non-porous surfaces.

### APPLICATIONS :

- Fast bonding of non-porous surfaces such as rubber, metals, plastics, glass, etc. Adhesion can be accelerated using Soudal Superglue Activator.

### FEATURES & BENEFITS :

- Cyanoacrylate based adhesive
- High bond strength
- Super fast curing
- Medium viscosity
- Works on most non-porous materials

| Bottle |       |     |         |               |  |
|--------|-------|-----|---------|---------------|--|
| 124041 | Clear | 50g | 25/ box | 5411183129726 |  |



## FLOORING ADHESIVES

### 29A WALL PAPER ADHESIVE



Soudal Wall Paper Adhesive 29A is a ready to use dispersion based adhesive for the bonding of fibre based wall covering onto porous surfaces.

#### APPLICATIONS :

- Interior bonding of fibre based wall covering onto porous surfaces

#### FEATURES & BENEFITS :

- Direct application onto one surface
- Easy to apply with a roller, a brush or a trowel
- Transparent once dry
- Moisture resistant once fully cured
- Water clean up

| Plastic pail |        |       |      |        |               |
|--------------|--------|-------|------|--------|---------------|
|              | 105688 | White | 1kg  | 6/ box | 5411183035621 |
| Plastic pail |        |       |      |        |               |
|              | 104647 | White | 5kg  | 1/ box | 5411183000308 |
| Bucket       |        |       |      |        |               |
|              | 104648 | White | 10kg | 1/ box | 5411183000315 |

### 24A SUPER TILE ADHESIVE



Soudal Super Tile Adhesive 24A is a strong, flexible, solvent free adhesive paste, suitable for the bonding of all types of tiles onto horizontal and vertical surfaces. Soudal Super Tile Adhesive 24A can be used to bond tiles over old tile surfaces.

#### APPLICATIONS :

- For the bonding of all types of wall- and floor tiles. Tile-on-tile bonding is possible. Highly suitable for applications in humid areas (bathrooms, kitchens ...)

#### FEATURES & BENEFITS :

- Ready to use, no mixing required
- Long open time
- Remains flexible
- Water resistant, can be used in bathrooms
- High initial tack and end strength
- Suitable for bonding of tiles on tiles

| Plastic pail |        |       |     |        |               |
|--------------|--------|-------|-----|--------|---------------|
|              | 123967 | White | 1kg | 6/ box | 5411183110830 |

### LVT VINYL PVC ADHESIVE



LVT Premium Floor&Wall Adhesive is a ready to use high strength solvent free dispersion adhesive for the bonding of Luxury Vinyl Tiles and other flexible flooring materials onto absorbent horizontal and vertical substrates.

#### APPLICATIONS :

- Bonding of LVT, PVC tiles, linoleum, carpet tiles, etc.

#### FEATURES & BENEFITS :

- High initial tack
- Very high end strength
- Applications can be walked upon immediately
- Long open time
- Heat resistant, can be used in combination with underfloor heating
- Complies to EN 14259 - Adhesives for flooring

| plastic pail |        |       |      |        |               |
|--------------|--------|-------|------|--------|---------------|
|              | 145829 | White | 5kg  | 1/ box | 5411183160637 |
| plastic pail |        |       |      |        |               |
|              | 145830 | White | 13kg | 1/ box | 5411183160644 |

## FLOORCOVERING ADHESIVE






Solvent free adhesive paste for bonding floor covering onto porous surfaces such as stone, concrete, plaster or wood.

### APPLICATIONS :

- For bonding of all types of floor covering. Bonding of wall to wall carpets with and without foam backing. Bonding of linoleum.

### FEATURES & BENEFITS :

- Easy to tool
- High adhesive strength
- Long open time
- Elastic adhesive layer

| plastic pail  |        |                                 |                      |        |               |
|---|--------|---------------------------------|----------------------|--------|---------------|
|  | 100019 | white whilst transparent curing | applying, after 1kg  | 6/ box | 5411183002388 |
| plastic pail  |        |                                 |                      |        |               |
|  | 100020 | white whilst transparent curing | applying, after 5kg  | 1/ box | 5411183226050 |
| plastic pail  |        |                                 |                      |        |               |
|  | 100021 | white whilst transparent curing | applying, after 10kg | 1/ box | 5411183002395 |

**GO FOR GREEN  
CHOOSE GREY**



**SMX®-30 PLUS • MS®-30 PLUS • MS®-20 PLUS**

# **A PLUS IN PERFORMANCE, ENVIRONMENT & USER COMFORT**

UNIVERSAL AND ELASTIC PARQUET ADHESIVES

- Fast strength building and higher end-strength
- Walkable and sandable very fast
- Easy in use
- **Very low emission (EC1 Plus)**



# **SOUDAL**

**BUILD THE FUTURE**



## PARKET FLOORING ADHESIVES

### MS20 PLUS TIMBER FLOORING ADHESIVE



MS20 Plus is a SMX Hybrid Polymer based universal adhesive for the direct bonding of engineered timber based flooring materials onto many types of substrates.

#### APPLICATIONS :

- Direct bonding of engineered timber flooring, parquet, solid wood etc onto porous and non-porous surfaces.

#### FEATURES & BENEFITS :

- Remains fully flexible
- Free of solvents, water and isocyanates
- Fast curing and strength build up
- Exceeds the requirements of EN 14293
- Suitable for underfloor heating

#### foil bag in pail

|  |        |             |              |        |               |
|--|--------|-------------|--------------|--------|---------------|
|  | 124164 | Light Brown | 18kg (3x6kg) | 1/ box | 5411183116825 |
|--|--------|-------------|--------------|--------|---------------|

#### foil bag in eco box

|  |        |             |      |        |               |
|--|--------|-------------|------|--------|---------------|
|  | 152630 | Light Brown | 14kg | 1/ box | 5411183167452 |
|--|--------|-------------|------|--------|---------------|

### SMX30 PLUS TIMBER FLOORING ADHESIVE



SMX 30 Plus is a ultra-high strength SMX Hybrid Polymer based universal adhesive for the direct bonding of large sized timber based flooring materials onto many types of substrates.

#### APPLICATIONS :

- Direct bonding of engineered timber flooring, parquet, large planks of solid wood etc onto porous and non porous surfaces.

#### FEATURES & BENEFITS :

- Remains flexible
- Prevents cupping
- Suitable for large planks of solid wood
- Suitable for tropical hardwood
- Free of solvents, water and isocyanates
- Fast curing and strength build up
- Exceeds the requirements of EN 14293
- Suitable for underfloor heating

#### foil bag in pail

|  |        |             |              |        |               |
|--|--------|-------------|--------------|--------|---------------|
|  | 124036 | Light Brown | 18kg (3x6kg) | 1/ box | 5411183114432 |
|--|--------|-------------|--------------|--------|---------------|

#### foil bag in eco box

|  |        |             |      |        |               |
|--|--------|-------------|------|--------|---------------|
|  | 152632 | Light Brown | 14kg | 1/ box | 5411183167452 |
|--|--------|-------------|------|--------|---------------|

### SMX®-15P WOODEN FLOOR ADHESIVE



SMX-15P is a high strength SMX-polymer based universal parquet adhesive. Free of solvent and water. Suitable for bonding engineered board by means of beads onto suitable indoor substrates. Can be used with or without sound dampening membrane.

#### APPLICATIONS :

- Suitable for indoor bonding of engineered boards and ready to use parquet with tongue and groove of 15-18mm thickness and up to 180mm wide
- Bonding of contact sound reducing parquet in conjunction with sound dampening membrane
- Direct bonding onto all types of egalized surfaces such as screed, metal sheets, sub-floors, tiles, etc.
- SMX-15P is also suitable for the bonding of decorative elements made from timber or metals

#### FEATURES & BENEFITS :

- Completely neutral – minimal health and safety considerations
- Very high bond strength
- Free of solvents and isocyanates
- Primerless adhesion, limited surface preparation required (time saving)
- Can be used with all types of wooden flooring materials
- Can be used without subfloor in applications where floor heating is installed
- Allows applications on slightly uneven surfaces
- Can be used as acoustic insulation in conjunction with sound dampening membrane

#### foil bag

|  |        |             |       |         |               |
|--|--------|-------------|-------|---------|---------------|
|  | 122513 | Light brown | 600ml | 12/ box | 5411183105805 |
|--|--------|-------------|-------|---------|---------------|



## PARQUET SEALANT

Soudal Parquet Sealant is a high quality solvent free colour matched flexible sealant for the sealing.

### APPLICATIONS :

- For connection joints between timber and parquet floors and walls. For colour matched sealing of between timber planks, of timber flooring, LVT flooring, laminate, etc.

### FEATURES & BENEFITS :

- For colour matched sealing
- Transparent cartridge to allow quick colour choice
- Remains flexible and can be painted and varnished
- Solvent free, does not smell
- Very low shrink
- Wide range of colours available

| Cartridge   |        |                      |       |         |               |
|---|--------|----------------------|-------|---------|---------------|
|    | 124004 | Wenge                | 300ml | 6/ box  | 5411183114302 |
|    | 124005 | Pine                 | 300ml | 12/ box | 5411183114319 |
|    | 125587 | Ash/Maple            | 300ml | 6/ box  | 5411183122321 |
|    | 125588 | Cherry               | 300ml | 6/ box  | 5411183122321 |
|    | 125589 | Medium Oak           | 300ml | 6/ box  | 5411183122307 |
|    | 125590 | Light Oak            | 300ml | 6/ box  | 5411183122291 |
|    | 125591 | Beech                | 300ml | 6/ box  | 5411183122284 |
|    | 125592 | Mocca                | 300ml | 6/ box  | 5411183122277 |
|    | 125593 | Spruce               | 300ml | 6/ box  | 5411183122338 |
|    | 125595 | Merbau               | 300ml | 6/ box  | 5411183122352 |
|  | 127174 | Dark Grey            | 300ml | 6/ box  | 5411183126770 |
|  | 127175 | Light Grey           | 300ml | 6/ box  | 5411183126787 |
|  | 132208 | Pearl White RAL 1013 | 300ml | 6/ box  | 5411183143494 |



## ARTIFICIAL GRASS ADHESIVES

### SOUDABOND AG 2K 342



Soudabond AG 2K 342 is an adhesive of 2 component polyurethane without solvent for the union of synthetic grass seams and markings. Field in polyester sealing tapes. East adhesive can be used in all kinds of conditions meteorological. 137082 (A-comp) needs 2x 137083 (B-comp) and 137081 (A-comp) needs 1x 137083 (B-comp).

#### APPLICATIONS :

- Bonding synthetic turf seams and field markings on polyester seaming tapes.

#### FEATURES & BENEFITS :

- Suitable for sports fields
- Excellent adhesion on nearly all surfaces
- Can be used in all weather conditions
- Waterproof
- In- and outdoor
- Permanently elastic after curing
- Green color
- Low odour
- Excellent UV-resistance

**Green color**  
**packaging: 2-component**  
**A = Bucket - 6 kg or 12 kg**  
**B = 0.85 kg drum**  
**Mixing ratio: A: B = 7: 1**

|        |       |       |         |               |
|--------|-------|-------|---------|---------------|
| 137082 | White | 12kg  | 1/ box  | 5411183155596 |
| 137081 | White | 6kg   | 1/ box  | 5411183155602 |
| 137083 | White | 1.7kg | 10/ box | 5411183155619 |





## SEAMING TAPE 100 X 30CM



Soudabond AG Seaming Tape is a polyester fabric laminated with a PE membrane, designed to bond the seams of artificial grass.

### APPLICATIONS :


- The connection between 2 sheets of artificial grass

### FEATURES & BENEFITS :

- Very good compatible with Soudabond AG 341 and Soudabond AG 2K 342
- Ready for use
- Easy to apply
- Flexible

Width (mm) x Roll length (m) x Roll/Packing  
300 x 100 x 1

|        |       |          |        |               |
|--------|-------|----------|--------|---------------|
| 137340 | White | 100x30cm | 1/ box | 5411183158214 |
|--------|-------|----------|--------|---------------|





## FIRE RANGE



### FIRESILICONE B1 FR

Fire Silicone B1 FR is a high-quality, fire-resistant, smoke-tight, neutral, elastic, one component joint sealant based on silicones.

#### APPLICATIONS :

- Fire retardant expansion and connection joints in the construction industry
- Fire-resistant sealing of connection joints
- As part of the 'Soudal Fire Range' assortment for penetration seals and joints

#### FEATURES & BENEFITS :

- High level of fire retardation
- Sealant for preventing the passage of smoke and gas
- MEKO free
- Very good adhesion on many materials
- Permanently elastic after curing (without fire load)
- Very easy to apply
- Excellent UV stability
- Not paintable

| Cartridge |        |       |       |         |               |
|-----------|--------|-------|-------|---------|---------------|
|           | 147412 | Grey  | 300ml | 15/ box | 5411183165878 |
|           | 147411 | Black | 300ml | 15/ box | 5411183165861 |
|           | 147413 | White | 300ml | 15/ box | 5411183165885 |
| foil bag  |        |       |       |         |               |
|           | 160470 | Black | 600ml | 12/ box | 5411183185883 |
|           | 122156 | White | 600ml | 12/ box | 5411183102859 |
|           | 109952 | Grey  | 600ml | 12/ box | 5411183039070 |



### FIRECRYL

Soudal Firecryl is a fire-retardant, flexible solvent free sealant based on acrylic polymers which will swell up to create a smoke tight and fire retardant joint in a fire situation.

#### APPLICATIONS :

- Fire retardant indoor applications. Sealing of fire retardant joints and wall penetrations. Fire retardant filling of gaps and cracks.

#### FEATURES & BENEFITS :

- Intumescent (swells up) when exposed to temperatures of +120°C
- Prevents the passage of fire and smoke
- Fire rating of up to 240 minutes
- For joints and wall penetrations
- Can be painted
- Remains flexible
- Excellent adhesion on porous surfaces and many metals

| Cartridge |        |       |       |         |               |
|-----------|--------|-------|-------|---------|---------------|
|           | 106329 | White | 310ml | 15/ box | 5411183009448 |
| foil bag  |        |       |       |         |               |
|           | 105229 | White | 600ml | 12/ box | 5411183037175 |
|           | 161365 | Red   | 600ml | 12/ box | 5411183189249 |
|           | 110947 | Grey  | 600ml | 12/ box | 5411183042476 |



### SOUDASEAL FR

Soudaseal FR is a fire retardant fully elastic hybrid polymer based sealant for fire retardant sealing of all types of high movement joints.

#### APPLICATIONS :

- For interior and exterior sealing of expansion joints which require an official fire rating. Sealing between frames and walls, sealing in prefabricated buildings, sealing of high movement joints in high rise buildings.

#### FEATURES & BENEFITS :

- Fully elastic for high movement joints
- For outside applications
- For all types of surfaces, porous and non-porous
- Prevents the passage of fire and smoke
- Fire rating of up to 240 minutes
- High UV resistance
- Can be painted
- Remains flexible
- Excellent adhesion on porous surfaces and many metals

| foil bag |        |       |       |         |               |
|----------|--------|-------|-------|---------|---------------|
|          | 113628 | Grey  | 600ml | 12/ box | 5411183102330 |
|          | 122771 | White | 600ml | 12/ box | 5411183106833 |



SOUDAFOAM FR HY

Soudafoam FR HY is a one-component, self-expanding, ready to use polyurethane foam, which contains HCFC- and CFC-free propellants who are not harmful for the ozonlayer and where the canister is provided with a thread so it can be used on a gun. Soudafoam FR HY is a PU-foam with fire retardant characteristics according to the European standard EN 1366-4. Because of the Duravalue, the optimal yield remains over the entire shelf life, even when stored or transported lying down.

FEATURES & BENEFITS :

- Fire resistant in joint applications (EN1366-4)
- High filling capacity
- Good adhesion on all surfaces (except PE, PP and PTFE)
- High insulation value, thermal and acoustic
- Very good bonding properties
- Not UV-resistant

APPLICATIONS :

- Installation of fireproof doors and windows
- Sealing of fire retardant joints in walls and ceiling
- As part of the 'Soudal Fire Range' assortment for penetration seals and joints
- Sealing of all openings in roof constructions
- Apply of an acoustic baffle
- All foam applications in static joints

| Aerosol can |        |                 |       |         |               |
|-------------|--------|-----------------|-------|---------|---------------|
|             | 108289 | Pink - Handheld | 750ml | 12/ box | 5411183036079 |
|             | 123233 | Pink - Gun      | 750ml | 12/ box | 5411183109322 |



# SOUDAFOAM **FR HY**

RENOWNED QUALITY  
HIGHER YIELD



**ACT TO  
PREVENT**

PERFORMING FIRE RESISTANCE  
UP TO EI 240!

**SOUDAL**

**BUILD THE FUTURE**



## B2 EXPANDING FOAM

Expanding foam B2 is a one-component, self-expanding, ready to use polyurethane foam, which contains HCFC- and CFC-free propellants who are not harmful for the ozonlayer.

### APPLICATIONS :

- Installing of window and door frames
- Filling of cavities
- Sealing of all openings in roof constructions
- Apply of an acoustic baffle
- Improving thermal isolation in cooling systems

### FEATURES & BENEFITS :

- Excellent stability (no shrinkage or post expansion)
- High filling capacity
- Good adhesion on all surfaces (except PE, PP and PTFE)
- High insulation value, thermal and acoustic
- Very good bonding properties
- Freon free (not harmless to ozone layer and greenhouse effect)
- Not UV-resistant

| Aerosol can |        |                      |       |         |               |
|-------------|--------|----------------------|-------|---------|---------------|
|             | 128449 | Champagne - Handheld | 750ml | 12/ box | 5411183131224 |
|             | 128450 | Champagne - Gun      | 750ml | 12/ box | 5411183131231 |



## B1 SOUDAFOAM

Soudafoam B1 is a one-component, self-expanding, ready to use PU-foam, which contains HCFC- and CFC-free propellants who are not harmful for the ozonlayer.

### APPLICATIONS :

- Installing of window and door frames
- Filling of cavities
- Sealing of all openings in roof constructions
- Improving thermal isolation in cooling systems
- All foam applications in static joints
- Foaming cavities and joints in external thermal insulation systems (ETICS)

### FEATURES & BENEFITS :

- Excellent stability (no shrinkage or post expansion)
- High filling capacity
- Good adhesion on all surfaces (except PE, PP and PTFE)
- High insulation value, thermal and acoustic
- Very good bonding properties
- Not UV-resistant
- Freon free (not harmless to ozone layer and greenhouse effect)
- Flame retardant (Building material class B1 according to DIN 4102-1)

| Aerosol can |        |                 |       |         |               |
|-------------|--------|-----------------|-------|---------|---------------|
|             | 101351 | Blue - Handheld | 750ml | 12/ box | 5411183031715 |
|             | 101352 | Blue - Gun      | 750ml | 12/ box | 5411183031364 |

## SOUDACOMPOUND FR



Soudacompound FR is a gypsum-based, non-shrinkable mortar what can be mixed with water. Mortar can be mixed either for pouring or for spreading around the penetrations.

### APPLICATIONS :

- Soudacompound FR gypsum can be used to seal the penetrations in fire-rated walls and floors. The product offers up to 4 hours of fire resistance.

### FEATURES & BENEFITS :

- Prevents the spread of fire and smoke. Good sound insulation properties, 62dB with 50mm thickness. Suitable for use in most penetrations. Withstands the weight load (1,5kN). No shrinkage or cracking. Easy to install – can be applied with a COX Jumbo press. No maintenance required. Works also in humid conditions. Soudawrap P FR or Soudacollar P FR need to be used when installing with combustible materials. Can be over painted.

| bag |        |       |     |        |               |
|-----|--------|-------|-----|--------|---------------|
|     | 146647 | White | 20l | 1/ box | 5411183164215 |



## CHEMICAL ANCHOR



### CHEMICAL ANCHOR CA1400

Soudal CA 1400 is a styrene free Chemical Anchor based on vinyl ester technology. Suitable for general purpose tension free anchoring of metal rods, anchors, armoring etc. in hollow and full stone.

#### APPLICATIONS :

- Anchoring and securing of heavy loads in solid and hollow building materials. Pressure free anchoring, even when close to edges. Can be used to repair mortar. Can be applied with regular sealant gun.

#### FEATURES & BENEFITS :

- Easy to use and apply
- No specific gun required, can be used with regular sealant gun
- Low odour
- Wide application area
- Cartridge can be reused by exchanging static mixer
- Watertight and impermeable fixing

| Cartridge |        |      |       |         |               |
|-----------|--------|------|-------|---------|---------------|
|           | 125539 | Grey | 280ml | 12/ box | 5411183121768 |
| Cartridge |        |      |       |         |               |
|           | 125538 | Grey | 165ml | 12/ box | 5411183121751 |



### SOUDAFIX P-300 SF

SOUDAFIX P300-SF is a two-component anchoring resin for the pressure-free securing of anchoring rods, studs, reinforcing bars, threaded collars, profiles etc in various solid and hollow materials, such as uncracked concrete, light concrete, solid brick, hollow brick, porous concrete, natural stone, plasterboard walls, etc...

#### APPLICATIONS :

- Securing of standard fixings in solid and hollow building materials. Pressure free anchoring even close to edges. Can be used as repair mortar.

#### FEATURES & BENEFITS :

- Easy to use and to apply
- Can be applied with standard caulking gun
- Fast cure
- Styrene free (low odour)
- Wide application area
- Overhead application
- Cartridge re-usable by simply exchanging static mixer
- Ideal for anchoring in hollow brick in combination with sleeves
- Watertight and impermeable fixing
- European Technical Approval Option 7 for application in uncracked concrete

| Cartridge |        |                        |       |         |               |
|-----------|--------|------------------------|-------|---------|---------------|
|           | 127849 | Dark grey after mixing | 280ml | 12/ box | 5411183128422 |



### SOUDAFIX P-300 ST

Soudafix P300-ST is a polyester based chemical anchor with Styrene. Chemical anchor suitable for threaded rods in uncracked concrete (ETA approval option 7).

#### APPLICATIONS :

- Securing of heavy loads in uncracked concrete. | Pressure free anchoring even close to edges. | Can be used as repair mortar.

#### FEATURES & BENEFITS :

- Threaded rods: Non-cracked concrete (M8-M24)
- Fast curing
- Overhead application
- Peeler cartridge: extended 18 months shelf life

| Cartridge |        |                        |       |         |               |
|-----------|--------|------------------------|-------|---------|---------------|
|           | 124954 | Dark grey after mixing | 300ml | 12/ box | 5411183120785 |



## SOUDAFIX VE400-SF CHEMICAL ANCHOR

SOUDAFIX VE400-SF is a two-component anchoring resin for the pressure-free securing of threaded rods (ETA: M8-M30), studs, reinforcement bars (ETA: Ø8-Ø32), threaded collars, profiles etc in various solid and hollow materials, such as cracked and uncracked concrete, solid brick, hollow brick, porous concrete, natural stone (see remarks), plasterboard walls, etc...

### FEATURES & BENEFITS :

- Easy to install – can be applied with a COX Jumbo press.

### APPLICATIONS :

- Securing of heavy loads in solid and hollow building materials. Pressure free anchoring even close to edges. Can be used as repair mortar.

| Cartridge |        |                        |       |         |               |
|-----------|--------|------------------------|-------|---------|---------------|
|           | 117474 | Dark grey after mixing | 280ml | 12/ box | 5411183083769 |
| Cartridge |        |                        |       |         |               |
|           | 117475 | Dark grey after mixing | 380ml | 12/ box | 5411183083776 |





Pressure free  
fixing for  
**VERY HIGH LOADS**

## VE400-SF

- Vinylestere based
- High performance

## P300-SF

- Polyester based
- standard CA



## PREP AND REMOVE AEROSOLS



### SOUDAL SURFACE PREP'AIR

Soudal Surface Prep'Air is a high-pressure compressed air spray to use wherever dust has to be removed without making physical contact with the object or surface.

#### APPLICATIONS :

- Developed for cleaning electronic equipment, optical equipment and lenses, precision clockwork, medical devices, measuring devices and any other sensitive surface.

#### FEATURES & BENEFITS :

- Works also in humid conditions.

#### Aerosol can

|        |             |       |         |               |
|--------|-------------|-------|---------|---------------|
| 161144 | Transparent | 150ml | 12/ box | 5411183187740 |
|--------|-------------|-------|---------|---------------|



### SOUDAL SURFACE BOOSTER

Soudal Surface Booster is a highly effective, fast acting, aerosol, cleaning and degreasing agent. Soudal Surface Booster promotes adhesion of adhesive and sealants on non-porous substrates.

#### APPLICATIONS :

- Allows dry, contact-free cleaning.

#### FEATURES & BENEFITS :

- Soudawrap P FR or Soudacollar P FR need to be used when installing with combustible materials.

#### Aerosol can

|        |             |       |         |               |
|--------|-------------|-------|---------|---------------|
| 161124 | Transparent | 150ml | 12/ box | 5411183187733 |
|--------|-------------|-------|---------|---------------|







## SOUDAL SEALANT REMOVER

Soudal Sealant Remover is a ready-to-use fast working spray based on citrus terpenes for the removal of cured silicone and hybrid polymer sealants.

### FEATURES & BENEFITS :

- Can be over painted.

### APPLICATIONS :

- Suitable for most non porous substrates. Spray on cured sealant, leave to work for 5-10 minutes, then scrap off sealant rests. Can be over painted.

#### Aerosol can

|        |             |       |         |               |
|--------|-------------|-------|---------|---------------|
| 160003 | Transparent | 150ml | 12/ box | 5411183184831 |
|--------|-------------|-------|---------|---------------|



## SOUDAL ADHESIVE REMOVER

Soudal Adhesive Remover is a transparent solvent mixture suitable for removing fresh glue stains and for the cleaning and degreasing of metal surfaces.

### APPLICATIONS :

- Transparent solvent mixture suitable for removing fresh glue stains and cleans brushes, palette knives and glue spatulas. Removes hard excess contact glue. Powerful cleaner and degreaser of metal substrates. Also suitable for the preparation of surfaces for the application of sealants or adhesives.

#### Aerosol can

|        |             |       |         |               |
|--------|-------------|-------|---------|---------------|
| 160004 | Transparent | 150ml | 12/ box | 5411183184824 |
|--------|-------------|-------|---------|---------------|



## SOUDAL PU FOAM REMOVER

PU Foam Cleaner is a ready to use cleaning aerosol can to clean the Soudafoam Gun and remove uncured Soudal foams. PU Foam Cleaner is filled with HCFC- and CFC-free propellants which are not harmful for the ozone layer.

### APPLICATIONS :

- Cleaning of the gun after use and of non-cured spilled foam.

#### Aerosol can

|        |             |       |         |               |
|--------|-------------|-------|---------|---------------|
| 104770 | Transparent | 150ml | 12/ box | 5411183002937 |
|--------|-------------|-------|---------|---------------|

## TECHNICAL AEROSOLS - INDUSTRIAL SPRAYS



### MULTI SPRAY

Soudal Multi Spray is a transparent premium grade universal technical spray with 8-fold action: Cleaner - Lubricant - Rust Remover - Penetrating Oil - Anti-Corrosion Spray - Shock Spray - Contact Spray - Moisture Repellant.

#### APPLICATIONS :

- To be applied on screws, bolts, chains, moving metal parts, axles, hinges, garden tools, ...

#### Aerosol can

|        |       |       |        |               |
|--------|-------|-------|--------|---------------|
| 119707 | Clear | 400ml | 6/ box | 5411183090675 |
|--------|-------|-------|--------|---------------|



### SILICONE SPRAY

Soudal Silicone Spray is a transparent spray with lubricating and anti-adhesive performance based on high grade silicone oils. Lowers friction and reduces wear of mechanical parts, prevents dirt, dust and grease deposits, creates a water repellant layer and protects from moisture. Silicone Spray withstands temperatures of up to 250°C.

#### APPLICATIONS :

- Light lubrication of plastic and rubbers, sliding doors, rubber seals, protection of electric wiring, creation of a dirt- and water repellant layer.

#### Aerosol can

|        |       |       |        |               |
|--------|-------|-------|--------|---------------|
| 119704 | Clear | 400ml | 6/ box | 5411183090644 |
|--------|-------|-------|--------|---------------|



### PTFE SPRAY

Soudal PTFE Spray is a superior grade high performance lubricant based on PTFE with high penetrating performance. Suited for parts which are subject to high pressure and temperature loads, repels moisture and dirt and offers long term protection against friction.

#### APPLICATIONS :

- Lubrication of machine parts, pulleys, bicycle and other moving chains, gears, ball bearings, conveyor belts, etc.

#### Aerosol can

|        |       |       |        |               |
|--------|-------|-------|--------|---------------|
| 119705 | Clear | 400ml | 6/ box | 5411183090651 |
|--------|-------|-------|--------|---------------|



## WHITE GREASE SPRAY

Soudal White Grease Spray is a high-grade lubricant based on white lithium soap re-enforced with PTFE for heavy duty lubrication. Sprays out like oil and penetrates into the application, then sets like grease to offer long term lubrication.

### APPLICATIONS :

- Machines, ball bearings, axles, sprockets, conveyour belts, etc.

| Aerosol can |       |       |        |               |
|-------------|-------|-------|--------|---------------|
| 119706      | Clear | 400ml | 6/ box | 5411183090668 |



## VASELINE SPRAY

Soudal Vaseline Spray is a transparent lubricating and protective spray which can be used on metals and plastics and protects against moisture, many types of diluted chemicals and general wear and tear.

### APPLICATIONS :

- Door- and window hinges, nuts and screws, garden tools, sliding and rolling shutters, etc.

| Aerosol can |       |       |        |               |
|-------------|-------|-------|--------|---------------|
| 119703      | Clear | 400ml | 6/ box | 5411183090637 |



## DRY LUBRICANT

Very powerful silicone-free and mineral-oil-free lubricant with high resistance. Suitable for dry lubrication of friction points.

### APPLICATIONS :

- Suitable for dry lubrication of friction points
- Ideal for sliding roof and seat rails, sliding doors, window tilt mechanisms, locks, hinges, drawers, guide rails, ball bearings, electrical parts etc.
- Can be used for metals, plastic, rubber etc. under low and medium loads
- Developed for applications where siliconecontaining products are undesirable
- Can be used as a lubricant and as a release agent, to be used on many different machines within the wood and plastic industry
- Not staining on wood, metal or plastics
- Lubricates
- Protects
- Removes dirt and grease
- For in- and outdoor use
- Aerosol can be used in any angle (360°)
- Offers lasting wear protection
- Does not contain silicones

### FEATURES & BENEFITS :

- Not staining on wood, metal or plastics
- Lubricates
- Protects
- Removes dirt and grease
- For in- and outdoor use
- Aerosol can be used in any angle (360°)
- Offers lasting wear protection
- Does not contain silicones

| Aerosol can |       |       |        |               |
|-------------|-------|-------|--------|---------------|
| 158032      | Clear | 400ml | 6/ box | 5411183181137 |



## CLEANER & DEGREASER

Powerful fast drying Cleaner and Degreaser for a wide range of operations. Cleans and degreases all non-porous surfaces and suitable for preparing these surfaces prior to the application of Soudal's sealants and adhesives. Leaves no traces.

### APPLICATIONS :

- Cleaning and degreasing of non-porous surfaces. Preparation of surfaces prior to the application of sealants. Removes uncured sealants and adhesives.

#### Aerosol can

|        |       |       |        |               |
|--------|-------|-------|--------|---------------|
| 119708 | Clear | 400ml | 6/ box | 5411183090682 |
|--------|-------|-------|--------|---------------|



## SEALANT REMOVER

A ready-to-use fast working spray based on citrus terpenes for the removal of cured silicone and hybrid polymer sealants.

### APPLICATIONS :

- Suitable for most non porous substrates. Spray on cured sealant, leave to work for 5-10 minutes, then scrap off sealant rests.

#### Aerosol can

|        |       |       |        |               |
|--------|-------|-------|--------|---------------|
| 119709 | Clear | 400ml | 6/ box | 5411183090699 |
|--------|-------|-------|--------|---------------|



## ADHESIVE REMOVER

Transparent solvent mixture for the removal of fresh adhesive stains and for the cleaning of tools, brushes, etc.

### APPLICATIONS :

- On most surfaces including aluminium, coatings, laminated board, paint and certain plastics, not on polystyrene.

#### Aerosol can

|        |       |       |        |               |
|--------|-------|-------|--------|---------------|
| 119710 | Clear | 400ml | 6/ box | 5411183090705 |
|--------|-------|-------|--------|---------------|





## MULTI CLEANER

A high performance cleaning spray which sprays foam which dissolves organic stains (such as coffee stains, etc.). Does not drip which makes it ideal on vertical surfaces.

### APPLICATIONS :

- Suitable for porous surfaces, furniture, glass, tiles, mirrors, kitchens, bathrooms, car interiors, textile, carpets, office equipment, etc.

| Aerosol can |       |       |        |               |
|-------------|-------|-------|--------|---------------|
| 119711      | Clear | 400ml | 6/ box | 5411183090712 |



## BRAKE CLEANER

Powerful fast drying Cleaner for Brakes, Clutch parts and other metal surfaces which removes excess brake fluid, grease, oil, dirt, etc.

### APPLICATIONS :

- Brakes, Clutch parts, moving metal parts. Prevents squeeking and does not corrode metals.

| Aerosol can |       |       |        |               |
|-------------|-------|-------|--------|---------------|
| 119712      | Clear | 400ml | 6/ box | 5411183090729 |



## COMPRESSED AIR

Soudal Surface Prep'Air is a high-pressure compressed air spray to use wherever dust has to be removed without making physical contact with the object or surface.

### APPLICATIONS :

- Soudal Surface Prep'Air is a high-pressure compressed air spray to use wherever dust has to be removed without making physical contact with the object or surface. Developed for cleaning electronic equipment, optical equipment and lenses, precision clockwork, medical devices, measuring devices and any other sensitive surface.

### FEATURES & BENEFITS :

- Developed for cleaning electronic equipment, optical equipment and lenses, precision clockwork, medical devices, measuring devices and any other sensitive surface.

| Aerosol can |       |       |        |               |
|-------------|-------|-------|--------|---------------|
| 158031      | Clear | 400ml | 6/ box | 5411183181144 |



## COCKPIT MAINTENANCE MAT

High-end silicone-free cockpit spray for protection and maintenance of the dashboard in cars.

### APPLICATIONS :

- This spray is suitable for all types of plastic and provides optimum care. Ideal to freshen up the colors, leaving a matt appearance. Prevents parts from squeaking and cracking. Designed to provide a lasting protection against ageing and to stop the material becoming brittle.

### Aerosol can

|        |       |       |        |               |
|--------|-------|-------|--------|---------------|
| 158038 | Clear | 400ml | 6/ box | 5411183181076 |
|--------|-------|-------|--------|---------------|



## COCKPIT CLEANER

High-end cockpit foamspray for cleaning the dashboard and the complete interior in cars.

### APPLICATIONS :

- This foamcleaner has excellent soft and cleaning properties on plastics and other materials used in interiors of cars. Removes stains resulting from organic substances.

### Aerosol can

|        |       |       |        |               |
|--------|-------|-------|--------|---------------|
| 158037 | Clear | 400ml | 6/ box | 5411183181083 |
|--------|-------|-------|--------|---------------|



## LABEL REMOVER

Citrus based cleaner with orange scent.

### APPLICATIONS :

- This cleaner is suitable for removing fresh adhesive residues. Designed to use on sensitive surfaces and materials. Multi-purpose cleaning.

### Aerosol can

|        |       |       |        |               |
|--------|-------|-------|--------|---------------|
| 158036 | Clear | 400ml | 6/ box | 5411183181090 |
|--------|-------|-------|--------|---------------|



## RIM CLEANER

High-quality concentrated cleaning foam spray in order to get clean rims, providing a long lasting cleaning effect.

### APPLICATIONS :

- Exclusive non-drip and no color change effects, ensuring a complete removal of any dirt accumulated on the wheel surfaces. Suited for aluminum and plastic rims providing excellent cleansing properties because of the vertical stability when applied.

#### Aerosol can

|        |       |       |        |               |
|--------|-------|-------|--------|---------------|
| 158035 | Clear | 400ml | 6/ box | 5411183181106 |
|--------|-------|-------|--------|---------------|



## PVC SPRAY CLEANER

PVC Spray Cleaner is a highly effective, fast acting, non-smear, cleaning agent. The cleaner is well suited for removing ingrained dirt, marks and streaks on white PVC window frames and other hard plastics. PVC Spray Cleaner is a cleaning spray in aerosol packaging. The aerosol packaging also allows difficult-to-reach areas to be cleaned effectively and effortlessly in just a matter of seconds.

### APPLICATIONS :

- Cleaning of most types of white PVC window frames, sills, cladding, panels and trims. For removing most ingrained dirt, grease, uncured sealant, pencil and pen mark. Cleaning of plastic garden furniture.

#### Aerosol can

|        |       |       |         |               |
|--------|-------|-------|---------|---------------|
| 156175 | Clear | 750ml | 12/ box | 5411183177086 |
|--------|-------|-------|---------|---------------|



## GLASS & MIRROR CLEANER

Glass and Mirror Cleaner is a perfumed, non-smearing liquid cleaning agent that can be applied by spray and dries without leaving any streaks. The cleaner works effectively on most types of glass, mirrors, plastics and other hard surfaces.

### APPLICATIONS :

- For removing most ingrained dirt, nicotine, grease, finger marks, dust, insects and other contaminants on most types of glass and mirrors. Cleaning of plastics and hard surfaces such as chrome and laminates. Can be used around the home, as in professional and industrial applications.

#### Aerosol can

|        |       |       |         |               |
|--------|-------|-------|---------|---------------|
| 156176 | Clear | 750ml | 12/ box | 5411183177093 |
|--------|-------|-------|---------|---------------|



## ZINC SPRAY MATT

High grade zinc spray for cold galvanizing (98% zinc in active ingredients) which protects zinc and other metals against corrosion with a matt finishing coat.

### APPLICATIONS :

- Galvanizing action, protects zinc and other metals against rust and corrosion, can be spot welded, good electrical conductor.

| Aerosol can |        |           |       |        |               |
|-------------|--------|-----------|-------|--------|---------------|
|             | 155885 | Zinc Grey | 400ml | 6/ box | 5411183090736 |



## ALU-ZINC SPRAY SHINY

High grade alu zinc spray for cold galvanizing which protects zinc and other metals against corrosion. Provides a smooth and shiny surface.

### APPLICATIONS :

- Galvanizing action, protects zinc and other metals against rust and corrosion, can be spot welded, good electrical conductor.

| Aerosol can |        |          |       |        |               |
|-------------|--------|----------|-------|--------|---------------|
|             | 154608 | Alu Grey | 400ml | 6/ box | 5411183090743 |



## CONTACT SPRAY

Universal cleaning and maintenance spray for electric contact which dissolves dirt and oxidation and improves contact and protects against penetrating damp.

### APPLICATIONS :

- Protects electric contacts such as switches, batteriers, potentiometers, slide- and drag contacts, selectors, etc.

| Aerosol can |        |       |       |        |               |
|-------------|--------|-------|-------|--------|---------------|
|             | 119715 | Clear | 400ml | 6/ box | 5411183090750 |





## DEGRIP ALL

High quality Penetrating Oil Spray fitted with Soudal's Genius Adaptor which degrips and loosens rusted and oxidized screws, bolts and other moving parts with very low surface tension. 360° application. The Genius Adaptor allows both precision application and in a wide spray pattern. Nonflammable propellant.

### APPLICATIONS :

- Dissolves rust and corrosion, degrips and protects bolts, nuts, flanges, screws, hinges, and other moving parts.

| Aerosol can |       |       |        |               |  |
|-------------|-------|-------|--------|---------------|--|
| 119716      | Clear | 400ml | 6/ box | 5411183090767 |  |



## CUTTING OIL

High grade oil which prevents overheating of metals which are cut, drilled or sawed.

### APPLICATIONS :

- Reduces friction and wear and cools metal parts which are subject to drilling, cutting , sawing, milling, etc.

| Aerosol can |       |       |        |               |  |
|-------------|-------|-------|--------|---------------|--|
| 119717      | Clear | 400ml | 6/ box | 5411183090774 |  |



## ANTI SPAT SPRAY

High quality nonflammable spay which prevents the adhesion of weld spatter onto metal surfaces so that there is no need to have these grinded or chipped off.

### APPLICATIONS :

- Protection of welding tables and other work surfaces, protection of sheet metal and other metal parts which are welded, very good corrosion protection.

| Aerosol can |       |       |        |               |  |
|-------------|-------|-------|--------|---------------|--|
| 127776      | Clear | 400ml | 6/ box | 5411183128170 |  |

**NIEUW  
NOUVEAU**

# GENIUS SPRAYS



## SPRAY 2 WAYS

- Naar boven voor **NAUWKEURIG** uitspuiten
- Une application **PRÉCISE** grâce à l'applicateur de précision
- Naar beneden voor **BREED** uitspuiten
- Une vaporisation **LARGE**
- Compact assortiment
- Une gamme complète
- Premium quality
- Qualité premium

## EASY TO USE




400ml = 300ml  
COMPRESSED



MULTI POSITION



FOODSAFE



**GENIUS SPRAY**

**SOUDAL**

## GENIUS SPRAY



### GENIUS SPRAY PROTECT ALL

High quality Protection Spray based on Silicone Oils fitted with Soudal's Genius Adaptor. Lowers friction and reduces wear of mechanical parts, prevents dirt, dust and grease deposits, creates a water repellant layer and protects from moisture. Protect All withstands temperatures of up to 350°C. 360° application. The Genius Adaptor allows both precision application and in a wide spray pattern. Nonflammable propellant.

#### APPLICATIONS :

- Light lubrication of plastic and rubbers, sliding doors, rubber seals, protection of electric wiring, creation of a dirt- and water repellant layer.

#### Aerosol can

|        |       |       |        |               |
|--------|-------|-------|--------|---------------|
| 134619 | Clear | 300ml | 6/ box | 5411183151451 |
|--------|-------|-------|--------|---------------|



### GENIUS SPRAY LUBRICATE ALL

High quality Lubrication Spray based on PTFE fitted with Soudal's Genius Adaptor. High penetrating performance. Suited for parts which are subject to high pressure and temperature loads, repels moisture and dirt and offers long term protection against friction. 360° application. The Genius Adaptor allows both precision application and in a wide spray pattern. Nonflammable propellant. Suitable for applications in food surroundings.

#### APPLICATIONS :

- Lubrication of machine parts, pulleys, bicycle and other moving chains, gears, ball bearings, conveyor belts, etc.

#### Aerosol can

|        |       |       |        |               |
|--------|-------|-------|--------|---------------|
| 134620 | Clear | 300ml | 6/ box | 5411183151420 |
|--------|-------|-------|--------|---------------|



### GENIUS SPRAY ALL-IN-ONE

Universal transparent premium grade technical spray with multiple action performance fitted with Soudal's Genius Adaptor. Cleaner - Lubricant - Rust Remover - Penetrating Oil - Anti-Corrosion Spray - Shock Spray - Contact Spray - Moisture Repellant. 360° application. The Genius Adaptor allows both precision application and in a wide spray pattern. Nonflammable propellant. Suitable for applications in food surroundings.

#### APPLICATIONS :

- To be applied on screws, bolts, chains, moving metal parts, axles, hinges, garden tools,...

#### Aerosol can

|        |       |       |        |               |
|--------|-------|-------|--------|---------------|
| 134621 | Clear | 300ml | 6/ box | 5411183151437 |
|--------|-------|-------|--------|---------------|



## GENIUS SPRAY CLEAN ALL

High quality Cleaning Spray fitted with Soudal's Genius Adaptor for the cleaning and degreasing of various surfaces, machine parts, moving parts, etc. Leaves no residues. 360° application. The Genius Adaptor allows both precision application and in a wide spray pattern. Non-flammable propellant.

### APPLICATIONS :

- Cleaning and degreasing of non-porous surfaces. Preparation of surfaces prior to the application of sealants. Removes uncured sealants and adhesives.

### Aerosol can

|        |       |       |        |               |
|--------|-------|-------|--------|---------------|
| 134622 | Clear | 300ml | 6/ box | 5411183151444 |
|--------|-------|-------|--------|---------------|



## GENIUS SPRAY DEGRIP ALL

High quality Cleaning Spray fitted with Soudal's Genius Adaptor for the cleaning and degreasing of various surfaces, machine parts, moving parts, etc. Leaves no residues. 360° application. The Genius Adaptor allows both precision application and in a wide spray pattern. Non-flammable propellant.

### APPLICATIONS :

- Dissolves rust and corrosion, degrips and protects bolts, nuts, flanges, screws, hinges, and other moving parts.

### Aerosol can

|        |       |       |        |               |
|--------|-------|-------|--------|---------------|
| 134623 | Clear | 300ml | 6/ box | 5411183151468 |
|--------|-------|-------|--------|---------------|





## ACCESSORIES



### YELLOW SKELETON GUN

Strong lightweight durable skeleton gun for dispersion of all cartridge based products.

#### APPLICATIONS :

- 

#### FEATURES & BENEFITS :

- Strong and robust
- Lightweight
- Dripless system automatically releases pressure
- Powder-coated for longevity

| Gun    |      |         |               |
|--------|------|---------|---------------|
| 111072 | 1 pc | 24/ box | 5411183042896 |



### HEAVY DUTY SEALANT GUN

Powerful heavy duty steel cartridge gun. 18:1 transmission ratio allows easy extrusion of high viscosity cartridge based sealants.

#### APPLICATIONS :

- 

#### FEATURES & BENEFITS :

- Heavy duty
- 18:1 Power transmission ratio
- Dripless system automatically releases pressure
- Easy extrusion of high viscosity products

| Gun    |      |         |               |
|--------|------|---------|---------------|
| 106617 | 1 pc | 12/ box | 5411183009462 |



### HEAVY DUTY SEALANT GUN ON BLISTER

Powerful heavy duty steel cartridge gun. 18:1 transmission ratio allows easy extrusion of high viscosity cartridge based sealants.

#### APPLICATIONS :

- 

#### FEATURES & BENEFITS :

- Blister pack
- Heavy duty
- 18:1 Power transmission ratio
- Dripless system automatically releases pressure
- Easy extrusion of high viscosity products

| Gun    |      |        |               |
|--------|------|--------|---------------|
| 119357 | 1 pc | 6/ box | 5411183089501 |



## DOUBLE BARREL GUN FOR FOIL BAGS

Heavy duty sausage gun with high power transmission. Comes with two barrels; clear plastic and aluminium.

### APPLICATIONS :

- 

### FEATURES & BENEFITS :

- High power transmission
- Dripless system automatically releases pressure
- Transparent barrel allows visualization of sealant use

| Gun    |      |         |               |
|--------|------|---------|---------------|
| 112802 | 1 pc | 10/ box | 5411183049611 |



## COX GUN FOR FOIL BAGS

Heavy duty sausage gun with high power transmission. Quality from PC Cox.

### APPLICATIONS :

- 

### FEATURES & BENEFITS :

- Ultra-high power transmission
- Dripless system automatically releases pressure

| Gun    |      |         |               |
|--------|------|---------|---------------|
| 106515 | 1 pc | 10/ box | 5411183006225 |



## PNEUMATIC AIRFLOW 3 GUN FOR FOIL BAGS

Heavy duty pneumatic sausage gun with high power transmission. Quality from PC Cox.

### APPLICATIONS :

- 

| Gun    |      |         |               |
|--------|------|---------|---------------|
| 126784 | 1 pc | 10/ box | 5411183124387 |



## COMPACT FOAM GUN

High quality light weight PU Foam Gun for the precise application of Soudafoam Gun.

### APPLICATIONS :

- 

### FEATURES & BENEFITS :

- Lightweight
- High quality for repeated use if properly maintained
- Very precise application of PU Foam possible
- Part of a system with Soudafoam Gun and Gun & Foam Cleaner

| Gun    |      |         |               |
|--------|------|---------|---------------|
| 109953 | 1 pc | 40/ box | 5411183039643 |



## HEAVY DUTY FOAM GUN

High quality heavy duty PU Foam Gun for the precise application of Soudafoam Gun. Improved extrudability, improved spray-ability and easier to apply.

### APPLICATIONS :

- 

### FEATURES & BENEFITS :

- Heavy duty
- High quality - can be used for years if properly maintained
- Very precise application of PU Foam possible
- Part of a system with Soudafoam Gun and Gun & Foam Cleaner

| Gun    |      |         |               |
|--------|------|---------|---------------|
| 154478 | 1 pc | 40/ box | 5411183172081 |



## SWIPEX

Soudal Swipec are high performance cleaning wipes for the fast and permanent removal of sealant and adhesive stains from hands, tools and surfaces.

### APPLICATIONS :

- Cleans and removes uncured sealant and adhesive rests, oil and grease stains from surfaces and from hands, cleans tools.

### FEATURES & BENEFITS :

- Suitable for the removal of all types of uncured sealants, paints, PU Foams from surfaces and tools
- Safe alternative to White Spirit and other solvent based cleaners
- Suitable and safe for cleaning hands
- Based on natural ingredients (citrus terpenes)

| Plastic box |           |                                  |               |
|-------------|-----------|----------------------------------|---------------|
| 113551      | 100 wipes | Do not use for joint preparation | 5411183057548 |
| Plastic bag |           |                                  |               |
| 120874      | 20 wipes  | 12/ box                          | 5411183096486 |



## SWIPEX HANDCLEANER

Soudal SwipeX Handcleaner is a highly effective cleaning soap with microgranules designed to remove stubborn dirt from hands.

### APPLICATIONS :

- Cleans and removes uncured sealant and adhesive rests, oil and grease stains from hands.

### FEATURES & BENEFITS :

- Suitable for the removal of all types of uncured sealants, paints, PU Foams from hands
- Contains Sericin to protect your skin
- Contains abrasive microgranules for better removal of dirt
- Excellent cleaning properties

### Plastic bottle

|        |    |        |               |
|--------|----|--------|---------------|
| 127329 | 1L | 6/ box | 5411183127296 |
|--------|----|--------|---------------|



## SILICONE REMOVER

Soudal Silicone Remover is a ready to use solvent based liquid for the removal of cured silicone and hybrid polymer sealant rests.

### APPLICATIONS :

- Removes cured and uncured sealant rests.

### FEATURES & BENEFITS :

- Fast performance
- Does not drip
- Developed for silicone and hybrid polymer products

### Blister

|        |       |       |         |               |
|--------|-------|-------|---------|---------------|
| 102853 | Clear | 100ml | 12/ box | 5411183032422 |
|--------|-------|-------|---------|---------------|

## TROWELS

Trowel 11 for parquet sizes larger than 60x300mm. Trowel 3 for parquet sizes smaller than 60x300mm.

### APPLICATIONS :

- 



### blank

|        |         |         |               |
|--------|---------|---------|---------------|
| 112945 | 60x30mm | 12/ box | 5411183049710 |
|--------|---------|---------|---------------|

### blank

|        |          |         |               |
|--------|----------|---------|---------------|
| 112946 | 60x300mm | 12/ box | 5411183049727 |
|--------|----------|---------|---------------|



## WATERPROOFING



### AQUASWELL

Aquaswell is a high quality, elastic, 1- component sealant based on polyurethane. Swells in contact with water. Designed for the water- and gastight sealing around cable or pipe penetrations and the watertight sealing of joints in concrete and prefabricated elements. Able to bond bentonite swelling strips to rough surfaces.

#### APPLICATIONS :

- Water- and gastight sealing of most pipes in gas-, water- and cable ducts
- Watertight sealing of construction joints in concrete and prefabricated elements
- Watertight sealing of joints in building and construction
- Adhesion of bentonite swelling tapes on rough surfaces

#### FEATURES & BENEFITS :

- Water- and gastight until 5 bar (DVGW VP601)
- Excellent adhesion on a wide range of construction materials both in interior and exterior applications
- Permanently elastic after curing
- Easy application on both vertical and horizontal surfaces
- Swells up to 450% of its original volume, under constant water load
- Returns to its original shape when the water contact is cleared
- Solvent free

#### Cartridge

|  |        |           |       |         |               |
|--|--------|-----------|-------|---------|---------------|
|  | 124715 | Champagne | 310ml | 12/ box | 5411183119673 |
|--|--------|-----------|-------|---------|---------------|

#### Foil bag

|  |        |           |       |         |               |
|--|--------|-----------|-------|---------|---------------|
|  | 124909 | Champagne | 600ml | 12/ box | 5411183120631 |
|--|--------|-----------|-------|---------|---------------|



### SOUDAPACK WST

Soudapack WST is a single component, solvent-free, hydro-expanding sealant to prevent water leaks through the inside of pipe penetrations. Soudapack WST does not harden but remains permanently plastic so that additional cables or pipes can be inserted at all times.

#### APPLICATIONS :


- Sealing paste for the water- and gas tight sealing of all kinds of tubular penetrations used for the internal routing of electric cables, telephone cables, TV, distribution cables, water and gas pipes, etc.

#### FEATURES & BENEFITS :

- Solvent free
- Resistant to 3m water pressure
- Applicable in case of active water leaks
- Impermeable to water, watervapour and gas
- No chemical reaction, does not need to harden
- Immediate sealing
- Adheres to both dry and damp surfaces

#### Cartridge

|  |        |        |       |         |               |
|--|--------|--------|-------|---------|---------------|
|  | 134547 | Yellow | 310ml | 12/ box | 5411183151734 |
|--|--------|--------|-------|---------|---------------|



## SOUDAPLUG ST



Soudaplug ST is a cement-based powder that can be mixed with water to make a fast curing hydrophobic mortar. Soudaplug ST is suitable for immediate sealing of leaks in concrete and masonry, even under high pressure.

### APPLICATIONS :

- Sealing of active water leaks and infiltrations, even under high water pressure, through joints, cracks, gravel nests, construction faults and holes in structures made of concrete, masonry or stone
- Ensuring the watertight seal in combination with Soudapack WST
- Repairing cracks or irregularities in a wall and/or floor

### FEATURES & BENEFITS :

- Fast setting - cured within minutes
- Stops running water immediately
- Free of chlorides, non-corrosive to reinforcement steel
- Cement-based, perfectly compatible with concrete and brickwork
- Ready to use, only mix with clean water on site
- Resealable bucket

### Buckets

|  |        |      |     |        |               |
|--|--------|------|-----|--------|---------------|
|  | 126045 | Grey | 5kg | 1/ box | 5411183123939 |
|--|--------|------|-----|--------|---------------|

### Buckets

|  |        |      |     |        |               |
|--|--------|------|-----|--------|---------------|
|  | 126044 | Grey | 1kg | 6/ box | 5411183123922 |
|--|--------|------|-----|--------|---------------|

## SOUDAGUM LM 13 KG



Soudagum LM is a fast-drying, ready to use, solvent free polymer dispersion for bathrooms and showers, over concrete, cement renders, gypsum boards ... under different kind of tiles.

### APPLICATIONS :

- Flexible and resistant membrane for the waterproofing of indoor floor and wall surfaces of wet rooms with temporary standing water, which will be covered by tiles. The surfaces should not be subject to constant immersion or rising damp. Possible applications are in bathrooms, shower cubicles, kitchens, laundry rooms, etc... Always to be applied before the installation of tiles.

### FEATURES & BENEFITS :

- Soudagum LM comes 'ready to use'. Just stir thoroughly before use
- Fast application. Dry up to 4 hrs. (1 layer)
- Thixotropic dispersion for inside use, allows both vertical and horizontal applications
- Can be applied on all kind of construction surfaces: concrete, cement renders, gypsum boards, cement lime plasters, tiles, bricks, OSB panels etc...
- Not sticky, withstands light pedestrian traffic
- Tile adhesives bond well to the membrane surface
- Permanent sealing in combination with the appropriate Soudal waterproof tape
- Permanently elastic
- Temperature stable
- Alkali resistant. Resistant to lime water
- Salt and acid resistant. Resistant to water containing chlorides and normal household detergents
- Solvent-free. Environmentally friendly.

### Bucket

|  |        |       |      |        |               |
|--|--------|-------|------|--------|---------------|
|  | 126580 | White | 13kg | 1/ box | 5411183124110 |
|--|--------|-------|------|--------|---------------|





## SOUDAPRIM DP

Primer for liquid waterproofing membrane. For porous substrates or substrates in gypsum. Fast drying.

### APPLICATIONS :

- As a primer before application of a waterproofing membrane on indoor floor and wall surfaces that are porous or on absorbing mineral substrates such as concrete, cement, anhydrite, gypsum boards, etc... As a preliminary treatment on sandy or powdery substrates. Substrates should not be subject to constant immersion or rising damp. Possible applications are in bathrooms, shower cubicles, kitchens, laundry rooms

### FEATURES & BENEFITS :

- Soudaprim DP comes 'ready to use'. Just stir thoroughly before use
- High coverage
- Deep penetration nano-particles
- Solvent-free
- Easy to apply
- Fast application. Dry after appr. 1 hour
- Strengthens substrate
- Limits absorption by substrate
- Binds dust

### Can

|  |        |                  |    |        |               |
|--|--------|------------------|----|--------|---------------|
|  | 126574 | Slightly reddish | 5L | 4/ box | 5411183124080 |
|--|--------|------------------|----|--------|---------------|



## FEATURES

- Water repellent
- UV and weather resistant
- Prevent color changes on the stone
- Environmentally friendly. Not toxic. No solvents. Not flammable
- Repels water but keeps pores open allowing the wall to breathe

## SOUDABOND MT 15 KG



Soudabond MT is a ready-to-use, waterproof and flexible adhesive paste. Soudabond MT is being used for bonding of Soudafoil ME for waterproof and flexible bonding of floor and wall tiles (CE approved D2TE according to EN 12004). The adhesive has a high initial tack and can be used on slightly moist substrates.

### APPLICATIONS :

- Bonding of Soudafoil ME at rising damp: First remove the plaster and check if the surface is free of salts. If necessary, neutralize and block the salts with Soudablock Saltex or Soudablock Sulfex. Afterwards drill holes and apply Soudaclear Injectogel. After the injection, fill up the remaining holes with Soudaplug ST (waterproof fast cement). After these preparations, apply a thin layer of Soudabond MT directly on the surface, make sure to apply sufficient adhesive so the foil can be pushed in with a rounded trowel. Prevent air from being trapped between the foil and the adhesive/surface.

### FEATURES & BENEFITS :

- Ready to use
- Good initial bonding, no sagging
- Can be used on moist substrates
- Good temperature resistance
- Suitable for floor heating
- Suitable for natural stone
- Moisture and water resistant
- Class D2TE according to EN 12004
- Long open time

### buckets

|  |        |           |      |        |               |
|--|--------|-----------|------|--------|---------------|
|  | 131338 | Off-white | 15kg | 1/ box | 5411183138759 |
|--|--------|-----------|------|--------|---------------|



## SOUDACLEAR FAÇADE W

Water based water repellent impregnation agent for façades. For the colourless water repellent impregnation of mineral porous building materials such as brick masonry.

### APPLICATIONS :

- Soudaclear Façade W is a specially formulated transparent and ready-to-use liquid, based on silanes and siloxanes for the water repellent treatment of external walls. The liquid will penetrate into mineral and porous construction materials, such as brick or concrete block masonry, sand-lime bricks, natural sandstone, mineral plasters and aerated concrete blocks. The product reacts chemically with the moisture in the substrate and will form, after physical drying, a water repellent, UV and weather resistant protection without influencing the vapour permeability. Soudaclear Façade W reduces substantially the absorption of water and the harmful substances dissolved therein.

### FEATURES & BENEFITS :

- Ready to use
- Easy to apply
- Water-based, no solvents
- Environmentally friendly. Not toxic. Not flammable
- Can be applied on dry AND slightly moist substrates
- Low molecular active ingredients
- Rapid development of the water repellent characteristics
- Good penetration
- White. Dries quickly, tack-free with a transparent finish
- Alkali resistant
- Low odour
- No staining
- Repels water, but keeps the pores open, allowing the wall to breathe
- Vapour permeable
- Keeps cavity insulation dry and thereby ensures insulating power
- Prevents efflorescence and the infestation with algae, fungus and moss
- Prevents frost damage
- Prevents colour changes of the façade and pollution caused by absorption of rainwater
- UV and weather resistant
- Protects against driving rain
- Packaging can be closed again for later use

### Cans

|  |        |       |    |        |               |
|--|--------|-------|----|--------|---------------|
|  | 128529 | White | 5L | 4/ box | 5411183130739 |
|--|--------|-------|----|--------|---------------|

### Can

|  |        |       |     |        |               |
|--|--------|-------|-----|--------|---------------|
|  | 128531 | White | 25L | 1/ box | 5411183130746 |
|--|--------|-------|-----|--------|---------------|



## SOUDAGUM HYDRO

Soudagum Hydro is a solvent free SMX Hybrid Polymer based waterproofing coating for horizontal and vertical surfaces both indoor and outdoor.



### APPLICATIONS :

- Waterproofing of skylights, dome lights, roof-to-wall connections, pipe collars, etc. Emergency repair of cracks and leaks in roof gutters. Waterproofing of indoor and outdoor joints. Waterproofing layer below concrete roofs, terrain tiles and wooden terraces.

### FEATURES & BENEFITS :

- Ready to use semi liquid product
- Free of water, solvents and isocyanates
- Application possible in one or two layers with or without non-woven fleece
- Remains flexible, bridges gaps
- Excellent UV, chemical and weather resistance, suitable for outdoor applications
- Can be used during rain and under water in emergency situations, in normal situations water resistant 2 hours after application

| Plastic pail |        |      |      |        |               |
|--------------|--------|------|------|--------|---------------|
|              | 131634 | Grey | 5kg  | 1/ box | 5411183139626 |
| Plastic pail |        |      |      |        |               |
|              | 131632 | Grey | 10kg | 1/ box | 5411183139640 |
| Set          |        |      |      |        |               |
|              | 134553 | Grey | 1kg  | 6/ box | 5411183151871 |



## AUTOMOTIVE RANGE



### CARBOND 940 FC




Carbond 940FC is an elastic polyurethane adhesive for structural bonding of body elements.

#### APPLICATIONS :

- Supply bonding and sealing in vibrating constructions in carbodies, caravans and containers
- Strong elastic bonding in vibrating constructions
- Flexible connections in automotive applications

#### FEATURES & BENEFITS :

- Very easy to apply
- Permanently elastic after curing
- Excellent resistance to UV radiation
- Fast curing
- Excellent adhesion
- Can be painted over after curing
- High chemical resistance

| Cartridge   |        |       |       |         |               |
|---|--------|-------|-------|---------|---------------|
|  | 103445 | Black | 300ml | 12/ box | 5411183009059 |
|  | 103446 | Grey  | 300ml | 12/ box | 5411183011380 |
|  | 103447 | White | 300ml | 12/ box | 5411183009042 |



### CARBOND 955 DG

Carbond 955 DG is a ready for use, one component adhesive/sealant based on polyurethane for installing windscreens in vehicles.

#### APPLICATIONS :

- Installing of windscreens in vehicles.

#### FEATURES & BENEFITS :

- Good sag resistance
- High end strength
- Good weather and UV resistance
- To be used in combination with Carbond Cleaner/Activator and Primer

| cartridge   |        |       |       |        |               |
|---|--------|-------|-------|--------|---------------|
|  | 105894 | Black | 300ml | 6/ box | 5411183006812 |



### CARBOND 955 DG PRIMER

Carbond 955 DG Primer is a black primer containing isocyanates.

#### APPLICATIONS :

- Installing of windscreens in vehicles.

#### FEATURES & BENEFITS :

- Good sag resistance
- High end strength
- Good weather and UV resistance
- To be used in combination with Carbond Cleaner/Activator and Primer

| canister  |        |       |      |        |               |
|---|--------|-------|------|--------|---------------|
|  | 105928 | Clear | 30ml | 6/ box | 5411183006805 |



## CARBOND 955 DG CLEANER/ACTIVATOR

Carbond 955 DG Cleaner/Activator is an organic solution of polysilanes.

### APPLICATIONS :

- Installing of windscreens in vehicles.

### FEATURES & BENEFITS :

- Good sag resistance
- High end strength
- Good weather and UV resistance
- To be used in combination with Carbond Cleaner/Activator and Primer

| Cartridge |       |      |        |               |
|-----------|-------|------|--------|---------------|
| 105927    | Clear | 30ml | 6/ box | 5411183006799 |



## SOUDABOND 690DG

Soudabond 690 DG is a high-quality, one-component, solvent-free hybrid adhesive for the installation of windows on all types of vehicles.

### APPLICATIONS :

- Installation of windscreens in vehicles

| cartridge |       |       |         |               |
|-----------|-------|-------|---------|---------------|
| 158366    | Black | 290ml | 12/ box | 5411183181748 |
| foil bag  |       |       |         |               |
| 152966    | Black | 600ml | 12/ box | 5411183168329 |



## UNDERBODY PROTECTION AEROSOL

Underbody Protection Aerosol is a bituminous based undercoating that forms a protective film after drying.

### APPLICATIONS :

- Excellent resistance to rust, oil, grease, water, salt, etc ...
- Coating against heat and noise on the underside of the car
- Silicone based
- Not paintable

### FEATURES & BENEFITS :

- For the protection of the wheel arches and the car bodywork
- Forms a protective film against rust, oil, grease, water and salt
- A protective coating against heat and sound vibrations

| Aerosol can |       |       |         |               |
|-------------|-------|-------|---------|---------------|
| 106702      | Black | 500ml | 12/ box | 5411183009127 |



## UNDERBODY PROTECTION SPRAYABLE TIN

Underbody Protection Gun is a bitumen based undercoating that forms a protective film after drying.

### APPLICATIONS :

- Excellent resistance to rust, oil, grease, water, salt, etc ...
- Coating against heat and noise on the underside of the car
- Silicone based
- Not paintable

### FEATURES & BENEFITS :

- For the protection of the wheel arches and the car bodywork
- Forms a protective film against rust, oil, grease, water and salt
- A protective coating against heat and sound vibrations

| Tin |        |       |     |         |               |
|-----|--------|-------|-----|---------|---------------|
|     | 106703 | Black | 1kg | 12/ box | 5411183011212 |
| Tin |        |       |     |         |               |
|     | 106705 | Black | 5kg | 4/ box  | 5411183011229 |



## ANTI-GRAVEL AEROSOL

Antigravel Aerosol forms a protective layer against rust, salt sand and stones.

### APPLICATIONS :

- Protects the lower flanks of the car body against stones and corrosion
- The film also largely absorbs noise and vibration
- Anti-gravel below the bumpers and side panels of cars
- Anti-resonance product in wheel arches and undersides of cars

### FEATURES & BENEFITS :

- When dry, provides a tough elastic film excellent resistance to gravel
- Does not contain bitumen nor asphalt
- Can be painted or sprayed
- The dry layer is not affected by water nor solvents

| Aerosol can |        |       |       |         |               |
|-------------|--------|-------|-------|---------|---------------|
|             | 106706 | Black | 500ml | 12/ box | 5411183009141 |
|             | 106709 | Grey  | 500ml | 12/ box | 5411183009134 |



## ANTI-GRAVEL TIN

Antigravel Aerosol forms a protective layer against rust, salt sand and stones.

### APPLICATIONS :

- Protects the lower flanks of the car body against stones and corrosion
- The film also largely absorbs noise and vibration
- Anti-gravel below the bumpers and side panels of cars
- Anti-resonance product in wheel arches and undersides of cars

### FEATURES & BENEFITS :

- When dry, provides a tough elastic film excellent resistance to gravel
- Does not contain bitumen nor asphalt
- Can be painted or sprayed
- The dry layer is not affected by water nor solvents

| Tin |        |       |     |         |               |
|-----|--------|-------|-----|---------|---------------|
|     | 106707 | Black | 1kg | 12/ box | 5411183011250 |
|     | 106710 | Grey  | 1kg | 12/ box | 5411183011267 |
|     | 106708 | White | 1kg | 12/ box | 5411183011274 |





**Headquarters: Soudal N.V.**

Everdongenlaan 18-20,

BE-2300 Turnhout

Tel: +32 14 42 42 31

[info@soudal.com](mailto:info@soudal.com)

[www.soudal.com](http://www.soudal.com)

**Soudal Middle East Building and Construction**

**Materials Trading LLC**

DIRC Complex, Office FF-10, Dubai Industrial Park 2

393416 Dubai, UAE

Office Number: +971 4 265 9964

Mob UAE : +971 52 196 9279

[info.gcc@soudal.com](mailto:info.gcc@soudal.com)