



Product Catalogue

HIGH PERFORMANCE SEALANTS, FOAMS AND ADHESIVES


Proud sponsor of:



Soudal Worldwide

Soudal is the largest independent European manufacturer of PU foams, sealants, adhesives and building chemicals for the construction, retail and industrial markets. Soudal now operates on a fully global basis, with over 54 subsidiaries, sales into over 130 countries and a head-count of more than 2,400 employees. In 2015 the Group's consolidated turnover was in excess of €630M. Continued investments in R&D, a long-term vision for innovation and adaptations to local market requirements have resulted in Soudal's excellent performance, for which it was named Company of the Year in 2011.

In 2016 Soudal celebrated 50 years of quality and innovation.



Mitglied im
Industrieverband
Dichtstoffe e.V.



www.soudal.com

www.fixall.co.uk



Soudal - Experts in sealants, foams and adhesives

Founded in 1966 by current Chairman Vic Swerts, Soudal has grown at over 10% per year, every year. Its success is based on the quality of its products and its ability to stay at the cutting edge of technology through innovation.

Quality

Every week more than 4 million cartridges and 2 million cannisters of PU Foam are manufactured in our state of the art production facilities on various continents according to exacting quality standards. To maintain these standards, Soudal became the first company in its industry to achieve the ISO 9001 quality certification. Product consistency and full traceability are therefore ensured across the huge range of over 1,000 chemical formulations.

Innovation

Highly qualified scientists, engineers and application technicians develop state of the art formulas, packaging and accessories to perfectly suit the demands of both the market and end users. Driven by the will to continuously improve and to provide better and more environmentally friendly solutions for its customers, Soudal is leading from the front in product innovation.

Commitment to customers

Apart from offering an extensive range of high quality products, Soudal offers ongoing commitment to providing outstanding service, guaranteed delivery times and a personalised approach to on-going partnerships with existing customers. Soudal's legendary flexibility in production and logistics stands it in good stead. Technical support is also a vital component of Soudal's commitment to customer service. This approach to customer service, together with an innovative and high quality product range has proved to be a winning formula.

Golden Bridge Awards

In November 2015 Soudal was awarded this prestigious award for outstanding achievements in export to the UK. The judges praised the impressive track record of 40% growth during the previous three years, the high degree of integration in the UK market and the array of products specifically designed for the UK market. This shows respect for local markets and a long-term vision to implement all necessary steps for sustainable growth.



Soudal Professional Range

The Soudal Professional Range is the most innovative and comprehensive branded range of sealants, adhesives, fillers, building chemicals, cleaners, lubricants and ancillary products for the construction and industrial markets.

SILIRUB® is a structured range of branded silicones for industrial, construction and sanitary sealing applications. It includes Silirub® 2, the silicone sealant reference, independently tested to ISO 11600 F&G 25 LM. Silirub® MA has been developed for use on natural stone, a notoriously difficult material. It also includes the unique Silirub® COLOR service, providing practically any RAL CLASSIC colour quickly and in small quantities. Stay Fresh is the ultimate sealant for use in sanitary and food safe applications.

SILIRUB+® is a high quality sealant range, specifically developed for the particular demands of the construction sector.

Fix ALL® branded products combine unique technology, with market leading brand value. Fix ALL® products offer simple and effective solutions for all sealing, bonding and filling applications, on all materials in all weather conditions. All Fix ALL® products are based on our proprietary SMX® Technology (Soudal Modified Xtensions) - chemical engineering at polymer level. Fix ALL® High Tack Invisible for instance is the latest SMX® Technology product, with all the typical benefits associated with Fix ALL® High Tack (high initial grab and final bond strength) but now in a totally crystal clear format.

SOUDASEAL® For over 25 years now, as the original innovator in Europe, Soudal has been at the forefront of developments in Hybrid Polymer technology under the Soudaseal® brand. These products provide all the solutions needed for industrial sealing and bonding.

T-REX® - Soudal's professional adhesive offer includes global brands such as T-REX®, which updates the classical grab adhesive category with innovative **Fibre Reinforced Technology**. The extended adhesive range includes high quality spray applied contact adhesives, PVA and polyurethane based timber adhesives and cyanoacrylate. These conform to international standards such as DIN EN 204.

SOUDAFOAM is the professional brand of the World's largest manufacturer of polyurethane foams. The SOUDAFOAM brand is a structured range focusing on application solutions, with a focus on quality and value for money. The Soudafoam range incorporates many patents including **GENIUS GUN®**, an easy to use, superior alternative to hand applied foams; SOUDAFOAM SMX® the world's first isocyanate free PU foam filler; **CLICK & FIX®**, a safer and faster alternative to traditional gun applied foam.

All gun applied SOUDAFOAM products now incorporate as standard, the unique, state of the art, **DuraValve** system. DuraValve is guaranteed to improve the yield and performance of SOUDAFOAM products, over a much longer period of time than old valves and puts an end to all the typical problems associated with PU foams.

We also have a structured and specialist range of decorating sealants and fillers, as well as all the sundries required to start and finish off the job.



Silirub® 2 - Hasselt Kinepolis, Belgium



Soudaseal® 215LM - America's Cup Building, Seville, Spain



Silirub® MA & Soudaseal® 240FC - KBC Bank in Leuven, Belgium

Soudal Building Systems

Soudal develops system based solutions, often combining several of our technologies together. These systems are designed to meet the latest demands from within construction and focus on three mega-trends; energy efficient construction; ecological solutions; and systems focused on safety.

We tackle the fundamental issues around modern construction; combining excellent energy performance and airtightness with cost effectiveness with a whole range of **Airtight Construction Systems** designed for weatherproofing different interfacing parts of the building envelope; window and door connections, façade connections, roofing connections, connections between walls and floors and even within the different elements used in the fabrication of windows and doors.



SMX® 506 - PPL in Warsaw, Poland

The **Fire Range** includes products which conform to rigorous international and local standards such as the new EN1366-4 and BS476 part 20. Sealant, filling and adhesive technologies are combined to form various passive fire protection systems, safeguarding against the spread of fire and heat, for up to 4 hours.

The **High Temperature Range** contains products such as Firecement HT which can withstand sustained temperatures as high as 1,500 Celsius.

The **Glass & Glazing Range** keeps pace with innovations, such as the introduction of self-cleaning glass. Our SMX® 506 is fully compatible with all self-cleaning glass brands and has been used on large commercial projects such as PPL in Warsaw, Poland.

The **Roofing Range** brings together several Soudal technologies: waterproofing, bonding and sealing.

The **Flooring Range** copes with technically demanding applications such as the bonding of wooden parquet flooring. SMX®-30 PLUS adhesive has been developed with industry professionals to cope with all types and sizes of wood and sub-floors, even with under-floor heating.

The **Cleaning Range** includes products for cleaning hands, tools, and substrates such as glass and PVCu. Also available are products for the safe removal of unwanted sealants, adhesives and PU foam.

The professional range also includes a selection of lubricating and engineering aerosols.

Soudal DIY & Trade Ranges

Our DIY offer is focused around our **Express Range**. This range is focused on offering premium quality products, which are extremely quick and easy to use, with long-term performance. All products are very easy to identify as they are all task specific, making the correct selection of product a simple process. These are market leading products within the DIY sector.

GENIUS GUN® is the ideal application system for both DIY and TRADE users of PU Foam. The combination of professional quality products with easy usability is an ideal solution.

The **Trade Range** from Soudal is a market leading range of sealants, foams and adhesives for all serious trades. This range is aimed at completing all jobs as quickly and easily as possible, with great value for money and guaranteed reliability. All products are grouped together by application or trade area and conform to the highest international quality standards.

The **Contractors Range** is a value for money offering which covers all common sealing, bonding and filling applications.

The **Automotive Range** contains products for body repair, sealing, bonding and coating of vehicle bodies and components.

The **Bike Range** has been developed with our World Tour Cycling team and contains professional quality products for cleaning, assembling, maintaining and lubricating of all types of bikes. The choice of winners.



Soudaseal® 215LM -
Gallo-Roman Museum,
Tongeren, Belgium

SEALING

Acetoxy Cure Sealants

Silirub 1	9
Silirub A	9

Neutral Cure Sealants

Silirub 2	10
Silirub LMN	10
Silirub LM	11
Silirub N	11

Sanitary Sealants

Stay Fresh	13
Silirub 2S	13
Silirub S	13

Specialist Sealants

Silirub COLOR	15
Silirub MA	15
Soudaseal Cleanroom	16
Silirub Cleanroom	16
Soudaduct	16
Butyrub	16
Silirub P2	17
Soudaflex JGS	17
Aquaswell	17

Silirub+

Silirub+ S1000	18
Silirub+ S2000	18
Silirub+ S8800	19

Sealant Ancillaries & Tools

Soudabond PRO BG 1	20
Backer Rods	20
Winbag	20
Cartridge Cutter	20
Applicator Tools	21
Silicone Remover	21
Twisty Nozzles	21

SEALING & BONDING

Fix ALL®

Fix ALL Flexi	24
Fix ALL Crystal	24
Fix ALL High Tack	25
Fix ALL High Tack Invisible	25
Fix ALL X-Treme Power	26
Fix ALL Turbo	26

Hybrid Polymers

Soudaseal 215 LM	28
Soudaseal 225 LM	28
Soudaseal 235 SF	28
Soudaseal 240 FC	28
Soudaseal 240 LV	29
Soudaseal MS Clear	29
Soudaseal 250 XF	29
Soudaseal 270 HS	29
Soudaseal High Tack	30
Soudaseal Supertack	30
Soudaseal SL	30
Soudaseal 2K	30

PU Polymers

Soudaflex 20 LM	31
Soudaflex 40 FC	31

Surface Preparation & Primers

Primer 100	32
Primer 150	32
Surface activator	32
Alu-Prep	32

BONDING

T-REX®

T-REX Solvent Based	35
T-REX Solvent Free	35

Construction Adhesives

Spray Contact Adhesive 370 SP	36
Ergogrip Gun	36
Flexible Hose	36
Spray Nozzle	36
Adhesive Roller	37
Dissolver SP	37
Cleaning Adaptor	37
Spray Contact Adhesive 270 SP	37
Contact Adhesive 170 TX	38
Contact Adhesive 140 LQ	38
Fix ALL Fills & Bonds	38
Fix ALL Floor & Wall	38
Superglue MV	39
Superglue HV	39
Mitre-Kit	39
Superglue Activator	39

Timber Adhesives

PRO 45P	40
PRO 40P	40
Purocol Express	40
Purocol	40
PU Construct	41
PRO 30D	41
PRO 20D	41
PRO 10D	41

FILLING

Soudafoam Polyurethane Foam

Window & Door XTRA	44
Window & Door	44
Window & Door Combibox	44
Gap filler XTRA	45
Gap Filler	45
Gap Filler Combibox	45

Soudafoam Specialist Foam

One Shot	46
SMX®	46
Express	46
B2	46
Gun & Foam Cleaner	47
Foam Remover	47
PU Foam Nozzles	47
Foam Guns	47

DECORATING SEALANTS & FILLERS

Flexible Fillers

Acryrub	48
---------------	----

Acryrub UK	48
Dec Caulk	48
Transpacryl	48

Specialist Fillers

Cement Repair Express	49
Repa-cryl D	49
Soudafill Light	49
Gap Filler	49

AIRTIGHT CONSTRUCTION

Window Connections SWS

Silirub PRO N SWS	50
Soudafoam Window & Door SWS	51
Acryrub SWS	51
Soudabond Activ PLUS - BG1 + BGR	52
SWS Inside Tape	53
SWS Outside Tape	53
Soudafoil 330D	53
Soudafoil 360H	53

Façade Cladding

EPDM Membrane Fix	54
EPDM Membrane	54
Soudaseal EPDM	54
Silirub EPDM	54

Roofing

Vapourseal	55
Soudatape Connect	55
Soudatape Flex	55
Soudatape Façade	55

Walls & Floors

Soudatight LQ	56
Soudatight SP	56
Butyband Fleece	56

Window Fabrication

Soudatherm SFI 600P	57
Soudatherm SFI 600P Nozzle	57
Soudatherm SFI 600P Gun	57
Soudatherm SFI 600P Multi Gun	57
Soudatherm SFI 600P Trolley	57

WINDOW FABRICATION RANGE

Soudabond 641	58
Soudabond 642 DUO	58
Aluseal	59
Surface Cleaner	59
Soudabond Duo Gun	59

FIRE

Firesilicone B1	60
Firecryl FR	60
Soudaseal FR	60
Soudafoam FR	60

HIGH TEMPERATURE

Silirub HT-N	61
Silirub HT-A	61
Firecement HT	61

GLASS & GLAZING

SMX 506	62
---------------	----

Silirub WS	62	Cutting Oil	79	Metal Plastic Fine	92
Silirub AQ	62			Metal Plastic Universal	92
Soudaseal Mirror	63	DIY RANGE		Metal Plastic Black	92
Mir-o-bond	63	Express Range		Metal Plastic Alu	92
ROOFING RANGE		General Purpose Silicone	80	Hardeners	93
Soudatherm 330	64	Window & Door Silicone	80	Dispenser System	93
Soudatherm Roof Application Gun ..	65	Decorators Sealant	80	Spray Filler	93
Soudatherm Roof Hose	65	Kitchen Silicone	81	Celluplast	93
Cleaning Adapter Ring	65	Bathroom & Shower Silicone	81	Poly Liquid	94
Soudatherm Roof Back Pack	65	Natural Stone	81	Fibreglass Matt	94
Soudatherm Roof 250	66	Roof & Gutter	81	Polyfiber	94
Soudatherm Roof 250 Combibox	66			Polyfiber Clear	94
Soudatherm Roof 170	67	GENIUS GUN		Polysset	94
Waterstop	68	Premium PU Foam			
Butyband	68	PU Adhesive	82	Sealants, Adhesives & Coatings	
Soudafalt	68	Plasterboard Adhesive	82	Carbond 940 FC	95
Soudalead	68	Insulation Foam	83	Carbond 945 FC	95
Silirub AL	69	Gap Filling Foam	83	Carbond 955 DG	95
Aquafix	69			Carbond 955 DG Cleaner/ Activator ..	95
		TRADE RANGE		Carbond 955 DG Primer	95
		Construction		Gasket Seal	95
FLOORING RANGE		Multi-Purpose Silicone	84	Carjoint	96
SMX-30 PLUS	70	Building Silicone	84	Carsealer	96
MS-30 PLUS	70	Decorators Caulk	84	MS Seam Sealer	96
MS-20 PLUS	70	B2 Foam	85	MS Seam Sealer Gun	96
SMX-15 P	71	B3 Foam	85	Connection Ring	96
MS-25 P	71	Foam Cleaner	85	Soudafloor SL2	96
PU-20P	72	Lightweight Gap Filler	85		
SV-15P	72			Anti-Corrosion	
DS-10P	72	Sanitary		Underbody Protection	97
Trowel	72	Sanitary Silicone	86	Anti-Gravel	97
WBPR-11P	73	Kitchen Silicone	86	Incoat ML	97
WBPR-21P	73	Bathroom & Shower Silicone	86	Incoat ML-Wax	97
EPR-31P	73			Pneumatic Coating Gun	97
Parquet & Timber Sealant	73	Glazing			
		Interior Frame Sealant	87	BIKE RANGE	
CLEANING		Exterior Frame Silicone	87	Cleaning	
Dust Sheets	75	Glazing Silicone	87	Bike Cleaner	98
Stair-Runner	75			Chain Cleaner	98
Tissue Rolls	75	Roofing		Mud Remover	99
Tarpaulin	75	Lead Sheet Sealant	88	Disc Cleaner	99
PVCu Frame Cleaner	76	All Weather Sealant	88	Protect & Polish	99
Frame & Glass Cleaner	76	Roofing & Gutter Sealant	88	Bike Wipes	99
PVCu Cream Cleaner	76				
Glass & Mirror Cleaner	76	Adhesives		Lubricating	
Swipex Wipes	76	Grip All Adhesive	89	Dry Wax	100
Swipex Hand Cleaner	76	Grip All Solvent Free	89	Dry Weather Lubricant	100
Cleaner & Degreaser	77	Water Resistant Wood Glue	89	Wet Weather Lubricant	100
Sealant Remover	77	Mitre-Kit/Superglue	89	All Weather Lubricant	100
Adhesive Remover	77			Assembly Paste	101
Multi Cleaner	77	Contractors Range		Carbon Assembly Paste	101
Brake Cleaner	77	Contractors 100 DC	90	Silicone Paste	101
		Contractors 200 MP	90	Bike Box	101
LUBRICATING AEROSOLS		Contractors 300 GG	90		
Vaseline Spray	78	Contractors 400 HH	90	TECHNICAL INFORMATION	
Silicone Spray	78	Contractors 500 SB	90	Guide to CE Marking	104-105
PTFE Spray	78	Contractors 600 SF	91	Application Guide	106-107
White Grease	78	Contractors 700 NS	91	Product Information	108-125
Multi-Spray	78	Contractors 800 MS	91	RAL Color Product List	124-125
		Contractors 900 MS	91		
ENGINEERING AEROSOLS		AUTOMOTIVE RANGE			
Zinc Spray (Matt)	79	Body Repair			
Zinc Spray (Shiny)	79	Metal Plastic Standard	92		
Contact Spray	79	Metal Plastic Soft	92		
Degrip All	79				

Silirub® Range



Silirub® is a structured range of branded silicones for industrial, construction and sanitary sealing applications.

Soudal - experts in sealants, foams and adhesives



CE	14 NB0757
SOUDAL DoP 230397	
EN15651-1 F-EXT-INT-CC-25LM EN15651-2 G-CC-25LM EN15651-3 XS1	

SILIRUB® 1

DESCRIPTION

PREMIUM QUALITY low modulus, acetoxy silicone sealant. 100% silicone, no shrinkage. Contains powerful anti-fungicidal agents to restrict mould growth. Thick-bodied formulation. Excellent toolability. Primerless adhesion on many common construction materials (glass, ceramic, porcelain, metals and wood). Resistant to weathering, chemicals and high and low temperatures.

APPLICATIONS

Sanitary, construction and industrial applications. Sealing in areas prone to high humidity - bathrooms and kitchens. Sealing of all traditional sanitary ware including baths, basins, showers, toilets and glazed tile surrounds. Perimeter sealing of wooden window and door frames. Glass to glass sealing joints. Industrial applications; coated metals, anodized aluminium, stainless steel. General maintenance sealing.

- Low modulus acetoxy cure silicone
- 100% silicone with no extension
- Primerless adhesion on traditional materials
- Conforms to ISO 11600 F&G 25 LM
- XS1 fungicide

OPTIONS

300ml Cartridge



SILIRUB® A

DESCRIPTION

GENERAL PURPOSE acetoxy silicone sealant. Mould resistant. Primerless adhesion on many common construction materials (glass, ceramic, porcelain, metals and wood). Resistant to weathering, chemicals and high and low temperatures.


APPLICATIONS

Sanitary, construction and industrial applications. Sealing in areas prone to high humidity - bathrooms and kitchens. Sealing of all traditional sanitary ware including baths, basins, showers, toilets and glazed tile surrounds. Perimeter sealing of wooden window and door frames. Glass to glass sealing joints. Industrial applications; coated metals, anodized aluminium, stainless steel. General maintenance sealing.

- Acetoxy cure silicone
- Primerless adhesion on traditional materials
- S1 fungicide
- Extensive colour range

OPTIONS

295ml Cartridge



CE	14 NB0074
SOUDAL DoP 230881	
EN15651-1 F-EXT-INT EN15651-2 G EN15651-3 S1	





CE	14 NB0757
SODAL DoP 230001	
EN15651-1 F-EXT-INT-CC-25LM EN15651-2 G-CC-25LM	

SILIRUB® 2

DESCRIPTION

PREMIUM QUALITY low modulus neutral cure silicone sealant. Virtually odourless. Very fast skinning time and final cure. 100% silicone, no shrinkage. Thick-bodied. Excellent toolability. Primerless adhesion on all common construction materials (glass, plastics, masonry substrates, metals and wood). High movement capability. Resistant to UV, rain, snow, ozone and many chemicals. High and low temperature resistance.

APPLICATIONS

Glazing, construction and industrial sealing applications. Perimeter sealing of window and door frames. Sealing of roofline and drainage systems. Weather sealing of aluminium glazing systems, curtain walling and façade panels. Can be used with all types of glass, except self-cleaning types. Bedding of double glazed sealed units in wet glazing applications. Sealing of expansion joints. Roofing seals including lead, roofing slates, and fibre-cement. Industrial applications; coated metals, anodized aluminium, stainless steel. HVAC ducting, pipework and drainage joints. General maintenance and sealing.

- Low modulus neutral cure silicone
- Virtually odourless
- 100% silicone with no extension
- Primerless adhesion on most surfaces
- Independently tested to ISO 11600 F&G 25 LM
- Extensive colour range, including RAL® CLASSIC colours
- Compatible with sealed units

OPTIONS

300ml Cartridge	310ml Cartridge
Brilliant White Clear Teak Brown Black Caramel Mahogany Toffee Anthracite Grey	White Grey Dark Grey Alu Grey Portland Beige Stone Grey Concrete Grey Oak Light Brown Dark Brown Terra-cotta Basalt Buff Bronze
600ml Foilpack	400ml Foilpack
Brilliant White White Clear Grey Black Brown	Brilliant White

SILIRUB® LMN

DESCRIPTION

SUPERIOR QUALITY low modulus neutral cure silicone sealant. Virtually odourless. Very fast skinning time and final cure. Thick-bodied. Excellent toolability. Primerless adhesion on all common construction materials (glass, plastics, masonry substrates, metals and wood). High movement capability. Resistant to UV, rain, snow, ozone and many chemicals. High and low temperature resistance.

APPLICATIONS

Glazing, construction and industrial sealing applications. Perimeter sealing of window and door frames. Sealing of roofline and drainage systems. Weather sealing of aluminium glazing systems, curtain walling and façade panels. Can be used with all types of glass, except self-cleaning types. Sealing of expansion joints. Roofing seals including lead, roofing slates, and fibre-cement. Industrial applications; coated metals, anodized aluminium, stainless steel. HVAC ducting, pipework and drainage joints. General maintenance and sealing.


- Low modulus neutral cure silicone
- Virtually odourless
- Primerless adhesion on most surfaces
- Conforms to ISO 11600 F&G 25 LM
- Extensive colour range

OPTIONS

300ml Cartridge	400ml Foilpack
Brilliant White White Clear Teak Brown Black Caramel Bronze Brilliant White - thickened Grey Chartwell Green Cream White Anthracite Grey	White Clear Teak Caramel

CE	14 NB0074
SODAL DoP 230396	
EN15651-1 F-EXT-INT-CC-25LM EN15651-2 G-CC-25LM	





SILIRUB® LM

DESCRIPTION

HIGH QUALITY low modulus, neutral cure silicone sealant. Virtually odourless. Very fast skinning time and final cure. Excellent toolability. Primerless adhesion on all common construction materials. High movement capability. Resistant to UV, rain, snow, ozone and many chemicals.

APPLICATIONS

Glazing, construction and industrial sealing. Perimeter sealing of window, door frame and roofline systems. Can be used in direct contact with all types of glass, except self cleaning types. Sealing of expansion joints. Roofing seals including lead, roofing slates, and fibre-cement. Industrial sealing applications; coated metals, anodized aluminium, stainless steel. HVAC ducting, pipework and drainage joints. General maintenance and sealing.

- Low modulus neutral cure silicone
- Virtually odourless
- Primerless adhesion on most surfaces
- Conforms to ISO 11600 F 12.5 E
- Extensive colour range

OPTIONS

300ml Cartridge



SILIRUB® N

DESCRIPTION



GENERAL PURPOSE low modulus, neutral cure silicone sealant. Virtually odourless. Very fast skinning time and final cure. Excellent toolability. Primerless adhesion on most common construction materials. Resistant to UV, rain, snow, ozone and many chemicals.

APPLICATIONS

Glazing, construction and industrial sealing. Perimeter sealing of window, door frames and roofline systems. Can be used in direct contact with all types of glass, except self cleaning types. Sealing of expansion joints. Roofing seals including lead, roofing slates, and fibre-cement. Industrial sealing applications; coated metals, anodized aluminium, stainless steel. HVAC ducting, pipework and drainage joints. General maintenance and sealing.

- Low modulus neutral cure silicone
- Virtually odourless
- Primerless adhesion on most surfaces
- Extensive colour range

OPTIONS



STAY Fresh

BRIGHTER. CLEANER. FRESHER.



STAY FRESH – eliminates all problems associated with traditional sealants when used in areas of high humidity - a permanent end to unsightly mould and fungus, discolouration, adhesion problems and bad odours. Also food safe.

- Ultimate anti-mould sealant
- Food safe
- Low odour
- Solvent free
- Compatible with all sanitary materials
- Low emissions
- Available in 300ml cartridges in ice white, clear, ivory, black and grey.



CE	14 NB0757
SOUDAL DoP 231066	
EN15651-1 F-EXT-INT-25LM EN15651-2 G-25LM EN15651-3 XS1	

STAY FRESH

DESCRIPTION

THE ULTIMATE ANTI-MOULD AND FOOD SAFE SEALANT. Neutral cure silicone. Contains powerful anti-fungicidal and anti-biocidal agents. Virtually odourless. Very fast skinning time and final cure. 100% silicone, no shrinkage. Thick-bodied. Primerless adhesion on all sanitary materials, including plastics. Highly elastic. Resistant to UV, rain, snow, ozone and many chemicals. High and low temperature resistant.


APPLICATIONS

Sealing sanitary, construction and industrial applications where long term mould protection and/or food contact is required. Sealing in all areas prone to high humidity - bathrooms and kitchens. Sealing of all sanitary ware including baths, basins, showers, toilets and glazed tile surrounds.

- Low modulus neutral cure silicone
- The Ultimate Anti-Mould Sealant
- Food Safe
- Lifetime guarantee
- Virtually odourless
- 100% silicone with no extension
- Primerless adhesion on most surfaces
- Conforms to ISO 11600 F&G 25 LM
- XS1 fungicide

OPTIONS

300ml Cartridge



SILIRUB® 2S

DESCRIPTION

FOOD SAFE, low modulus neutral cure, sanitary silicone. Contains a powerful anti-fungicidal agent. Virtually odourless. Very fast skinning time and final cure. 100% silicone, no shrinkage. Thick-bodied. Primerless adhesion on all sanitary materials, including plastics. Highly elastic. Resistant to UV, rain, snow, ozone and many chemicals.

APPLICATIONS

Sealing sanitary, construction and industrial applications where food contact is required. Container, cold-storage, air conditioning, bathroom, kitchen and other areas prone to high humidity. Sealing of all sanitary ware. Sealing in areas of high humidity.

- Low modulus neutral cure silicone
- Food safe
- Virtually odourless
- 100% silicone with no extension
- Primerless adhesion on most surfaces
- Conforms to ISO 11600 F&G 25 LM
- XS1 fungicide

CE	14 NB0757
SOUDAL DoP 230003	
EN15651-1 F-EXT-INT-CC-25LM EN15651-2 G-CC-25LM EN15651-3 XS1	

OPTIONS

300ml Cartridge



SILIRUB® S

DESCRIPTION

GENERAL PURPOSE acetoxy sanitary silicone sealant. Mould resistant. Primerless adhesion on many common construction materials (glass, ceramic, porcelain, metals and wood). Resistant to weathering, chemicals and high and low temperatures.

APPLICATIONS

Sanitary, construction and industrial applications. Sealing in areas prone to high humidity - bathrooms and kitchens. Sealing of all traditional sanitary ware including baths, basins, showers, toilets and glazed tile surrounds.

- Acetoxy cure sanitary silicone
- Primerless adhesion on traditional materials
- Conforms to ISO 11600 F 12.5 E
- S1 fungicide

CE	14 NB0757
SOUDAL DoP 230117	
EN15651-1 F-EXT-INT-12.5E EN15651-2 G EN15651-3 S1	

OPTIONS

310ml Cartridge



Silirub® color

A tailored service offered from Soudal

Silirub Color is a high quality neutral cure silicone. It has been specially developed for colour matching using the RAL® Colour system.

- Any RAL® Classic colour can be produced
- Virtually odour free
- Low modulus neutral cure
- Primerless adhesion on most surfaces
- UV resistant
- Conforms to ISO 11600 F&G 25 LM
- Fungicide conforms to ISO 846



Scan here to visit
our website



Proud sponsor of





CE	14 NB0757
SOUDAL DoP 230010	
EN15651-1 F-EXT-INT-CC-25LM EN15651-2 G-CC-25LM	

SILIRUB® COLOR

DESCRIPTION

"A UNIVERSE OF COLOUR" - any RAL® CLASSIC colour can be produced. Low modulus, neutral cure silicone. Virtually odourless. Very fast skinning time and final cure. Thick-bodied. Excellent toolability. Primerless adhesion on all common construction materials (glass, plastics, masonry substrates, metals and wood). High movement capability. Resistant to UV, rain, snow, ozone and many chemicals.

APPLICATIONS

Glazing, construction and industrial sealing applications. Perimeter sealing of windows and doors. Sealing of roofline and drainage systems. Weather sealing of aluminium glazing systems, curtain walling and façade panels. Can be used with all types of glass, except self-cleaning types. Sealing of expansion joints. Roofing seals including lead, roofing slates, and fibre-cement. Industrial applications; coated metals, anodized aluminium, stainless steel. HVAC ducting, pipework and drainage joints. General maintenance and sealing. Sealing in bathrooms, kitchens and areas prone to humidity.

- Low modulus neutral cure silicone
- Any RAL® CLASSIC colour can be produced
- Virtually odourless
- Primerless adhesion on most surfaces
- Conforms to ISO 11600 F&G 25 LM

OPTIONS

310ml Cartridge

Any RAL® CLASSIC Colour

Full Silirub COLOR product list available on pages 124-125

SILIRUB® MA

DESCRIPTION

NON-STAINING, low modulus neutral cure silicone. Contains powerful anti-fungicidal agents. Virtually odourless. Very fast skinning time and final cure. 100% silicone, no shrinkage. Thick-bodied. Primerless adhesion on all common construction materials. Highly elastic. Resistant to UV, rain, snow, ozone and many chemicals. High and low temperature resistance.

APPLICATIONS

Sealing and bonding of marble and other porous natural stones. Sealing in bathrooms and kitchens and other areas prone to high humidity. Sealing of all types of sanitary ware. Sealing of natural stone cladding façades. Sealing of expansion and movement joints in construction.

- Low modulus neutral cure silicone
- Non-staining on porous stones and marble
- Virtually odourless
- 100% silicone with no extension
- Primerless adhesion on most surfaces
- Conforms to ISO 11600 F&G 25 LM
- Extensive colour range, including RAL® CLASSIC colours
- XS1 fungicide

OPTIONS

310ml Cartridge



CE	14 NB0757
SOUDAL DoP 230741	
EN15651-1 F-EXT-INT-25LM EN15651-2 G-25LM EN15651-3 XS1 EN15651-4 PW-INT-25LM	





Soudaseal® CLEANROOM

DESCRIPTION

HYBRID POLYMER based cleanroom sealant and adhesive. Outstanding bond strength and mechanical properties on nearly all surfaces. Extrudes easily, even at low temperatures. Colour stable. UV-resistant. Free of isocyanates, solvents, halogens and acids. Can be painted with all water based paints. No staining of porous materials such as natural stone, granite, marble, etc.

APPLICATIONS

Specialist sealing and bonding applications in critical surroundings (hospitals, laboratories, pharmaceutical industry, computer areas) and in food safe applications. Sealing in environments where food is handled and stored (food containers, cold store installations, food industry, etc).

- Hybrid polymer sealant and adhesive
- Food safe
- Tested according to FDA regulations code CFR 21 & 177.2600 (e)
- Odourless
- Environmentally safe
- XS1 fungicide

CE	14 NB0074
Soudal DoP 230742	
EN15651-1 F-EXT-INT-20HM EN15651-3 XS1 EN15651-4 PW-INT-20HM	

OPTIONS

290ml Cartridge



White



Silirub® CLEANROOM

DESCRIPTION

ALCOXY neutral cure silicone for cleanroom applications. Virtually odourless. Slow skinning time - therefore ideally suited for long joint runs. High and low temperature resistance. Primerless adhesion on most surfaces.

APPLICATIONS

Specialist sealing applications in critical surroundings (hospitals, laboratories, pharmaceutical industry) and in food safe applications. Sealing in environments where food is handled and stored (food containers, cold store installations, food industry, etc).

- Alcoxy neutral cure silicone
- Food safe
- Tested according to FDA regulations code CFR 21 & 177.2600 (e) and (f)
- Virtually odourless
- Slow skinning time
- XS1 fungicide

CE	14 NB0757
Soudal DoP 230007	
EN15651-1 F-EXT-INT-CC-25LM EN15651-3 XS1	

OPTIONS

310ml Cartridge



White



Soudaduct®

DUCTING SEALANT

DESCRIPTION

HVAC acrylic polymer based, elasto-plastic sealant. Low odour and solvent free. Very good adhesion on galvanised and stainless steel. Remains permanently flexible. Paintable.

APPLICATIONS

Sealing of all types of HVAC duct systems including sheet metal, duct board and flexible ducts. Sealing of seams, spigot joints, flange joints and metal fabrications.

- Acrylic polymer sealant
- Solvent free
- Low odour
- Paintable

CE	14 NB1173
Soudal DoP 230798	
EN15651-1 F-INT	

OPTIONS

300ml Cartridge



Grey

600ml Foilpack



Grey



BUTYRUB

NON-SETTING MASTIC

DESCRIPTION

POLYBUTYLENE based, semi-setting elasto-plastic sealant. Very easy to apply. Forms an elastic and tight skin. Can be painted over after 24 hours. Very good adhesion on many building surfaces. UV and weather resistant. Good resistance against chemicals.

APPLICATIONS

Sealing of low movement joints with limited movement up to 5%. Sealant for joints in masonry, door and window frames, windowsills. Mounting of single layer glass in wooden, concrete and steel frames (e.g. greenhouses). Sealant for joints in car-bodies, containers and caravans. Lap sealant for sheet metal roofing.

- Polybutylene sealant
- Semi-setting
- Paintable with most coatings

OPTIONS

310ml Cartridge



White



Black



Grey

600ml Foilpack



Grey



SILIRUB® P2

DESCRIPTION

PAINTABLE high modulus, neutral cure silicone sealant. Developed to be over-painted with many low solvent and water based paints.

APPLICATIONS

Perimeter sealing of windows where later over-painting may be required. Heritage window projects. RAL® colour matched sealing.

- Neutral cure silicone
- Over-paintable
- Conforms to ISO 11600 G 20 HM
- Low odour
- Extensive colour range, including RAL® CLASSIC colours

OPTIONS

310ml Cartridge



SOUDAFLEX® JGS


DESCRIPTION

LOW MODULUS polyurethane based sealant with excellent chemical resistance. Resistant to liquid manure and sewage (tested according to DIN 11622-2). Very easy application. Stays elastic after curing. Very good adhesion on many materials.

APPLICATIONS

Sealing and bonding applications in the manufacturing and construction industries. Joint sealing in silos or tanks of liquid manure and biogas. Sealing of overlapping steel segments and bottom joints of steel tanks.

- Low modulus polyurethane sealant
- Excellent chemical resistance
- Conforms to DIN 11622-2
- Resists liquid manure and sewage



OPTIONS

600ml Foilpack



AQUASWELL

DESCRIPTION

POLYURETHANE pipe and cable sealant which swells up in contact with water to create a water and gas tight seal - up to 5 bar (DVGW VP-601). Very good adhesion on concrete, most metals and PVC. Very easy application in both horizontal and vertical applications. Swells up to 450% of its original volume when in contact with water. Stays elastic after curing. Returns to its original shape after swelling.

APPLICATIONS

Water sealing pipe and cable penetrations. Water sealing concrete joints.

- POLYURETHANE pipe and cable sealant
- Water and gas tight up to 5 bar (DVGW VP-601)
- Swells up to 450% of its original volume in contact with water
- Stays elastic after curing
- Returns to its original shape after swelling


OPTIONS

310ml Cartridge



600ml Foilpack





S1000

DESCRIPTION

PREMIUM QUALITY acetoxysilicone sealant. Thick-bodied formulation, with excellent toolability. Contains powerful anti-fungicidal agents to restrict mould growth. Primerless adhesion on many common construction materials (glass, ceramic, porcelain, metals and wood). Resistant to weathering, chemicals and high and low temperatures. Gloss finish on all colours.


APPLICATIONS

PREMIUM QUALITY acetoxysilicone sealant. Thick-bodied formulation, with excellent toolability. Contains powerful anti-fungicidal agents to restrict mould growth. Primerless adhesion on many common construction materials (glass, ceramic, porcelain, metals and wood). Resistant to weathering, chemicals and high and low temperatures.

- Acetoxysilicone cure
- Primerless adhesion on most traditional construction materials
- Conforms to ISO 11600 F&G 25 LM
- XS1 fungicide

OPTIONS

310ml Cartridge



S2000

DESCRIPTION

PREMIUM QUALITY, low modulus neutral cure construction silicone sealant. Thick-bodied, with excellent toolability. Virtually odourless. Primerless adhesion on all common construction materials (glass, plastics, masonry substrates, metals and wood). High movement capability. Resistant to UV, rain, snow, and ozone, and many chemicals. High and low temperature resistance. Matt finish on all colours.


APPLICATIONS

Construction, glazing and industrial sealing applications. Sealing of expansion and movement joints, curtain walling and façade panels. Perimeter sealing of window and door frames. Sealing of roofline and drainage systems. Weathersealing of aluminium glazing systems. Can be used with most types of glass, except self-cleaning types. Roofing seals including lead, roofing slates, and fibre-cement. Industrial applications; coated metals, anodized aluminium, stainless steel. HVAC ducting, pipework, and drainage joints. General maintenance and sealing.

- Low modulus neutral cure silicone
- Virtually odourless
- Primerless adhesion on most surfaces
- Conforms to ISO 11600 F&G 25 LM
- Extensive colour range, including RAL colours

OPTIONS

380ml Cartridge



Staining on Natural Stone

Silicone sealants are made from several raw materials of which silicone polymer and silicone oil are the two major components. When a standard silicone is used on a natural stone, the silicone oil will be released into the natural stone, causing permanent migratory staining and damage to the stone.

With a specialist natural stone compatible silicone, the silicone oil is integrated within the polymer, which means it cannot migrate into the stone.

Only specialist non-staining sealants can be used on natural stone without the risk of expensive, long-term damage to the surface.

Silirub+ S8800 and Silirub MA are both specialist stone sealants, and as such are guaranteed not to cause staining.



staining problem on natural stone

S8800

DESCRIPTION

PREMIUM QUALITY, non-staining, low modulus neutral cure silicone. Extra thick-bodied, with excellent toolability. Contains powerful anti-fungal agents. Virtually odourless. Primerless adhesion on all common construction materials. Highly elastic. Resistant to UV, rain, snow, ozone, and many chemicals. High and low temperature resistance. Gloss finish on all colours.

APPLICATIONS

Sealing of expansion and movement joints in construction. Sealing of natural stone cladding façades. Sealing and bonding of marble and other porous natural stones. Sealing in bathrooms and kitchens and other areas prone to high humidity. Sealing of all types of sanitary ware.

- Low modulus neutral cure silicone
- Non-staining on porous stones and marble
- Virtually odourless
- Primerless adhesion on most surfaces
- Conforms to ISO 11600 F&G 25 LM
- Extensive colour range
- XS1 fungicide

OPTIONS

310ml Cartridge									
Anthracite Grey	Bright Beige	Manhattan Grey	Marble Grey	Middle Grey	Dust Grey	Clear	Joint Grey	Brilliant White	
Black	Jasmine	Bahama Beige	Transparent Grey						

CE	14 NB0074
SOUDAL DoP 230138	
EN15651-1 F-EXT-INT-25LM EN15651-2 G-25LM EN15651-3 XS1 EN15651-4 PW-INT-25LM	



SOUDABAND PRO BG 1



DESCRIPTION

PRE-COMPRESSED open cell polyurethane foam sealant tape. Used for the sealing, insulating and weather proofing of façades joints. The tape is impregnated with an adhesive and can be used without primer. Weather resistant to at least 600Pa. Matches the requirements of DIN 18542: 2009, class BG1. Conforms to

DIN 4102, class B1. Fully UV and rain resistant. Supplied in various roll lengths and widths. Virtually odourless. After application the tape expands to fill gaps and also adapts to uneven surfaces. Provides long term thermal and acoustic insulation.

APPLICATIONS

Suitable for interior and exterior use. Sealing between aluminium, PVCu and wooden window and door frames and walls. Sealing of concrete, steel, timber, brickwork, blockwork and prefabricated constructions.

- Pre-compressed open cell polyurethane sealant tape
- Conforms to DIN 18542: 2009, class BG1
- Conforms to DIN 4102, class B1
- Weather resistant to at least 600Pa
- Interior and exterior use

OPTIONS

10/1-2 x 20m	15/2-6 x 12m	30/4-9 x 8m	20/9-20 x 3.3m
15/1-4 x 13m	20/2-6 x 12m	15/5-12 x 5.6m	
20/1-4 x 13m	15/4-9 x 8m	15/6-15 x 4.3m	
12/2-6 x 12m	20/4-9 x 8m	20/6-15 x 4.3m	

BACKER RODS



DESCRIPTION

POLYURETHANE based open cell backer rods. Supplied in 1M lengths.

APPLICATIONS

Used to control depth and shape of sealant joints and avoid 3 sided adhesion.

- PU based
- Grey colour
- Various diameters

OPTIONS

1M lengths
15mm, 20mm, 25mm, 30mm, 40mm, 50mm

WINBAG



DESCRIPTION

INFLATABLE air wedge for window and door fixing and lifting tool.

APPLICATIONS

Used for the lifting and positioning of doors and windows, prior to fixing.

- Lifts and positions doors and windows
- Quick and safe

OPTIONS

Pack: 4 Winbags

CARTRIDGE CUTTER



DESCRIPTION

HIGH QUALITY cartridge cutter.

APPLICATION

Used for cutting cartridges and nozzles safely and quickly.

- Cuts cartridges and nozzles
- Quick and safe

OPTIONS

Single unit

APPLICATOR TOOLS

CARTRIDGE GUN SKELETON

DESCRIPTION

Steel skeleton gun. Soudal dripless system. Suitable for all cartridge applied adhesives, fillers and sealants. Available in 310ml and 400ml sizes. Also available in Cox brand in 400ml.



CARTRIDGE GUN HEAVY DUTY

DESCRIPTION

Heavy duty steel skeleton gun. Soudal dripless system. Suitable for all cartridge applied adhesives, fillers and sealants. Available in 310ml and 400ml sizes.



MANUAL FOIL PACK GUN

DESCRIPTION

Soudal manual foilpack gun. Can be used with all foilpack products. Available in 400ml and 600ml sizes. Also available in Cox brand.



SILICONE REMOVER

DESCRIPTION

TERPENE based, easy to use cleaning gel for the removal of cured silicone sealants. Applied by brush or spatula. Non sagging.

APPLICATIONS

Used to remove all cured silicone sealants, especially on non-porous surfaces. Can also be used with Hybrid Polymer based sealants and adhesives.

- Terpene based
- Works on silicones and hybrid polymers
- Brush applied
- Non sagging
- Fast and effective



OPTIONS

100ml Bottle: Clear

TWISTY NOZZLES

DESCRIPTION

TWISTABLE sealant and adhesive nozzles. Re-sealable after use.

APPLICATIONS

Used with all standard sealant, adhesive and filler cartridges. Useful for sealing, filling and bonding into hard to access areas e.g. around pipes

- Compatible with all standard cartridges
- Fully twistable, up to 90° angle
- Allows access into difficult areas
- Re-sealable



OPTIONS

Pack: 5 nozzles



All you need is...
Fix ALL®.



750%

100%
transparent

320 Kg/10cm²

320 Kg/10cm²

X-TREME power
400Kg*

20min.



The Fix ALL® range of products from Soudal are the perfect answer to all interior and exterior bonding, filling and sealing jobs. Use on porous, non-porous, wet and humid surfaces, even under water!



The Fix ALL range can be applied on all* common surfaces including:

Bricks	Concrete	Stone	Marble
Granite	Plaster	Wood	MDF
Chipboard	Rockwool	Cork	Ceramics
Laminate	Steel	Glass	Mirror
Copper	Aluminium	Lead	Zinc
Ceramics	Porcelain	Cardboard	PVC
Polystyrene	Polyurethane	Slate	Synthetics

*Not suitable for PE, PP or Teflon.


Friendly to the environment and the user
no solvents, halogens, acids, isocyanates*

- Anti-mould
- Odourless
- Paintable
- Quick & easy



Scan here to visit
our website and
find out more...





FLEXI

DESCRIPTION

MULTI USE sealant, adhesive and filler with high flexibility. Can be applied in all weather conditions. Internal and external use. Virtually odourless. Primerless adhesion on most construction materials, including wet and damp surfaces. Paintable with most paints. Non-staining on porous natural stones. Contains fungicides - suitable for sanitary applications.

APPLICATIONS

For all bonding, sealing & filling applications in all weather conditions, on most surfaces. Paintable elastomeric sealing and bonding. Bonding & sealing of porous natural stone surfaces such as marble and limestone. Sanitary sealing and bonding - kitchens, bathrooms and showers.

- Multi use
- Primerless adhesion
- Virtually odourless
- All weather use
- Highly flexible
- Mould resistant - XS1 fungicide
- Non staining
- Conforms to ISO 11600 F 20 HM

OPTIONS

290ml Cartridge	80ml Tube
 White  Black  Grey  Brown	 White

CRYSTAL

DESCRIPTION


SUPER CLEAR sealant, adhesive and filler. 100% crystal clear. Can be applied in all weather conditions. Internal and external use. Virtually odourless. Primerless adhesion on most construction materials, including wet and damp surfaces. Paintable with most paints. Non yellowing - UV resistant. Contains fungicides - suitable for sanitary applications. Food safe. Highly flexible.


APPLICATIONS


For all bonding, sealing & filling applications where transparency of the final bond or seal is important. Heavy duty bonding and sealing in all weather conditions, on most surfaces. Paintable elastomeric sealing and bonding. Sanitary sealing and bonding - kitchens, bathrooms, showers etc.

- Super clear
- Primerless adhesion
- Virtually odourless
- All weather use
- Highly flexible
- Mould resistant - XS1 fungicide
- Food safe

OPTIONS

290ml Cartridge	80ml Tube
 Crystal Clear	 Crystal Clear





HIGH TACK

DESCRIPTION

SUPER STRONG sealant, adhesive and filler with high initial tack. Can be applied in all weather conditions. Internal and external use. Virtually odourless. Primerless adhesion on most construction materials, including wet and damp surfaces. Paintable with most paints. Non yellowing - UV resistant. Contains fungicides - suitable for sanitary applications. Very high final mechanical properties.

APPLICATIONS

For all bonding, sealing & filling applications where initial grab and final bond strength is important. Heavy duty bonding and sealing in all weather conditions, on most surfaces. Paintable elastomeric sealing and bonding. Bonding of porous natural stone surfaces such as marble and limestone. Sanitary sealing and bonding.

- Super strong
- High initial tack
- Very high final mechanical properties
- Mould resistant - XS1 fungicide
- Primerless adhesion
- Virtually odourless
- All weather use
- Conforms to ISO 11600 F 20 HM

OPTIONS

290ml Cartridge



80ml Tube



HIGH TACK INVISIBLE

DESCRIPTION

SUPER STRONG adhesive with high initial tack. Can be applied in all weather conditions. Internal and external use. Virtually odourless. Primerless adhesion on most construction materials, including wet and damp surfaces. Paintable with most paints. Non yellowing - UV resistant. Very high final mechanical properties.

APPLICATIONS

For all bonding where initial grab and final bond strength is important. Heavy duty bonding in all weather conditions, on most surfaces. Paintable elastomeric bonding. Bonding of porous natural stone surfaces such as marble and limestone. Sanitary sealing and bonding.

- Super clear
- Super strong
- High initial tack
- Very high final mechanical properties
- Primerless adhesion
- Virtually odourless
- All weather use

OPTIONS

290ml Cartridge



Invisible





X-TREME POWER

DESCRIPTION

EXTREME TACK high strength elastomeric adhesive with enhanced mechanical properties. The ULTIMATE in initial grab - 400kg/m². Can be applied in all weather conditions. Internal and external use. Virtually odourless. Primerless adhesion on most construction materials, including wet and damp surfaces. Easy gunnability.

APPLICATIONS

For all bonding applications where initial grab and final bond strength is extremely critical. Heavy duty bonding in all weather conditions, on most surfaces. Bonding of porous natural stone surfaces such as marble and limestone.

- Extreme tack
- Ultimate initial grab - 400kg/m²
- Very high final mechanical properties
- Easy gunnability
- Primerless adhesion
- Virtually odourless
- All weather use

OPTIONS

290ml Cartridge



White

TURBO

DESCRIPTION

SUPER FAST elastomeric adhesive. Rapid strength build up after 20 minutes. Final bond strength after 3 hours. High initial tack. Can be applied in all weather conditions (including wet and damp surfaces), internally and externally. No solvents or odours. Primerless adhesion on most construction materials.

APPLICATIONS

For all elastomeric bonding applications where adhesive build up speed is highly critical or important. Heavy duty bonding and sealing in all weather conditions, on most surfaces. Bonding of porous natural stone surfaces such as marble and limestone.

- Super fast
- Rapid strength build up after 20 minutes
- 3 hours - final bond strength
- Primerless adhesion
- Virtually odourless
- All weather use

OPTIONS

290ml Cartridge



White





FIND THE RIGHT FIX ALL® PRODUCT FOR YOUR APPLICATION!



	ALL Materials (except PE,PP, Teflon)	Sealing	Bonding	Initial Grab	Strength build up/ fast bonding	Crystal Clear/ Invisible
--	---	---------	---------	--------------	---------------------------------------	-----------------------------

ALL BONDING AND SEALING

	★★★★★	★★★★★	★★★	★★	★	
	★★★★★	★★★★★	★★★	★★	★	★★★★★
	★★★★★	★★★★★	★★★★★	★★★★★	★★	

ALL BONDING

	★★★★★		★★★★★	★★★★★	★★	★★★★★
	★★★★★		★★★★★	★★★★★	★★	
	★★★★★	★★	★★★★★	★★★	★★★★★	



SOUDASEAL® 215 LM


DESCRIPTION

LOW MODULUS hybrid polymer sealant. Primerless adhesion on nearly all surfaces. High performance mechanical properties. Colour stable and UV resistant. Free of isocyanates, solvents, halogens and acids. Paintable with all water based paints. Excellent weather resistance in all climates. Easy to apply, even at low temperatures. No bubble formation. Virtually odourless.

APPLICATIONS

Expansion and connection joints in the building industry: Sealing of joints in prefabricated buildings, movement joints in high rise constructions, sealing between window and door frames, façade and concrete joints. Flexible joints in industrial manufacturing applications.

- Low modulus hybrid polymer sealant
- Damp surface adhesion
- BBA SC 007/01 (ISO 11600 F 25 LM)
- Over-paintable
- Silicone & isocyanate free
- Independently tested to ISO 11600 F 25 LM



OPTIONS



SOUDASEAL® 225 LM


DESCRIPTION

MID MODULUS hybrid polymer sealant. Primerless adhesion on nearly all surfaces. High performance mechanical properties. Colour stable and UV resistant. Free of isocyanates, solvents, halogens and acids. Paintable with all water based paints. Excellent weather resistance in all climates. Easy to apply, even at low temperatures. No bubble formation. Virtually odourless.


APPLICATIONS

Expansion and connection joints in the building industry: Sealing of joints in prefabricated buildings, movement joints in high rise constructions, sealing between window and door frames, façade and concrete joints. Flexible joints in industrial manufacturing applications.

- Mid modulus hybrid polymer sealant
- Damp surface adhesion
- Conforms to ISO 11600 F 25 HM
- Over-paintable
- Silicone & isocyanate free



OPTIONS



SOUDASEAL® 235 SF


DESCRIPTION

HIGH MODULUS hybrid polymer sealant and adhesive. Chemically neutral and fully elastic. Outstanding bond strength on nearly all surfaces, even when damp. No bubble formation in high temperatures or humid applications. Very easy to tool. Good extrudability even at low temperatures. Good colour stability, weather and UV resistant. Free of isocyanates, solvents, halogens and acids. Can be painted with all water based paints. Contains fungicides - suitable for sanitary applications. Virtually odorless.


APPLICATIONS

Structural bonding which requires elasticity and high end strength. Structural bonding in vibrating constructions. Elastic bonding in car bodies, buses, trains, caravans and containers.

- High modulus hybrid polymer sealant & adhesive
- Damp surface adhesion
- Conforms to ISO 11600 F 20 HM
- Over-paintable
- Silicone & isocyanate free
- XS1 fungicide



OPTIONS



SOUDASEAL® 240 FC


DESCRIPTION

HIGH MODULUS hybrid polymer sealant and adhesive. Chemically neutral and fully elastic. Outstanding bond strength on nearly all surfaces, even when damp. No bubble formation in high temperatures or humid applications. Very easy to tool. Good extrudability even at low temperatures. Good colour stability, weather and UV resistant. Free of isocyanates, solvents, halogens and acids. Can be painted with all water based paints. Contains fungicides - suitable for sanitary applications. Virtually odorless.


APPLICATIONS

Structural bonding which requires elasticity and high end strength. Structural bonding in vibrating constructions. Elastic bonding in car-bodies, buses, trains, caravans and containers. Flooring joints in construction.

- High modulus hybrid polymer sealant & adhesive
- Damp surface adhesion
- Conforms to ISO 11600 F 20 HM
- Over-paintable
- Silicone & isocyanate free
- XS1 fungicide



OPTIONS





Soudaseal® 240 LV

DESCRIPTION

LOW VISCOSITY hybrid polymer sealant and adhesive. Chemically neutral and fully elastic. Outstanding bond strength on nearly all surfaces, even when damp. No bubble formation in high temperatures or humid applications. Very easy to tool. Good extrudability even at low temperatures. Good colour stability, weather and UV resistant. Free of isocyanates, solvents, halogens and acids. Can be painted with all water based paints. Contains fungicides - suitable for sanitary applications. Virtually odorless.

APPLICATIONS

Structural bonding which requires elasticity and high end strength. Structural bonding in vibrating constructions. Elastic bonding in car bodies, buses, trains, caravans and containers. Flooring joints in construction. Applications where a lower viscosity formulation is preferred.

- Low viscosity hybrid polymer sealant & adhesive
- Damp surface adhesion
- Over-paintable
- Silicone & isocyanate free
- Contains fungicide

OPTIONS

600ml Foilpack



White



Soudaseal® MS CLEAR

DESCRIPTION

CRYSTAL CLEAR hybrid polymer sealant and adhesive. Chemically neutral and fully elastic. Outstanding bond strength on nearly all surfaces, even when damp. No bubble formation in high temperatures or humid applications. Very easy to tool. Good extrudability even at low temperatures. Good colour stability, weather and UV resistant. Free of isocyanates, solvents, halogens and acids. Can be painted with all water based paints. Contains fungicides - suitable for sanitary applications. Virtually odorless.

APPLICATIONS

Structural bonding which requires elasticity and high end strength, with a crystal clear finish. Structural bonding in vibrating constructions. Elastic bonding in car bodies, buses, trains, caravans and containers.

- Crystal clear hybrid polymer sealant & adhesive
- Damp surface adhesion
- High modulus
- Over-paintable
- Silicone & isocyanate free
- XS1 fungicide

OPTIONS

290ml Cartridge



Crystal Clear



Soudaseal® 250 XF

DESCRIPTION

HIGH MODULUS hybrid polymer sealant and adhesive, with enhanced mechanical properties and extra fast strength build up. Chemically neutral and fully elastic. Outstanding bond strength on nearly all surfaces, even when damp. No bubble formation in high temperatures or humid applications. Very easy to tool. Good extrudability even at low temperatures. Good colour stability, weather and UV resistant. Free of isocyanates, solvents, halogens and acids. Can be painted with all water based paints. Contains fungicides - suitable for sanitary applications. Virtually odorless.

APPLICATIONS

Structural bonding which requires elasticity and higher end strength. Structural bonding in vibrating constructions. Elastic bonding in car bodies, buses, trains, caravans and containers.

- High modulus hybrid polymer sealant & adhesive
- Damp surface adhesion
- Conforms to ISO 11600 F 20 HM
- Over-paintable
- Silicone & isocyanate free
- XS1 fungicide

CE	14 NB0757
Soudal DoP 230743	
EN15651-1 F-EXT-INT-CC-20HM EN15651-3 XS1 EN15651-4 PW-INT-20HM	

OPTIONS

290ml Cartridge



White Grey Black

600ml Foilpack



White



Soudaseal® 270 HS

DESCRIPTION

HEAVY DUTY hybrid polymer elastomeric adhesive with very high mechanical properties, final bond strength and strength build up. Very high initial grab. Extremely durable due to very high Shore A hardness after curing. Free of isocyanates, silicone, or solvent. Can be sanded after cure. Very easy to tool. Colour stable and UV resistant. Can be painted with most industrial paints. Withstands all climatic conditions. "Anti-pick" properties.

APPLICATIONS

For use in elastic structural bonding applications in the car, coach, caravan, marine and aerospace industries where a tough and flexible bond is required. Structural elastic bonding between metal surfaces, coated surfaces and many plastics. Structural bonding in vibrating constructions. "Anti-pick" applications.

- Extreme strength hybrid polymer adhesive
- Extreme mechanical properties
- Damp surface adhesion
- Silicone and isocyanate free
- "Anti-pick" properties

OPTIONS

290ml Cartridge



White Black

600ml Foilpack



White Black



SOUDASEAL® HIGH TACK


DESCRIPTION

HIGH TACK hybrid polymer adhesive and sealant. Chemically neutral and fully elastic. Initial tack reduces the need for support. High bond strength and fast cure onto nearly all surfaces, even when damp. No bubble formation in high temperatures or humid applications. Very easy to tool. Good extrudability even at low temperatures. Colour stable and UV resistant. Free of isocyanates, solvents, halogens and acids. Solvent free. Paintable with all water based paints. Contains fungicides - suitable for sanitary applications.

APPLICATIONS

Sealing and bonding in the building and manufacturing industries. Sealing of floor joints and low movement wall joints. Suitable for sanitary applications. Structural bonding in vibrating constructions. Connection joints in sheet metal fabrication. Paintable gap filler and sealant.

- High tack hybrid polymer sealant & adhesive
- Damp surface adhesion
- Conforms to ISO 11600 F 20 HM
- Over-paintable
- Silicone & isocyanate free
- XS1 fungicide



OPTIONS

290ml Cartridge



SOUDASEAL® SUPERTACK

DESCRIPTION

SUPER TACK elastomeric hybrid polymer adhesive with extreme initial grab. Chemically neutral and fully elastic. For bonding objects on horizontal or vertical surfaces where high adhesive strength with exceptional initial grab is required. Primerless adhesion on most porous and non-porous surfaces. Flexible and accommodates thermal expansion or vibrations of bonded surfaces. Straightforward application even in adverse conditions. Free of isocyanates, solvents, halogens and acids.

APPLICATIONS

Structural elastic bonding in the building and metal working industry. Structural bonding applications in the automotive industry (cars, coaches, caravans, marine, trains). Elastic bonding of panels, profiles and other common construction substrates.

- Super tack hybrid polymer adhesive
- Virtually odourless
- Solvent, silicone and isocyanate free
- Damp surface adhesion
- Over-paintable

OPTIONS

290ml Cartridge



SOUDASEAL® SL

DESCRIPTION

SELF-LEVELLING hybrid polymer sealant and adhesive. Excellent workability. High end strength. Permanently elastic after full cure. Odourless. Paintable with waterbased paints.

APPLICATIONS

Sealing of joints in building and metal work industry. Sealing of overlap joints between panels in automotive applications. Sealing of horizontal joints.

- Self leveling hybrid polymer sealant & adhesive
- Damp surface adhesion
- Virtually odourless
- Solvent, silicone and isocyanate free
- Over-paintable

OPTIONS

600ml Foilpack



SOUDASEAL® 2K

DESCRIPTION

TWO COMPONENT super fast curing hybrid polymer adhesive and sealant. For use in elastical bonding applications where fast curing is required. Fast strength build-up. Fast curing. High performance mechanical properties. Permanently elastic after curing. Does not contain isocyanates, silicone and solvents. Cures without the presence of atmospheric moisture.

APPLICATIONS


Bonding and sealing applications in industrial, automotive, marine, construction and building areas. Bonding between metal surfaces, coated surfaces and many plastics. Elastic bonding applications in car, coach, caravan and train industries where fast curing and strength build up is required. Full surface bonding of non porous (sheet) material and large areas which are not porous enough to let atmospheric moisture through.

- Two component hybrid polymer sealant & adhesive
- Super fast cure speed
- Cures without atmospheric moisture
- Solvent, silicone and isocyanate free
- Virtually odourless
- Static mixer also available

OPTIONS

250ml Cartridge





SOUDAFLEX® 20 LM

DESCRIPTION

LOW MODULUS polyurethane based sealant. Very easy to apply. Stays elastic after curing. Very good adhesion on many materials. Excellent resistance to many chemicals. Developed especially for concrete applications. Paintable with some types of paint, after curing.

APPLICATIONS

All usual building joints with high movement. Connection joints between window and door frames and walls. Expansion joints between many different construction materials. Joints with large movement.

- Low modulus polyurethane sealant
- Permanently flexible
- Conforms to ISO 11600 F 25 LM
- Excellent adhesion
- Highly flexible
- Extension colour range

OPTIONS

600ml Foilpack



SOUDAFLEX® 40 FC

DESCRIPTION

HIGH MODULUS polyurethane based sealant and adhesive. Very easy application. Stays elastic after curing. Very good adhesion on many materials. Excellent resistance to many chemicals. Developed especially for concrete applications. Paintable with some types of paint, after curing.

APPLICATIONS

Sealing and bonding applications in the manufacturing and construction industries. Structural bondings on materials subject to vibration and movement. Sealing applications including concrete flooring joints.


- High modulus polyurethane sealant & adhesive
- Can be used for flooring joints
- Excellent adhesion
- High bond strength
- Fast curing

OPTIONS

310ml Cartridge



600ml Foilpack





PRIMER 100

DESCRIPTION

UNIVERSAL one part, porous surface primer. Liquid, easy to apply. Suitable for all professional sealants and adhesives based on polyurethane, polysulphide and hybrid polymers.

APPLICATIONS

Priming of expansion joint surfaces. Joint surfaces of porous materials with high water exposure.

- Liquid primer for porous substrates
- Universal use; can be used with polyurethane, polysulphide and hybrid polymers
- One component - easy to use
- Clear



OPTIONS

500ml Flask: Clear

PRIMER 150

DESCRIPTION

UNIVERSAL one part, porous surfaces primer. To be used with silicone sealants, hybrid polymer sealants and adhesives. Liquid, easy to apply.

APPLICATIONS

Priming of expansion joint surfaces. Joint surfaces of porous materials with high water exposure.

- Liquid primer for porous surfaces
- Universal use, can be used with silicones and hybrid polymers
- One component - easy to use
- Clear



OPTIONS

500ml Flask: Clear

SURFACE ACTIVATOR

DESCRIPTION

UNIVERSAL cleaner, degreaser and primer. Used for activating non-porous surfaces to achieve an improved adhesion. Cleaning, degreasing and activating of non-porous substrates.

APPLICATIONS

Cleaning of non-porous surfaces prior to the application of silicones, polyurethanes, hybrid polymers and polysulphides.

- Liquid surface activator for non-porous surfaces
- Cleans, degreases and activates
- Universal use, can be used with many types of sealants and adhesives
- One component - easy to use
- Clear



OPTIONS

500ml Flask: Clear

ALU-PREP

DESCRIPTION

UNIVERSAL liquid surface activator for use with silicones and hybrid polymers to improve the adhesion on anodized, lacquered and powder coated aluminium. Mild smelling. Fast drying. Compatible with most lacquered surfaces. Suitable for most plastics and metals. Can also be used to clean and remove uncured silicone.

APPLICATIONS

Cleaning of anodized, lacquered and powder coated aluminium surfaces prior to the application of silicones and hybrid polymers.

- Liquid surface activator for aluminium surfaces
- Cleans, degreases and activates
- Works with silicones and hybrid polymers
- One component - easy to use
- Clear



OPTIONS

250ml Flask: Clear



Proud sponsor of



NEW



**BIGGER.
FASTER.
STRONGER.**



SOUDAL

T-Rex is an ultra-strong gap filling grab adhesive with extremely high initial grab, using Soudal's unique FIBRE REINFORCED TECHNOLOGY which improves strength and gap filling properties.



T-REX® SOLVENT BASED

DESCRIPTION

SOLVENT BASED gap filling construction adhesive, with Soudal's unique Fibre Reinforced Technology. High initial grab - 125kg/m². Very high final bond strength. Compatible with most building materials, porous and non-porous. Direct application onto one surface. Moisture resistant. Replaces screws and nails.

APPLICATIONS

Bonding of heavy materials such as wooden skirting boards, window sills, plaster and plasterboard. Bonding of carpet grippers, edge strips and stair nosings. Bonding of wall and floorboards, window frames and partitions. Repair of loose tiles.

- Solvent based construction adhesive
- High initial grab - 125kg/m²
- Gap filling properties
- Fast strength build up
- Porous and non-porous materials
- Fibre Reinforced Technology

OPTIONS

310ml Cartridge



Beige

T-REX® SOLVENT FREE

DESCRIPTION

SOLVENT FREE gap filling construction adhesive, with Soudal's unique Fibre Reinforced Technology. Extremely high initial grab - 300kg/m². Very high final bond strength. Compatible with most building materials, but especially effective on porous surfaces. Direct application onto one surface. Moisture resistant. Replaces screws and nails. Works on materials which are sensitive to solvents e.g. polystyrene. Virtually odourless.

APPLICATIONS

Bonding of heavy materials such as wooden skirting boards, window sills, plaster and plasterboard. Bonding of carpet grippers, edge strips and stair nosings. Bonding of wall and floorboards, window frames and partitions. Repair of loose tiles. Fixing polystyrene and other soft construction materials.

- Solvent free construction adhesive
- Extreme initial grab - 300kg/m²
- Gap filling properties
- Virtually odourless
- Porous and solvent sensitive materials
- Fibre Reinforced Technology

OPTIONS

310ml Cartridge



White



SPRAY CONTACT ADHESIVE 370 SP



DESCRIPTION

SPRAYABLE ready to use, polychloroprene contact adhesive in large format canister. No need for electricity or air compressor. Quick and easy to apply with the ErgoGrip gun. No visible irregularities after application, due to fine nozzle spray (pebble style). Fast adhesion and short drying time. High temperature resistance, up to +115° C. Excellent moisture resistance. Does not contain toluene or methylene chloride. Pink and transparent colours available.

APPLICATIONS

For bonding many materials - laminates, plywood, laminated boards, decorative panels onto MDF, lightweight panels, chipboard, rubber, leather, artificial leather, cork and plastics. Bonding of decorative paper, PVC foil and other decorative foils onto chipboard, metals and MDF.

- Sprayable contact adhesive
- Fast drying
- Fast strength build-up
- High bond strength
- Suitable for most materials
- High temperature resistance, up to +115° C.
- Toluene and methylene chloride free

OPTIONS

22.1L Canister: Transparent, Pink.

ERGOGRIP GUN



DESCRIPTION

PROFESSIONAL quality, spray applicator gun to use with Soudal canister based contact adhesives. Heavy duty. Can be used with various spray nozzles, depending on application.

APPLICATIONS

Used to apply Soudal canister based contact adhesives.

- Professional quality spray applicator gun
- Used with Soudal canister based contact adhesives
- Heavy duty
- Can be used with various spray nozzles

OPTIONS

Gun

FLEXIBLE HOSE



DESCRIPTION

PROFESSIONAL quality, spray applicator hose to use with Soudal canister based contact adhesives. Heavy duty. Flexible.

APPLICATIONS

Used to apply Soudal canister based contact adhesives.

- Professional quality spray applicator hose
- Used with Soudal canister based contact adhesives
- Flexible
- Heavy duty

OPTIONS

Hose

SPRAY NOZZLES



DESCRIPTION

PROFESSIONAL quality, spray applicator nozzles used with ErgoGrip gun to apply Soudal canister based contact adhesives. Heavy duty. Different nozzles used for different application distances - 15°, 40° or 65°.

APPLICATIONS

Used with ErgoGrip applicator gun to apply Soudal canister based contact adhesives.

- Professional quality spray applicator nozzles
- Used with ErgoGrip applicator gun
- Different spray pattern angles available - 15°, 40° or 65°
- Heavy duty

OPTIONS

Nozzle: 15° (extra small), 40° (small), 65° (medium)

ADHESIVE ROLLER

DESCRIPTION

PROFESSIONAL quality, roller used with Soudal canister based contact adhesives to ensure perfect adhesion between materials. Available in different lengths - 75mm, 120mm.

APPLICATIONS

Used with Soudal canister based contact adhesives after application to ensure perfect adhesion between bonded materials.

- Professional quality roller
- Used with Soudal canister contact adhesives
- Available in different lengths
- Heavy duty

OPTIONS

Roller: 75mm length, 120mm length

DISSOLVER SP

DESCRIPTION

SOLVENT BASED aerosol spray applied cleaner and dissolver for use with Soudal sprayable contact adhesives. Used to clean ErgoGrip guns, Spray Nozzles and Flexible Hoses. Attached to hose using Cleaning Adaptor ring. Dissolves and cleans contact adhesive.

APPLICATIONS

Used for the cleaning of Soudal sprayable contact adhesives from ErgoGrip gun, hoses and nozzles.

- Solvent based cleaner and dissolver
- Quick & easy to use
- Cleans guns, hoses and nozzles
- Aerosol applied

OPTIONS

500ml Aerosol: Clear

CLEANING ADAPTOR

DESCRIPTION

METAL cleaning adaptor ring used with Dissolver SP to clean ErgoGrip gun, hoses and nozzles. Dissolver SP screws into ring prior to use.

APPLICATIONS

Used for the cleaning of Soudal sprayable contact adhesives from ErgoGrip gun, hoses and nozzles.

- Metal cleaning adaptor ring
- Quick & easy to use with Soudal Dissolver SP
- Cleans guns, hoses and nozzles
- Heavy duty

OPTIONS

Cleaning Adaptor: 3 Pack

SPRAY CONTACT ADHESIVE 270 SP

DESCRIPTION

SPRAYABLE ready to use, professional quality, contact adhesive in aerosol format, based on synthetic rubbers and resins. High bond strength. Fast drying process. Fast strength build-up. Wide application area. Excellent adhesion to many materials. Low consumption rate. Doesn't contain toluene and methylene chloride. Transparent.

APPLICATIONS

For bonding a broad range of materials. Bonding of most common materials such as rubber, cardboard, textiles, felts, leather, artificial leather, cork and plastics. Bonding of decorative paper, PVC foil and other decorative foils onto chipboard and MDF.

- Aerosol solvent based contact adhesive
- Fast drying
- Fast strength build-up
- High bond strength
- Suitable for most materials
- Toluene and methylene chloride free

OPTIONS

500ml Aerosol: Transparent



CONTACT ADHESIVE 170 TX

DESCRIPTION

THIXOTROPIC solvent based neoprene contact adhesive. Ready to use. Fast drying. High adhesive strength. Damp resistant. Easy to apply.

APPLICATIONS

Bonding of most common materials such as rubber, leather, artificial leather, cork and plastics to several substrates or to themselves. Bonding of synthetic panels and worktops to wood, metal, board etc. Traditional joinery bonding. Vertical applications.

- Thixotropic neoprene adhesive
- Solvent based
- Fast drying
- Rapid strength build up
- Damp resistant
- Adhesion onto many materials
- Ideal for vertical surfaces

OPTIONS

750ml Tin: Yellow
5L Tin: Yellow



CONTACT ADHESIVE 140 LQ

DESCRIPTION

LIQUID solvent based neoprene contact adhesive. Ready to use. Fast drying. High adhesive strength. Damp resistant. Easy to apply.

APPLICATIONS

Bonding of most common materials such as rubber, leather, artificial leather, cork and plastics to several substrates or to themselves. Bonding of synthetic panels and worktops to wood, metal, board etc. Traditional joinery bonding.

- Liquid neoprene adhesive
- Solvent based
- Fast drying
- Rapid strength build up
- Damp resistant
- Adhesion onto many materials

OPTIONS

750ml Tin: Yellow
5L Tin: Yellow



FIX ALL FILLS & BONDS

DESCRIPTION

POLYURETHANE foam based adhesive which replaces traditional mortar based adhesives. Ready to use without mixing which saves time, effort and money. Paintable. Fast curing. Can be applied to damp surfaces. Excellent thermal and acoustic insulation properties. DIN 4102 82 Fire rated. Available in Gun Grade and patented Hand Held versions.

APPLICATIONS

For the bonding of heavy weight building materials such as plasterboard, dry lining, rockwool, insulation board, bricks, concrete, plaster, wood, metal, aluminium, stone, ceramics, MDF, polystyrene, steel, lead, zinc, polyurethane, laminate, cork and chipboard.

- Polyurethane foam adhesive
- No mixing
- Fast curing
- Paintable
- Damp surface adhesion
- Fire class DIN 4102 B2

OPTIONS

750ml Hand Held: Orange
750ml Gun Grade: Orange

FIX ALL® FLOOR & WALL

DESCRIPTION

TROWELLABLE full surface, elastomeric adhesive. No mixing required. High initial grab. Can be applied on wet and damp surfaces, internally or externally. No solvents or odours. Primerless adhesion on most construction materials. Non-staining on porous natural stones. Suitable for sanitary applications.



APPLICATIONS

Elastomeric bonding of many types of sheet materials on walls and floors - tiles, stainless steel panel, splashbacks, wooden paneling, carpet tiles, natural stone cladding, PVCu hygienic cladding. No mixing or primer required. Can be used on damp and difficult substrates, horizontally or vertically. Indoor and outdoor use.

- Trowellable
- No mixing
- Primerless adhesion
- Virtually odourless
- All weather use
- Full surface adhesive
- Mould resistant

OPTIONS

4kg Bucket
White

SUPERGLUE MV

DESCRIPTION

CYANOACRYLATE based adhesive. Super fast curing. For use on non-porous surfaces. High end strength. Fast curing. Medium viscosity. Liquid formulation.

APPLICATIONS

Fast bonding of non porous surfaces, such as rubber, metals, plastics, glass etc. Adhesion can be accelerated using Soudal Superglue Activator.

- Cyanoacrylate based adhesive
- High bond strength
- Super fast bonding
- Medium viscosity
- Liquid
- Works on most non-porous materials



OPTIONS

20g Bottle: Clear

50g Bottle: Clear

SUPERGLUE HV

DESCRIPTION

CYANOACRYLATE based adhesive. Super fast curing. For use on non-porous surfaces. High end strength. Fast curing. High viscosity. Thixotropic formulation.

APPLICATIONS

Fast bonding of non porous surfaces, such as rubber, metals, plastics, glass etc. Adhesion can be accelerated using Soudal Superglue Activator.

- Cyanoacrylate based adhesive
- High bond strength
- Super fast bonding
- High viscosity
- Thixotropic
- Works on most non-porous materials
- Ideal for vertical surfaces



OPTIONS

20g Bottle: Clear

50g Bottle: Clear

100g Bottle: Clear

MITRE-KIT

DESCRIPTION

CYANOACRYLATE based high viscosity adhesive with aerosol activator. Particularly useful for production lines and UPVC window trim. Activator reduces blooming and odour. Fast acting. Curing will occur almost instantly. Easy to use. Non-yellowing.

APPLICATIONS

Used in the furniture, timber, kitchen and plastics industries where its instant bonding properties dramatically reduce assembly times for mitre joints when compared to conventional wood adhesives. The product is also suitable for instant bonding of MDF, rubber, PVCu, metals and most plastics.

- Cyanoacrylate two part adhesive with activator spray
- High bond strength
- High viscosity adhesive
- Non-yellowing
- Can be used on most non-porous substrates
- Ideal for vertical surfaces



OPTIONS

Standard Size - 50g Bottle & 200ml Aerosol: Clear

Large Size - 100g Bottle & 400ml Aerosol: Clear



ACTIVATOR

DESCRIPTION

SOLVENT based aerosol spray activator, Used in conjunction with Soudal Superglue. Spray applied. Reduces blooming and odour. Improves adhesion time. Non-yellowing.

APPLICATIONS

Accelerates adhesion speed of Soudal Superglue products.

- Solvent based aerosol spray
- Activates Superglue
- Non-yellowing
- Reduces bloom and odour



OPTIONS

200ml Aerosol: Clear

400ml Aerosol: Clear



PRO 45P

DESCRIPTION

POLYURETHANE liquid adhesive. Excellent water resistance. Easy application. Professional quality. Foaming penetration action to fill uneven surfaces. Extra fast drying and strength build up. Water resistance: D4 (DIN EN 204). Can be used on damp wood. 5 minute open time.

APPLICATIONS

Manufacturing of door and window frames that need to meet class D4 according to EN 204. Heavy duty bonding of wooden construction elements. Bonding of insulation materials (including polystyrene). Can also be used on various porous and non-porous substrates such as concrete, bricks and many other common materials in the building industry. General joinery of wooden materials.

- Liquid PU adhesive
- Conforms to DIN EN 204 grade D4
- Foaming action to fill gaps
- 5 minute open time
- Pressing time - 30 minutes
- Extra fast



OPTIONS

750g Bottle: Brown

5kg Jerrycan: Brown



PRO 40P

DESCRIPTION

POLYURETHANE liquid adhesive. Excellent water resistance. Easy application. Professional quality. Foaming penetration action to fill uneven surfaces. Fast drying. Water resistance: D4 (DIN EN 204). Can be used on damp wood. 15 minute open time.

APPLICATIONS

Manufacturing of door and window frames that need to meet class D4 according to EN 204. Heavy duty bonding of wooden construction elements. Bonding of insulation materials (including polystyrene). Can also be used on various porous and non-porous substrates such as concrete, bricks and many other common materials in the building industry. General joinery of wooden materials.

- Liquid PU adhesive
- Conforms to DIN EN 204 grade D4
- Foaming action to fill gaps
- 15 minute open time
- Pressing time - 6 hours



OPTIONS

750g Bottle: Brown

5kg Jerrycan: Brown



PUROCOL EXPRESS

DESCRIPTION

POLYURETHANE gun applied, thixotropic construction adhesive. Professional quality. Transparent. Extra fast curing. Gap filling characteristics, suitable for uneven surfaces. Waterproof. Conforms to DIN EN 204 grade D4. Solvent free. 5 minute open time.

APPLICATIONS

Manufacturing of door and window frames that need to meet class D4 according to EN 204. Bonding of wooden construction elements. Bonding of insulation materials (including polystyrene). Can also be used on various porous and non-porous substrates such as concrete, bricks and other common materials in the building industry. General joinery of wooden materials.

- Gun applied thixotropic PU adhesive
- Conforms to DIN EN 204 grade D4
- Foaming action to fill gaps
- Transparent
- 5 minute open time
- Pressing time - 1 hour
- Extra fast



OPTIONS

310ml Cartridge



Transparent



PUROCOL

DESCRIPTION

POLYURETHANE gun applied, thixotropic construction adhesive. Professional quality. Transparent. Fast curing. Gap filling characteristics, suitable for uneven surfaces. Waterproof. Conforms to DIN EN 204 grade D4. Solvent free. 15 minute open time.

APPLICATIONS

Manufacturing of door and window frames that need to meet class D4 according to EN 204. Bonding of wooden construction elements. Bonding of insulation materials (including polystyrene). Can also be used on various porous and non-porous substrates such as concrete, bricks and other common materials in the building industry. General joinery of wooden materials.

- Gun applied thixotropic PU adhesive
- Conforms to DIN EN 204 grade D4
- Foaming action to fill gaps
- Transparent
- 15 minute open time
- Pressing time - 3 hours



OPTIONS

310ml Cartridge



Transparent



PU CONSTRUCT

DESCRIPTION

POLYURETHANE gun applied, thixotropic, construction adhesive. Professional quality. Beige colour. Extra fast curing. Gap filling characteristics, suitable for uneven surfaces. Waterproof. Conforms to DIN EN 204 grade D4. Solvent free. 5 minute open time.

APPLICATIONS

Manufacturing of door and window frames that need to meet class D4 according to EN 204. Bonding of wooden construction elements. Bonding of insulation materials (including polystyrene). Can also be used on various porous and non-porous substrates such as concrete, bricks and other common materials in the building industry. General joinery of wooden materials.

- Gun applied thixotropic PU adhesive
- Conforms to DIN EN 204 grade D4
- Foaming action to fill gaps
- Beige colour
- 5 minute open time
- Pressing time - 15 minutes
- Extra fast



OPTIONS

310ml Cartridge



Beige



PRO 30D

DESCRIPTION

PVA based liquid adhesive. Conforms to DIN EN 204 D3. Easy application. Semi-transparent when dry. High bond strength. Resistant to high temperatures. Solvent free.

APPLICATIONS

Manufacturing of door and window frames that need to meet class D3 according to EN 204. Bonding of wood, board, chipboard, veneer. Mounting of soft wood. Construction bonding such as mortise and tenon joints, punches, etc. General joinery bonding with all types of wood.

- PVA based adhesive
- Solvent free
- Conforms to DIN EN 204 grade D3
- Dries transparent
- Pressing time - 30 minutes
- Hand tight - 2 to 4 hours



OPTIONS

750g Bottle: White

5kg Jerrycan: White

20L Jerrycan: White



PRO 20D

DESCRIPTION

PVA based liquid adhesive. Conforms to DIN EN 204 D2. Easy application. Semi-transparent when dry. High bond strength. Resistant to high temperatures. Solvent free.

APPLICATIONS

Manufacturing of door and window frames that need to meet class D2 according to EN 204. Bonding of wood, board, chipboard, veneer. Mounting of soft wood. Construction bonding such as mortise and tenon joints, punches, etc. General joinery bonding with all types of wood.

- PVA based adhesive
- Solvent free
- Conforms to DIN EN 204 grade D2
- Dries transparent
- Pressing time - 5 - 15 minutes
- Hand tight - 15 minutes to 2 hours
- Extra fast



OPTIONS

750g Bottle: White

5kg Bucket: White

20L Jerrycan: White



PRO 10D

DESCRIPTION

PVA based liquid adhesive. Conforms to DIN EN 204 D2. Easy application. Semi-transparent when dry. High bond strength. Resistant to high temperatures. Solvent free.

APPLICATIONS

Manufacturing of door and window frames that need to meet class D2 according to EN 204. Bonding of wood, board, chipboard, veneer. Mounting of soft wood. Construction bonding such as mortise and tenon joints, punches, etc. General joinery bonding with all types of wood.

- PVA based adhesive
- Solvent free
- Conforms to DIN EN 204 grade D2
- Dries transparent
- Pressing time - 2 hours
- Hand tight - 2 to 4 hours




OPTIONS

750g Bottle: White

5kg Bucket: White

20L Jerrycan: White

Soudafoam®



Experts in sealants,
adhesives and PU foams

Soudafoam

SOUDAFOAM is the brand of the World's largest independent polyurethane foam manufacturer. Every week more than 2 million canisters of PU Foam are manufactured in our state of the art production facilities. The SOUDAFOAM range incorporates many patented applicator technologies including **GENIUS GUN®**, an easy to use, economical alternative to other hand applied foams and **CLICK & FIX®**, a safe and fast alternative to traditional gun applied foam. SOUDAFOAM is a structured range focusing on application specific solutions, with a focus on quality, innovation and value for money.



DuraValve is a unique valve system that improves the yield and performance of SOUDAFOAM products over a much longer time period than standard valves. DuraValve puts an end to poor yield and non-extrusion of PU Foam and is a standard for all gun applied products. Best quality comes as a standard with SOUDAFOAM.

The **WINDOW & DOOR** product range is focused on high linear yields, high thermal and acoustic properties and is designed for window and door filling and sealing. This range includes **WINDOW & DOOR XTRA** which has an even greater linear yield (50% more Metres than standard) and **WINDOW & DOOR SWS** which has the best thermal, acoustic and noise insulation properties due to our patented **FLEXIFOAM®** technology.

The **GAP FILLER** product range has high volume yields, high thermal and acoustic properties and is designed for filling large gaps. This range includes **GAP FILLER XTRA** which has an even greater volume yield (50% more Litres than standard). This range also uses our **GENIUS GUN® MAX ADAPTOR** and **HAND HELD MEGA ADAPTOR** to increase the yield of our hand held foams.

The specialist range includes; **SMX®** the World's first 100% isocyanate free PU foam filler and **EXPRESS**, a very high speed, two-component, polyurethane gap filler which cures without the need for atmospheric humidity.

FEICA

SOUDAL are a member of FEICA, the Association of the European Adhesive & Sealant Industry. FEICA members manufacture more than 90% of all one-component foams in the European market. Members work together to develop standards and professionalise the industry. We are active within the FEICA Technical Working Group and an important achievement has been the development of standardised test methods.

These methods allow the performance of foam products to be measured and compared for the first time. We are signatories of the Manufacturers Declaration of Intent, which commits us to best practice and to the use of these FEICA Test Methods.



- Comfortable
- Easy to use
- Re-usable





WINDOW & DOOR XTRA

DESCRIPTION

HIGH YIELD polyurethane expanding foam filler. Window & door filling formulation with high linear expansion. Fills 50% more Metres than standard SOUDAFOAM WINDOW & DOOR. Easy to use, one component. Rapid curing. Excellent thermal and acoustic insulation properties. Primerless adhesion on most construction materials. Available in Gun Grade with DuraValve.

APPLICATIONS

Professional filling around PVCu, aluminium and wooden windows and doors. Extra high yield.

- Polyurethane foam filler
- Linear yield FEICA TM1002 - 750ml Gun Grade: 39M
- Acoustic rating ISO 717-1: 58 dB
- Thermal conductivity DIN 52612: 37mW/mK
- Application temperatures: +5C to +30C
- Gun Grade

OPTIONS

750ml Gun Grade DuraValve: Champagne



WINDOW & DOOR

DESCRIPTION

POLYURETHANE expanding foam filler. Window & door filling formulation with high linear expansion. Easy to use, one component. Rapid curing. Excellent thermal and acoustic insulation properties. Primerless adhesion on most construction materials. Available in Hand Held and Genius Gun® MAX, Gun Grade and Click & Fix® versions both come with DuraValve.

APPLICATIONS

Professional filling around PVCu, aluminium and wooden windows and doors.

- Polyurethane foam filler
- Linear yield FEICA TM1002 - 750ml Gun Grade: 26M
- Acoustic rating ISO 717-1: 58 dB
- Thermal conductivity DIN 52612: 37mW/mK
- Application temperatures: +5C to +30C
- Hand Held, Genius Gun® MAX, Gun Grade and Click & Fix® versions.



OPTIONS

750ml Hand Held: Champagne
750ml Gun Grade DuraValve: Champagne
750ml Click & Fix® DuraValve: Champagne
600ml Genius Gun® MAX: Champagne

WINDOW & DOOR GUN GRADE COMBI-BOX APPLICATOR PACK

DESCRIPTION

SOUDAFOAM WINDOW & DOOR Multi-Pack. Contains 10 units of SOUDAFOAM WINDOW & DOOR Gun Grade 750ml and the tools to apply and clean after use.

APPLICATIONS

Professional filling around PVCu, aluminium and wooden windows and doors. Each pack fills up to 260 Metres of linear gaps.

- Polyurethane foam filler
- Linear yield FEICA TM1002 - 750ml Gun Grade: 26M
- Solvent based PU Foam cleaner
- Quick & easy to use
- Compact Gun



OPTIONS

Multi-pack: 10 x 750ml Soudafoam Window & Door Gun Grade DuraValve, 1 x Soudafoam Gun & Foam Cleaner 500ml, 1 x Compact Foam Gun



GAP FILLER XTRA

DESCRIPTION

HIGH YIELD polyurethane expanding foam filler. Gap filling formulation with optimised 3D expansion. Fills 50% more volume than standard SOUDAFOAM GAP FILLER. Easy to use, one component. Rapid curing. Excellent thermal and acoustic insulation properties. Primerless adhesion on most construction materials. Available in Hand Held MEGA ADAPTOR, Genius Gun® and Gun Grade with DuraValve version.

APPLICATIONS

General purpose gap filling: pipe penetrations, insulation and roofing materials and general construction. Extra high yield.

- Polyurethane foam filler
- Volume yield FEICA TM1003 - 750ml Gun Grade: 51L
- Acoustic rating ISO 717-1: 58 dB
- Thermal conductivity DIN 52612: 37mW/mK
- Application temperatures: +5C to +30C
- Hand Held, Gun Grade and Genius Gun® versions

OPTIONS

750ml Hand Held MEGA ADAPTOR: Champagne
750ml Gun Grade DuraValve: Champagne
750ml Genius Gun® DuraValve: Champagne



GAP FILLER

DESCRIPTION

POLYURETHANE expanding foam filler. Gap filling formulation with high 3D expansion. Easy to use, one component. Rapid curing. Excellent thermal and acoustic insulation properties. Primerless adhesion on most construction materials. Available in Hand Held and Genius Gun®, Gun Grade and Click & Fix® versions both come with DuraValve.

APPLICATIONS

General purpose gap filling: pipe penetrations, insulation and roofing materials and general construction.

- Polyurethane foam filler
- Volume yield FEICA TM1003 - 750ml Gun Grade: 34L
- Acoustic rating ISO 717-1: 58 dB
- Thermal conductivity DIN 52612: 37mW/mK
- Application temperatures: +5C to +30C
- Hand Held, Genius Gun®, Gun Grade and Click & Fix® versions.



OPTIONS

750ml Hand Held: Champagne
500ml Hand Held: Champagne
750ml Gun Grade DuraValve: Champagne
750ml Click & Fix® DuraValve: Champagne
600ml Genius Gun®: Champagne

GAP FILLER GUN GRADE COMBI-BOX APPLICATOR PACK

DESCRIPTION

SOUDAFOAM GAP FILLER Multi-Pack. Contains 10 units of SOUDAFOAM GAP FILLER Gun Grade 750ml and the tools to apply and clean after use.

APPLICATIONS

General purpose gap filling: pipe penetrations, insulation and roofing materials and general construction. Each pack fills up to 340 Litres of gaps.

- Polyurethane foam filler
- Volume yield FEICA TM1003 - 750ml Gun Grade: 34L
- Solvent based PU Foam cleaner
- Quick & easy to use
- Compact Gun



OPTIONS

Multi-pack:
10 x Soudafoam Gap Filler Gun Grade 750ml
1 x Soudafoam Gun & Foam Cleaner 500ml
1 x Soudafoam compact Foam Gun

ONE SHOT

DESCRIPTION

ONE SHOT polyurethane expanding foam filler. Small format packaging for minor filling applications. Gap filling formulation with high 3D expansion. Easy to use, one component. Rapid curing. Excellent thermal and acoustic insulation properties. Primerless adhesion on most construction materials. Hand Held.

APPLICATIONS

General purpose gap filling: pipe penetrations, insulation and roofing materials and general construction.

- Polyurethane foam filler
- Volume yield FEICA TM1003 - 150ml Hand Held: 5L
- Acoustic rating ISO 717-1: 58 dB
- Thermal conductivity DIN 52612: 37mW/mK
- Application temperatures: +5C to +30C
- Hand Held.

OPTIONS

150ml Hand Held: Champagne



EXPRESS

DESCRIPTION

EXTRA FAST curing polyurethane foam filler. Accelerated curing speed (approximately 20 minutes) due to two-component system. Excellent thermal and acoustic insulation properties. Primerless adhesion on most construction materials. Cures without atmospheric moisture.

APPLICATIONS

Especially for filling where fast curing is required or when material or atmosphere is low in humidity. Thermal and acoustic insulation around doors and window frames, pipe penetrations, insulation and roofing materials and general construction.

- 2 component polyurethane foam filler
- 20 minute curing time
- Cures without moisture
- Volume yield FEICA TM1003 - 400ml Hand Held: 10L
- Acoustic rating ISO 717-1: 58 dB
- Thermal conductivity DIN 52612: 37mW/mK
- Application temperatures: +5C to +30C
- Hand Held

OPTIONS

400ml Hand Held: Green



SMX®

DESCRIPTION

SMX® POLYMER expanding foam. Environmentally friendly, easy to use, one component. No free isocyanate content. Rapid curing. Excellent thermal and acoustic insulation properties. Primerless adhesion on most construction materials. Available in Hand Held.

APPLICATIONS

Environmentally friendly, thermal and acoustic insulation around doors and window frames, pipe penetrations, insulation and roofing materials and general construction.

- SMX® polymer foam filler
- Isocyanate free
- Environmentally friendly
- Acoustic rating ISO 717-1: 58 dB
- Thermal conductivity DIN 52612: 35mW/mK
- Application temperatures: +5C to +30C
- Volume yield FEICA TM1003 - 400ml Hand Held: 12L
- Hand Held

OPTIONS

500ml Hand Held: White



B2

DESCRIPTION

FIRE RATED one component, expanding polyurethane foam filler. Rapid curing. Excellent thermal and acoustic insulation properties. Excellent primerless adhesion on most construction materials. Available in Hand Held and Gun Grade versions.

APPLICATIONS

For use in passive fire protection systems as a large gap filler; installation of fire retardant window and door frames; sealing of expansion and connection joints, penetration seals. Thermal and acoustic insulation around doors and window frames, pipe penetrations, insulation and roofing materials and general construction.

- Fire rated polyurethane foam filler
- EN1366-4 – Fire resistance, up to 2 hours depending on joint configuration
- Fire class DIN 4102 B2
- Acoustic rating - 58 dB
- Insulation factor - 36mW/mK
- Hand Held and Gun Grade versions

OPTIONS

750ml Gun Grade: Champagne
750ml Hand Held: Champagne



GUN & FOAM CLEANER

DESCRIPTION

SOLVENT BASED aerosol spray applied, polyurethane foam cleaner.

APPLICATIONS

Used for the cleaning of PU Foam applicator guns. Gun applied PU Foam valves and uncured PU Foam, can also be quickly and easily removed with the attachable spray nozzle.

- Solvent based PU Foam cleaner
- Quick & easy to use
- Attachable spray nozzle
- Aerosol applied
- Gun Grade and Click & Fix® versions

OPTIONS

500ml Gun Grade: Clear
500ml Click & Fix: Clear

DESIGN PU FOAM GUN

DESCRIPTION

HEAVY DUTY PROFESSIONAL GRADE metal polyurethane applicator gun for use with gun foams. Available for Click & Fix® and Gun Grade systems.

APPLICATIONS

For the application of PU foams and cleaners.

OPTIONS

Gun Grade: Standard Size, 60cm Long Barrel, 1M Extra-long Barrel.
Click & Fix: Standard Size.



FOAM REMOVER

DESCRIPTION

GEL BASED PU foam cleaner. Odourless and free of aromatic solvents.

APPLICATIONS

For the quick and easy removal of cured polyurethane foam residues from non-porous surfaces such as plastics, metals and PVCu.

- Gel based cleaner
- Virtually odorless
- Can be applied by brush or spatula
- Highly effective
- Solvent free

OPTIONS

100ml Bottle: Clear



PU FOAM NOZZLES

DESCRIPTION

Hand held straw replacement.

OPTIONS

Pack of 5

COMPACT PU FOAM GUN

DESCRIPTION

PROFESSIONAL GRADE polyurethane applicator gun for use with gun foams. Available for Click & Fix® and Gun Grade systems.

APPLICATIONS

For the application of PU foams and cleaners.

OPTIONS

Gun Grade: Standard Size
Click & Fix: Standard Size





ACRYRUB


DESCRIPTION

SUPERIOR QUALITY acrylic polymer based sealant and filler. Solvent free and virtually odourless. Very easy to apply. Colourfast and waterproof after curing. Can be painted over after curing. Very good adhesion on many porous surfaces.

APPLICATIONS

Sealing of window sills, skirting boards, architraves, plasterboard, brickwork, etc. Filling of small cracks in plaster.

- Acrylic polymer sealant and filler
- Extensive colour range
- Paintable
- Virtually odourless
- Conforms to ISO 11600 F 12.5 P



OPTIONS

310ml Cartridge	600ml Foilpack
White Grey Teak Black	White Grey



ACRYRUB UK


DESCRIPTION

HIGH QUALITY acrylic polymer based sealant and filler. Solvent free and virtually odourless. Very easy to apply. Colourfast and waterproof after curing. Can be painted over after curing. Very good adhesion on many porous surfaces.

APPLICATIONS

Sealing of window sills, skirting boards, architraves, plasterboard, brickwork, etc. Filling of small cracks in plaster.

- Acrylic polymer sealant and filler
- Paintable
- Virtually odourless
- Conforms to ISO 11600 F 7.5 P



OPTIONS

300ml Cartridge	380ml Cartridge	400ml Foilpack
Extra White	Extra White	Extra White



DEC CAULK


DESCRIPTION

GENERAL PURPOSE acrylic polymer based sealant and filler. Solvent free and virtually odourless. Very easy to apply. Colourfast and waterproof after curing. Can be painted over after curing. Very good adhesion on many porous surfaces.

APPLICATIONS

Sealing of window sills, skirting boards, architraves, plasterboard, brickwork, etc. Filling of small cracks in plaster.

- Acrylic polymer sealant and filler
- Paintable
- Virtually odourless



OPTIONS

300ml Cartridge
White



TRANSPACRYL


DESCRIPTION

TRANSPARENT acrylic polymer based sealant and filler. The product cures transparent. Solvent free and virtually odourless. Very easy to apply. Colourfast and waterproof after curing. Can be painted over after curing. Very good adhesion on many porous surfaces.

APPLICATIONS

Sealing of window sills, skirting boards, architraves, plasterboard, brickwork, etc. Filling of small cracks in plaster.

- Acrylic polymer sealant and filler
- Transparent colour
- Paintable
- Virtually odourless



OPTIONS

310ml Cartridge
Clear



CEMENT REPAIR EXPRESS

DESCRIPTION

HIGH SPEED acrylic polymer based, textured repair cement. For easy and quick reparation of filling of joints and cracks in concrete. Can be applied by trowel or gun. Sandable and over-paintable once dried. non-shrinking. Can be used for internal and external applications.

APPLICATIONS

For repairing holes and cracks in concrete and cement. For repairing joints in masonry, Repairing of damages in concrete stairs etc.

- Acrylic polymer high speed repair cement
- Very fast curing
- Excellent adhesion on many mineral surfaces
- Non-shrinking
- Textured finish
- Paintable



REPA-CRYL D


DESCRIPTION

TEXTURED specialist acrylic polymer based sealant and filler. For use in areas where a granular type finish is required. Solvent free and virtually odourless. Very easy to apply. Colourfast and waterproof after curing. Can be painted over after curing. Very good adhesion on many porous surfaces.

APPLICATIONS

Sealing compound for cracks in concrete, pebble dash, plaster, stucco and other textured cementitious surfaces. Joints between window sills, skirting board, floors and brickwork.

- Acrylic polymer sealant and filler
- Paintable
- Virtually odourless
- Granular structure
- Interior & exterior use



OPTIONS

310ml Cartridge



Grey

OPTIONS

310ml Cartridge



White



SOUDAFILL LIGHT

DESCRIPTION

LIGHTWEIGHT acrylic polymer based, repair plaster. For an easy and quick reparation or filling in walls & ceilings e.g: cracks, screw holes etc... Can be applied by trowel or gun. Sandable and over-paintable once dried. Non-shrinking.

APPLICATIONS

For the filling and repair of cracks and small holes in walls and ceilings - plasterboard, concrete, stone, plasterwork, masonry and decorative plaster. For the filling of static joints and cracks in walls and ceilings.

- Acrylic polymer lightweight repair plaster
- Smooth finish
- Very fast curing
- Non-shrinking
- Can be sanded after curing
- Paintable
- Very good adhesion on many porous materials



GAP FILLER

DESCRIPTION

One part, solvent based, PVC resin for sealing, bonding and filling PVC and PVCu materials. Thick-bodied; low slumping and stringing. Excellent primerless adhesion. Once dried the product remains permanently odourless, can be sanded or sawn and exhibits characteristics similar to rigid PVC. Resistant to UV, rain, snow, ozone and many chemicals.

APPLICATIONS

Sealing, filling and bonding of PVCu window and door frames, window boards, trims and reveals, cladding and roofline, PVC guttering and drainage systems. Jointing of PVC and PVC coated sheet roofing materials. General maintenance, repair, filling and sealing of PVC and PVCu materials.

- Solvent based PVC resin
- Seals, bonds, fills and repairs
- Thick bodied
- Primerless adhesion
- UV resistant

OPTIONS

310ml Cartridge



White

900ml Tub



White

OPTIONS

300ml Cartridge




White

THE SOUDAL WINDOW SYSTEM

The professional window-joint system SWS is a combination of several products which provide the seal between exterior joinery and the structural envelope. In new buildings this is a joint of ± 2 cm, but SWS can, of course, also be used for renovation of all sorts of exterior joinery: aluminium, wood and PVC. SWS also offers solutions for passive houses and timber framed houses.

SWS has been officially tested in conjunction with various parameters and in various setups. When properly installed SWS offers:



- ◆ **AIRTIGHT**
- ◆ **LASTING THERMAL & ACOUSTIC INSULATION**
- ◆ **WEATHER RESISTANT**

SILIRUB PRO N SWS

DESCRIPTION




























AIRTIGHT, low modulus neutral cure silicone. Virtually odourless. Fast skinning time and final cure. 100% silicone, no shrinkage. Extra thick-bodied. Excellent toolability. Primerless adhesion on common construction materials. High movement capability. Resistant to weathering and many chemicals. High and low temperature resistance. Contains fungicides.



APPLICATIONS

Glazing, construction and industrial applications. Sealing of window and door frames. Sealing of roofline and drainage systems. Sealing of aluminium glazing systems, curtain walling and façade panels. Can be used with all types of glass, except self-cleaning types. Sealing of expansion joints. Roofing seals including lead, roofing slates, and fibre-cement. Industrial applications; coated metals, anodized aluminium, stainless steel. HVAC ducting, pipework, and drainage joints.

- Airtight - RAL MO-01/1 tested
- Low modulus neutral cure silicone
- Virtually odourless
- 100% silicone with no extension
- Primerless adhesion on most surfaces
- Conforms to ISO 11600 F&G 25 LM
- XS1 fungicide

OPTIONS

310ml Cartridge	400ml Foilpack
<div> Clear</div> <div> Oak</div> <div> Light Brown</div> <div> White</div> <div> Light Concrete Grey</div> <div> Grey</div>	<div> Black</div> <div> White</div> <div> Clear</div>
600ml Foilpack	
<div> Manhattan Grey</div> <div> Black</div> <div> Brown</div> <div> Anthracite</div> <div> Dust Grey</div>	<div> Cloudy Transparent</div> <div> Chocolate Brown</div> <div> Grey</div> <div> Manhattan Grey</div> <div> Black</div> <div> Clear</div>
<div> White</div> <div> Middle Grey</div> <div> Light Concrete Grey</div> <div> Brown</div> <div> Oak</div> <div> Light Grey</div> <div> Earth Brown</div>	





SOUDAFOAM WINDOW & DOOR SWS

DESCRIPTION

AIRTIGHT premium quality polyurethane expanding foam filler for use around windows & doors. Recommended for all A, A+ and A++ windows and doors. Vastly improved thermal and insulation properties. Totally airtight after curing. The product is highly flexible once cured, based on FLEXIFOAM® Technology, which gives improved durability. Can be used at temperatures of between -10 Celsius to +30 Celsius. One component. Rapid curing. Primerless adhesion on most construction materials. Available in Gun Grade.

APPLICATIONS

Recommended for all A, A+ and A++ windows and doors or any applications where an airtight seal is required. Sealing gaps where improved thermal and acoustic properties are required. Any joint filling which has high and repetitive movement or where vibration resistance is required. Thermal and acoustic insulation around doors and window frames. All seasons application - can be used in temperatures as low as -10 Celsius.

- Polyurethane foam filler
- Airtight: RAL MO-01/1 and DIN 18542 tested
- Highly flexible
- Acoustic rating ISO 717-1: 60 dB
- Thermal conductivity DIN 52612: 34.5mW/mK
- Application temperature range: -10 Celsius to +30 Celsius
- Linear yield FEICA TM1002 - 750ml Gun Grade: 22M
- Gun Grade.

OPTIONS

750ml Gun Grade DuraValve: Blue.



ACRYRUB SWS


DESCRIPTION

PREMIUM QUALITY acrylic polymer based sealant and filler. Solvent free and virtually odourless. Very easy to apply. Colourfast and waterproof after curing. Can be painted over after curing. Very good adhesion on many porous surfaces. Highly flexible. Very low emissions - EC-1R PLUS label.

APPLICATIONS

Sealing of window sills, skirting boards, architraves, plasterboard, brickwork, etc. Filling of small cracks in plaster. Part of Soudal Window Systems.

- Acrylic polymer sealant and filler
- Highly elastic
- Paintable
- Virtually odourless
- Low emissions - EC-1R PLUS label.
- Conforms to ISO 11600 F 12.5 E




OPTIONS

310ml Cartridge



White





SOUDABOND ACTIV PLUS - BG1 + BGR

DESCRIPTION

AIRTIGHT pre-compressed foam sealing tape with triple functionality - exterior weatherproofing against driving rain up to DIN 18542: 2009 class BG1 - 600pa, thermal and acoustic insulation in the centre and interior airtight sealing in conformity with DIN 18542: 2009 class BGR. The tape is impregnated with an adhesive and can be used without a primer. Fully UV and rain resistant. Supplied in various roll lengths and widths. Virtually odourless. After application the tape expands to fill gaps and uneven surfaces.

APPLICATION

Suitable for quick and easy sealing and insulating of all types of windows in one application. Sealing of PVCu, aluminium and wooden frames.

- Pre-compressed polyurethane sealant and insulation tape
- Airtight - Conforms to DIN 18542: 2009, class BGR
- Weathertight - Conforms to DIN 18542: 2009, class BG1
- Weather resistant to at least 600Pa
- Interior and exterior use

OPTIONS

Rolls: 54/5-10 x 5.6m, 64/5-10 x 5.6m, 74/5-10 x 5.6m, 84/5-10 x 5.6m, 54/7-15 x 4.3m, 64/7-15 x 4.3m, 74/7-15 x 4.3m, 84/7-15 x 4.3m, 54/10-20 x 3.3m, 64/10-20 x 3.3m, 74/10-20 x 3.3m, 84/10-20 x 3.3m





SWS INSIDE TAPE



DESCRIPTION

AIRTIGHT and damp-proof membrane for internal window to wall joints. Can be plastered on both sides. Self-adhesive strip for use on the window side and a butyl based adhesive strip connects the tape to the building envelope (except 400mm width).

APPLICATION

Used for internal airtight sealing between the window frame and the building substrate. Supplied in various widths.

- Airtight and damp-proof membrane
- Can be plastered on both sides
- Self adhesive strip
- Butyl based adhesive strip
- Interior use

OPTIONS

Rolls: 70mm x 25m, 100mm x 25m, 150mm x 25m, 300mm x 25m - all with butyl strip. 400mm x 20m - without butyl strip

SWS OUTSIDE TAPE



DESCRIPTION

VAPOUR OPEN membrane for external window to wall joints. Can be plastered or covered with an outside insulation system (ETICS type). Self-adhesive strip for use on the window side and a butyl based adhesive strip connects the tape to the building envelope.

APPLICATION

Used for external vapour open sealing between the window frame and the building substrate. Used in conjunction with SWS Inside Tape as a system. Supplied in various widths.

- Vapour open membrane
- Can be plastered
- Self adhesive strip
- Butyl based adhesive strip
- Exterior use

OPTIONS

Rolls: 70mm x 25m, 100mm x 25m, 150mm x 25m - all with butyl strip



SOUDAFOIL 330D

DESCRIPTION

ACRYLIC polymer based acrylic adhesive for use with SWS Inside Tape. Solvent free and virtually odourless. Interior use only.

APPLICATIONS

Used for full surface bonding of SWS Inside Tape to the building envelope.

- Acrylic polymer adhesive
- Used with SWS Inside Tape
- Gap filling properties
- Virtually odorless
- Porous and solvent sensitive materials.

OPTIONS

310ml Cartridge



White

600ml Foilpack



White



SOUDAFOIL 360H

DESCRIPTION

AIRTIGHT hybrid polymer based adhesive for use with both SWS Inside and SWS Outside Tapes. Solvent free and virtually odourless. Excellent bond strength to most common building materials, without primer. Isocyanate free. Works on damp surfaces. Interior and exterior use.

APPLICATIONS

Used for full surface bonding of SWS Inside and Outside Tapes to the building envelope.

- Hybrid polymer adhesive
- Used with SWS Inside and SWS Outside Tape
- Gap filling properties
- Virtually odorless
- Most construction materials without primer

OPTIONS

600ml Foil Pack



Grey



EPDM MEMBRANE FIX

DESCRIPTION

AIRTIGHT and watertight EPDM based membrane used for the weatherproofing of external façades, typically between the window frame and building envelope. Highly elastic. Comes with self adhesive butyl based strip. 0.8mm thick membrane. Conforms to CE: EN 13984. Supplied in various roll widths.

APPLICATIONS

Sealing and weatherproofing of external façades, typically between the window frame and building envelope.

- EPDM based membrane
- Airtight and watertight
- Self adhesive butyl strip
- Conforms to CE: EN 13984.



OPTIONS

Rolls: 150mm x 20m, 200mm x 20m, 250mm x 20m, 300mm x 20m

EPDM MEMBRANE

DESCRIPTION

AIRTIGHT and watertight EPDM based membrane used for the weatherproofing of external façades, typically between the window frame and building envelope. Highly elastic. 1.2mm extra thick membrane. Conforms to CE: EN 13984. Supplied in various roll widths.

APPLICATIONS

Sealing and weatherproofing of external façades, typically between the window frame and building envelope.

- EPDM based membrane
- Airtight and watertight
- Extra thick - 1.2mm
- Conforms to CE: EN 13984.



OPTIONS

Rolls: 200mm x 20m, 250mm x 20m, 300mm x 20m, 400mm x 20m

SOUDASEAL® EPDM

DESCRIPTION

HYBRID POLYMER adhesive especially developed for the bonding of SOUDAL EPDM membranes to window frames and the building envelope. Fast skinning and curing. Thick-bodied. Primerless adhesion on almost all other construction materials. Highly elastic. Resistant to UV, rain, snow, ozone, and many chemicals. High and low temperature resistance. Solvent free and virtually odourless. Gap filling - can accommodate uneven surfaces.

APPLICATIONS

Used for the long-term bonding of SOUDAL EPDM membranes to window frames and the building envelope.

- Hybrid polymer
- For use with Soudal EPDM membranes
- Primerless adhesion
- Virtually odourless
- Internal and external use



OPTIONS

600ml Foilpack:



Black

SILIRUB® EPDM


DESCRIPTION

EPDM compatible sealant and adhesive, based on neutral cure silicone. Fast skinning and curing. Thick-bodied. Primerless adhesion on most other construction materials. Highly elastic. Resistant to UV, rain, snow, ozone and many chemicals. High and low temperature resistance.

APPLICATIONS

Bonding and sealing of EPDM to EPDM and other building surfaces.

- Low modulus neutral cure silicone
- Excellent adhesion to EPDM based materials
- Primerless adhesion on most other construction surfaces
- Conforms to ISO 11600 F&G 25 LM
- Fast curing



OPTIONS

310ml Cartridge



Black

600ml Foilpack



Black

VAPOURSEAL

DESCRIPTION

VAPOUR BARRIER FOIL plasto-elastic sealant and adhesive, based on acrylic polymers. Ready to use. Gun applied. Water based, contains no solvents or plasticizers. For indoor air and vapour tight connections with all types of vapour barrier foils. UV resistant. Permanently flexible.

APPLICATIONS

Used for making air tight connections between vapour barrier foils and all kinds of building substrates. Air tight connections between adjacent constructions. Guarantees air and vapour tight connections according to DIN4108-7 and NBN EN 13829 if applied correctly.

- Acrylic polymer sealant & adhesive
- Air and vapour tight
- Excellent adhesion on all types of vapour barrier foils
- Good adhesion on damp porous substrates
- Solvent, plasticizer and isocyanate free
- UV resistant



OPTIONS

310ml Cartridge



Blue

600ml Foilpack



Blue

SOUDATAPE CONNECT

DESCRIPTION

AIRTIGHT self-adhesive tape for long-term bonding and sealing of overlaps in damp-proof sheets. Also can be used for repairing small holes and tears in damp-proof layers. Solvent free acrylic adhesive.

APPLICATIONS

For sealing overlaps and connections in damp-proof sheets.

- Self-adhesive tape
- Airtight
- Solvent free acrylic adhesive
- Seals and repairs damp-proof layers



OPTIONS

Rolls: Yellow 60mm x 40m

SOUDATAPE FLEX

DESCRIPTION

AIRTIGHT elastic self-adhesive tape for bonding overlaps and penetrations (pipes, ducts etc) through damp-proof and vapour barrier layers. Carrier made from strengthened polyethylene. Solvent free acrylic adhesive.

APPLICATIONS

For sealing overlaps and penetrations in damp-proof sheets.

- Self-adhesive tape
- Airtight
- Solvent free acrylic adhesive
- Strengthened polyethylene tape
- Seals and repairs damp-proof layers



OPTIONS

Rolls: White 60mm x 25m, White 150mm x 25m

SOUDATAPE FAÇADE

DESCRIPTION

AIRTIGHT self-adhesive tape for general use inside and outside the building envelope. Polypropylene fleece based tape. Solvent free acrylic adhesive. Particularly suitable for sealing between wooden and OSB boards and other materials in timber framed constructions. Can also be used on damp-proof sheets.

APPLICATIONS

For sealing in wooden frame constructions.

- Self-adhesive tape
- Airtight
- Solvent free acrylic adhesive
- Polypropylene fleece based tape
- Seals and repairs damp-proof layers



OPTIONS

Rolls: Black 60mm x 25m, Black 60mm x 25m with split liner



SOUDATIGHT LQ



DESCRIPTION

AIRTIGHT premium quality, fibre reinforced polymer paste which is applied quickly and easily by brush. Forms an airtight and vapour tight elastic membrane after drying. Works on almost all mineral surfaces. Fills cracks of up to 2mm due to the fibre content. Changes colour after drying from blue to black. Once dry a second coat (or more) can be applied if required.

Can also be painted or plastered over once dry. Virtually odourless.

APPLICATIONS

General airtightness of any joints or connections e.g. floor to wall joints, wall to ceiling joints. Can also be used as an alternative to SWS Inside Tape if used as part of a system with Soudafoam Window & Door SWS.

- Liquid polymer membrane
- Airtight
- Solvent free
- Easy to apply by brush
- Fills gaps of up to 2mm due to fibre-reinforcement

OPTIONS

5kg Bucket: Blue

BUTYBAND FLEECE



DESCRIPTION

AIRTIGHT self-adhesive butyl based flashing tape for the sealing of gaps and joints in construction. Excellent bond to almost all porous and mineral surfaces. Can be plastered over on the fleece backed side. Available in various sizes.

APPLICATIONS

General airtightness of joints and connections in construction.

- Self-adhesive flashing tape
- Airtight and damp-proof
- Butyl based
- Plasterable on fleece backed side.

OPTIONS

Rolls: Black 100mm x 20m, Black 150mm x 20m

SOUDATIGHT SP



DESCRIPTION

AIRTIGHT premium quality, polymer paint which is applied quickly and easily by brush or airless spray machine. Forms an airtight and vapour tight elastic membrane after drying. Works on almost all mineral surfaces. Changes colour after drying from blue to black. Once dry a second coat (or more) can be applied if required. Can also be painted or

plastered over once dry. Virtually odourless.

APPLICATIONS

General airtightness of any joints or connections e.g. floor to wall joints, wall to ceiling joints. A much faster application is possible over large project areas using an airless spray machine.

- Liquid polymer membrane
- Airtight
- Solvent free
- Easy to apply by brush
- Sprayable with airless spray machines for large scale projects

OPTIONS

10kg Bucket: Blue



SOUDATHERM SFI 600P



DESCRIPTION

AIRTIGHT structural frame insulation foam. Polyurethane based. Used to bond, fill and strengthen the connections between window frames and sealed units in window fabrication. Airtight. Improves thermal and acoustic properties of final window construction. Also improves structural stability of windows. Controlled expansion rate. Compatible with all type of window frame materials - aluminium, PVCu and wood and also IGU sealants. Patent pending. Applied using a variety of specialist hardware, which forms part of the range.

APPLICATIONS

Structural sealing, bonding, filling and insulating of joints and connections in window construction, specifically between window frames and IGU. Airtight filling applications.

- Polyurethane frame adhesive
- Bonds, seals, fills and insulates
- Airtight
- Improves thermal and acoustic properties of windows
- Unique solution from Soudal - Patent Pending

OPTIONS

10.4kg Canister: Grey

SOUDATHERM SFI 600P NOZZLE



DESCRIPTION

STANDARD applicator nozzle for use with Soudatherm SFI 600P guns.

SOUDATHERM SFI 600P GUN



DESCRIPTION

STANDARD gun for use with Soudatherm SFI 600P.

SOUDATHERM SFI 600P MULTI GUN



DESCRIPTION


MULTI-USE gun for use with Soudatherm SFI 600P.

SOUDATHERM SFI 600P TROLLEY



DESCRIPTION

TROLLEY for Soudatherm SFI 600P system. Allows quick and easy transit of canisters around a production location.





SOUDABOND 641

DESCRIPTION

HIGH STRENGTH one-component polyurethane assembly adhesive for the fabrication of aluminium window frames. Suitable for pre-injection systems.

APPLICATIONS

Bonding of aluminium window frames and other bonding applications that require a high final bond strength.

- One-component polyurethane adhesive
- Aluminium window fabrication and other bonding applications
- High strength
- Suitable for pre-injection systems

OPTIONS

310ml Cartridge



White

SOUDABOND 642 DUO

DESCRIPTION

HIGH STRENGTH two-component polyurethane assembly adhesive for the fabrication of aluminium window frames. Solvent free. 100% solids content, no shrinkage. Suitable for post-injection systems. Fast curing. Side by side 310ml cartridges are applied using SOUDABOND DUO applicator gun or pneumatic gun.

APPLICATIONS

Bonding of aluminium window frames and other bonding applications that require a high final bond strength and/or fast curing.


- Two-component polyurethane adhesive
- Aluminium window fabrication and other bonding applications
- High strength
- Solvent free, no shrinkage
- Fast curing
- Suitable for post-injection systems

OPTIONS

2 x 310ml Cartridge



Beige





ALUSEAL

DESCRIPTION

TRANSPARENT synthetic rubber based sealant coating for the protection of cut aluminium window mitre joints. Non-aggressive to lacquers or coatings used in the fabrication of windows. Highly elastic and UV resistant. Compatible with window fabrication adhesives - Soudabond 641 and Soudabond 642. Can also be used with Tekna TK259 machine.

APPLICATIONS

Corrosion protection of cut aluminium profiles (mitre joints) and general sealing (weather, water, air) of assembled aluminium windows.

- Synthetic rubber sealant and coating for aluminium windows
- UV resistant
- Highly elastic
- Compatible with Soudabond 641 & 642 adhesives
- Can be used with Tekna TK259 machine

OPTIONS

310ml Cartridge



Transparent

SURFACE CLEANER

DESCRIPTION

Cleaner and degreaser for use prior to the application of Soudal window fabrication products. It can also be used for the removal of excess AluSeal, PU, silicone and hybrid polymers.

APPLICATIONS

Cleaning and degreasing window profiles and other non-porous surfaces. Removing excess product (before curing) from surfaces.

- Cleaner and degreaser for aluminium windows
- Can be used to remove excess product (before curing)
- Can be used with other non-porous surfaces
- Compatible with Soudabond 641, Soudabond 642 and AluSeal



OPTIONS

500ml Flask: Clear

SOUDABOND DUO GUN

DESCRIPTION

HEAVY DUTY professional grade, steel application gun to use with Soudabond 642 DUO and any other similar two-component, side by side cartridge packaging.

APPLICATIONS

Used to apply Soudabond 642 DUO quickly and efficiently at the correct mix ratio.

- Heavy duty applicator gun
- Used to apply Soudabond 642 DUO



OPTIONS

Gun

FIRESILICONE B1 FR

DESCRIPTION

FIRE RATED neutral cure, silicone sealant. Solvent free. Virtually odourless. Primerless adhesion on all common construction materials (glass, plastics, masonry substrates, metals and wood). High movement capability. Resistant to UV, rain, snow, ozone and many chemicals. High and low temperature resistance. Conforms to all international standards including CE marking.

APPLICATIONS

For use in external and internal passive fire protection systems as an elastic joint sealant; installation of fire retardant window and door frames, fire retardant expansion and connection joints, penetration seals.

- Fire rated neutral cure silicone
- EN13501-1 – Reaction to fire, class E
- ETAG-026 – Part 1, Part 3
- EN1366-4 – Fire resistance, up to 4 hours depending on joint configuration
- BS476 part 20 – Fire resistance, up to 4 hours depending on joint configuration
- Weatherproof
- Highly elastic



CE	14 NB0749
SOUDAL DoP 230016	
ETA 130336 ETAG N° 026 part 3 0749-CPD-BC1-262-219-130280-01	
FIRESILICONE B1 FR Linear Joint and Gap Seal Use category 2 See ETA 130280 for other relevant characteristics	

OPTIONS

310ml Cartridge



600ml Foilpack



FIRECRYL FR

DESCRIPTION

FIRE RATED intumescent acrylic sealant and filler. Totally solvent, silicone and isocyanate free. Colourfast and waterproof after curing. Can be painted over after curing. Odourless. Primerless adhesion on most construction materials. Conforms to all international standards including CE marking.

APPLICATIONS

For use in internal passive fire protection systems as a joint sealant or filler; installation of fire retardant window and door frames, fire retardant connection joints, penetration seals, internal garages.

- Fire rated acrylic polymer sealant
- EN13501-1 – Reaction to fire, class E
- ETAG-026 – Part 1, Part 3
- EN1366-4 – Fire resistance, up to 4 hours depending on joint configuration
- BS476 part 20 – Fire resistance, up to 4 hours depending on joint configuration
- Paintable with most coatings



CE	14 NB0749
SOUDAL DoP 230011	
ETA 130335 ETAG N° 026 part 3 0749-CPD-BC1-262-219-130280-01	
FIRECRYL FR Linear Joint and Gap Seal Use category 2 See ETA 130280 for other relevant characteristics	

OPTIONS

310ml Cartridge



600ml Foilpack



SOUDASEAL FR

DESCRIPTION

FIRE RATED non-staining, SMX® polymer, sealant and adhesive for use in passive fire protection systems. Totally solvent, silicone and isocyanate free. Highly elastic. Paintable with most coatings. Odourless. Primerless adhesion on most construction materials. Conforms to all international standards including CE marking.

APPLICATIONS

For use in external and internal passive fire protection systems as a joint sealant or adhesive; installation of fire retardant window and door frames, fire retardant expansion and connection joints, penetration seals.

- SMX® polymer sealant & adhesive
- EN13501-1 – Reaction to fire, class E
- ETAG-026 – Part 1, Part 3
- EN1366-4 – Fire resistance, up to 4 hours depending on joint configuration
- BS476 part 20 – Fire resistance, up to 4 hours depending on joint configuration
- Weatherproof
- Paintable with most coatings
- Non staining on porous stone substrates



CE	14 NB0749
SOUDAL DoP 230017	
ETA 130280 ETAG N° 026 part 3 0749-CPD-BC1-262-219-130280-01	
SOUDASEAL FR Linear Joint and Gap Seal Use category 2 See ETA 130280 for other relevant characteristics	

OPTIONS

600ml Foilpack



SOUDAFOAM FR

DESCRIPTION

FIRE RATED one component, expanding polyurethane foam filler. Rapid curing. Excellent thermal and acoustic insulation properties. Expands 35-40 times its initial volume. Excellent primerless adhesion on most construction materials. Available in Hand Held, Gun Grade and Click & Fix® versions. Conforms to all international standards including CE marking.

APPLICATIONS

For use in passive fire protection systems as a large gap filler; installation of fire retardant window and door frames; sealing of expansion and connection joints, penetration seals.

- Fire rated polyurethane expanding foam filler
- EN13501-1 – Reaction to fire, class E
- ETAG-026 – Part 1, Part 3
- EN1366-4 – Fire resistance, up to 4 hours depending on joint configuration
- BS476 part 20 – Fire resistance, up to 4 hours depending on joint configuration
- Hand Held, Gun Grade and Click & Fix® versions



CE	14 NB0749
SOUDAL DoP 230019	
ETA 130280 ETAG N° 026 part 3 0749-CPD-BC1-262-219-130280-01	
SOUDAFOAM FR Linear Joint and Gap Seal Use category 2 See ETA 130280 for other relevant characteristics	

OPTIONS

750ml Hand Held: Pink

750ml Gun Grade: Pink

750ml Click & Fix®: Pink



SILIRUB® HT-N

DESCRIPTION

HIGH TEMPERATURE resistant neutral cure silicone sealant. Withstands high temperatures of up to 280°C. Highly flexible and weatherproof. Primerless adhesion on all common construction materials (glass, plastics, masonry substrates, metals and wood). High movement capability. Resistant to UV, rain, snow, ozone and many chemicals.

APPLICATIONS

For the sealing of elastic joints which require a high temperature resistance; gaskets; hot water installations, pipework, ovens, furnaces and chimney flues. Suitable for external and internal applications.

- Neutral cure silicone sealant
- High temperature resistant (up to 280°C)
- External and internal use
- Highly flexible and durable
- Virtually odourless

OPTIONS

310ml Cartridge



Black

SILIRUB HT-A

DESCRIPTION

HIGH TEMPERATURE resistant acetoxy silicone sealant. Withstands high temperatures of up to 285°C. Highly flexible and weatherproof. Primerless adhesion on many common construction materials (glass, ceramic, porcelain, metals and wood). Resistant to UV, rain, snow, ozone and many chemicals. High movement capability.

APPLICATIONS

For the sealing of elastic joints which require a high temperature resistance; gaskets; hot water installations, pipework, ovens, furnaces and chimney flues. Suitable for external and internal applications.

- Acetoxy cure silicone sealant
- High temperature resistant (up to 285°C)
- External and internal use
- Highly flexible and durable

OPTIONS

310ml Cartridge



Black

FIRECEMENT HT

DESCRIPTION

HIGH TEMPERATURE resistant fire cement. Withstands temperature of up to +1,500°C. Excellent adhesion to a wide range of building materials.

APPLICATIONS

For the sealing of ovens, furnaces and chimney flues. Hard setting. Suitable for internal applications.

- Fire cement
- Internal use
- Hard and durable
- High temperature resistant (up to 1,500°C)

OPTIONS

310ml Cartridge



Black



CE	14 NB0757
SOUDAL DoP 230068	
EN15651-2 G-25LM	

SMX® 506

DESCRIPTION

SELF CLEANING GLASS hybrid sealant based on SMX® technology. Chemically neutral and fully elastic. Has been approved according to ISO 11600 G 25 LM. High bond strength on nearly all surfaces. Can be painted with most water based paints. Excellent adhesion on glass, wood, metal and PVCu. Free from isocyanates, solvents, halogens and acids. Flexible elastic rubber with a movement accommodation up to 25%. No bubble formation within sealant in high temperature or humid applications. Primerless adhesion on many substrates. Easy to tool and finish with soapy water. Good extrudability even at low temperatures. Colour stable and UV resistant.

APPLICATIONS

Specially developed for use on all self-cleaning glass including SGG Bioclean and Activ™. Sealing between glass and all traditional frame materials: timber, aluminium, steel and PVC. Glass to glass joints in aluminium systems. Conservatory roof sealing.

- SMX® polymer sealant
- Self cleaning glass compatible
- Independently tested to ISO 11600 G 25 LM
- Approved by Pilkington & Saint Gobain
- UV stable
- Virtually odourless

OPTIONS

290ml Cartridge



SILIRUB® WS

DESCRIPTION

PREMIUM QUALITY low modulus neutral cure silicone sealant. It has been developed for weather sealing of expansion joints in the façade industry. Highly elastic. Very easy application. Primerless adhesion on most construction materials. Resistant against UV, rain, frost, wind, ozone and extreme temperatures.

APPLICATIONS

Weather sealing in curtain wall & aluminium glazing systems. Ideal for expansion, perimeter and other movement joints. Excellent adhesion and compatibility properties with glass, laminated glass, coated aluminium, galvanised steel, concrete and masonry substrates. Compatible with double glazed sealed units.

- Low modulus neutral cure silicone
- Conforms to ISO 11600 G 25 LM
- Virtually odourless
- Primerless adhesion on most materials
- 100% silicone with no extension

CE	14 NB0757
SOUDAL DoP 230002	
EN15651-1 F-EXT-INT-25LM EN15651-2-G-25LM	

OPTIONS

310ml Cartridge



600ml Foilpack



SILIRUB® AQ

DESCRIPTION

HIGH MODULUS acetoxy silicone sealant for elastomeric glass bonding, sealing and the construction of aquaria and terraria. Thick bodied and very easy application. Permanent colour, UV resistant. Stays elastic after curing. Very good adhesion on glass. Chemically inert after curing.

APPLICATIONS

Construction and reparation of glass aquaria and terraria. Chemically inert after curing so all types of aquaria can be constructed without harm to fish. Bonding of glass to glass constructions such as display cases. Glass to glass sheet sealing such as office partitioning.

- High modulus acetoxy cure silicone
- Can be used to seal or bond
- Chemically inert after curing
- 100% silicone with no extension
- Primerless adhesion on most surfaces

OPTIONS

310ml Cartridge





SOUDASEAL MIRROR


DESCRIPTION

HYBRID POLYMER based mirror adhesive and sealant with very high initial grab reducing the need for support. High bond strength and fast cure onto nearly all surfaces, even when damp. High performance mechanical properties. Excellent extrudability even at low temperatures. Free of isocyanates, silicone, solvents, halogens and acids. Minimal health and safety considerations. Resistant to many chemicals and withstands mould growth. No staining of porous materials such as natural stone, blue stone, marble and granite.

APPLICATIONS

Direct bonding of mirrors onto most types of surfaces, including uneven and damp surfaces. Sealing of joints in mirror walls.

- Hybrid polymer sealant & adhesive
- Damp surface adhesion
- Direct bonding & sealing of mirrors
- Damp surface adhesion
- Virtually odourless
- Excellent primerless adhesion on most surfaces



OPTIONS

290ml Cartridge



Light
Grey



MIR-O-BOND

DESCRIPTION

ALCOXY neutral cure, low modulus, elastomeric sealant and adhesive for the sealing and bonding of mirrors. Does not attack the back coating of quality mirrors. Excellent adhesion on many materials. Virtually odourless. Chemically neutral.

APPLICATIONS

Bonding of mirrors onto most types of surfaces, including uneven surfaces. Sealing of joints in mirror walls.

- Alcoxy neutral cure sealant & adhesive
- Seals and bonds mirrors
- Virtually odourless
- Excellent adhesion on most surfaces

OPTIONS

310ml Cartridge



Light
Grey





SOUDATHERM ROOF 330

DESCRIPTION

SPRAYABLE one-component PU adhesive in large canister format. Used for the efficient, clean, economical and durable bonding of roofing insulation boards onto most underlying roofing substrates, including vapour barriers. The characteristics of this adhesive make it also suitable for uneven surfaces. The adhesive can be applied efficiently and quickly with an adjustable gun system. Covers large areas much quicker than other fixing methods. Ideal for all large scale industrial and construction applications, each canister bonds up to 120M².

APPLICATIONS

Bonding of most common roofing insulation materials such as PIR/ PUR (mineral-coated glass fibre, bituminous glass fibre and aluminium foiled), expanded polystyrene, mineral insulation materials, extruded polystyrene, phenolic foam and mineral wool. These materials can be bonded onto most underlying surfaces; insulation onto insulation (multi-layer), masonry surfaces, steel roof decks, bituminous roofing felts, wooden boards, hard PVC, plaster. Also directly onto vapour barriers, subject to the technical approval of the manufacturer.

- Large canister format sprayable roofing insulation adhesive
- Fast drying
- Fast strength build-up
- High bond strength
- Suitable for most insulation boards and most roofing substrates
- Suitable for uneven surfaces
- Quicker and more efficient than other fixing methods

OPTIONS

10.4 kg Canister: Orange





SOUDATHERM ROOF APPLICATOR GUN

DESCRIPTION

PROFESSIONAL quality, applicator gun with attached hose to use with Soudatherm Roof canister based roofing adhesives. Heavy duty. Can also be used in combination with applicator wand, depending on application. Various barrel lengths available. Long hose length - 200cm. Internal PTFE coating to avoid any curing inside the gun.

APPLICATIONS

Used to apply Soudatherm Roof canister based roofing adhesives.

- Professional quality spray applicator gun with hose
- Used with Soudatherm Roof canister based roofing adhesives
- Heavy duty
- Can be used with applicator wand, depending on application

OPTIONS

Gun: 60cm, 100cm

SOUDATHERM ROOF HOSE



DESCRIPTION

REPLACEMENT hose to use with Soudatherm Roof Applicator Gun. 200cm length. Long lasting and durable.

APPLICATIONS

Used with Soudatherm Roof Applicator Gun.

- Professional quality hose
- Used with Soudatherm Roof Applicator Gun
- Heavy duty
- Long-lasting

OPTIONS

Hose: 200cm

CLEANING ADAPTER RING



DESCRIPTION

METAL cleaning adaptor ring used with Soudafoam Gun & Foam Cleaner to clean Soudatherm Roof Applicator Gun and hoses. Soudafoam Gun & Foam Cleaner screws into ring prior to use.

APPLICATIONS

Used for the cleaning of Soudatherm Roof canister based roofing adhesives from guns and hoses.

- Metal cleaning adaptor ring
- Quick & easy to use with Soudafoam Gun & Foam Cleaner
- Cleans guns and hoses
- Heavy duty

OPTIONS

Cleaning Adaptor: 3 Pack

SOUDATHERM ROOF BACK PACK



DESCRIPTION

BACKPACK especially developed for the efficient use of canisters of Soudatherm Roof adhesive. Holds canisters safely and securely. Less interruptions to work. Faster application of product. Better

movement whilst working on site.

APPLICATIONS

Used to speed up the application of Soudatherm Roof canister adhesives.

- Backpack for canisters of Soudatherm Roof adhesive
- Holds canisters safely and securely
- Speeds up work
- Better movement on site

OPTIONS

Backpack



SOUDATHERM ROOF 250

DESCRIPTION

SPRAYABLE one-component PU adhesive in small canister format. Used for the efficient, clean, economical and durable bonding of roofing insulation boards onto most underlying roofing substrates, including vapour barriers. The characteristics of this adhesive make it also suitable for uneven surfaces. The adhesive can be applied efficiently and quickly with a standard and long length SOUDAFOAM pu foam guns. Covers large areas much quicker than other fixing methods. Ideal for smaller applications, each canister bonds up to 12M².

APPLICATIONS

Bonding of most common roofing insulation materials such as PIR/ PUR (mineral-coated glass fibre, bituminous glass fibre and aluminium foiled), expanded polystyrene, mineral insulation materials, extruded polystyrene, phenolic foam and mineral wool. These materials can be bonded onto most underlying surfaces; insulation onto insulation (multi-layer), masonry surfaces, steel roof decks, bituminous roofing felts, wooden boards, hard PVC, plaster. Also directly onto vapour barriers, subject to the technical approval of the manufacturer.

- Small canister format sprayable roofing insulation adhesive
- Fast drying
- Fast strength build-up
- High bond strength
- Suitable for most insulation boards and most roofing substrates
- Suitable for uneven surfaces
- Quicker and more efficient than other fixing methods

OPTIONS

800ml Gun Grade: Orange

SOUDATHERM ROOF 250 COMBIBOX

DESCRIPTION

MULTI-PACK roofing adhesive kit for projects up to 60M²- each pack contains 5 canisters of Soudatherm Roof 250 roofing adhesive, 1 applicator gun and 1 canister of Soudafoam Gun & Foam cleaner. Used for the bonding of roofing insulation boards onto most underlying roofing substrates, including vapour barriers. The characteristics of this adhesive make it also suitable for uneven surfaces. The adhesive is applied using the Soudafoam PU foam applicator gun supplied in the kit. The gun and any uncured overspills can be cleaned using the Soudafoam Gun & Foam cleaner during and after completion of the project.

APPLICATIONS


Bonding of most common roofing insulation materials such as PIR/ PUR (mineral-coated glass fibre, bituminous glass fibre and aluminium foiled), expanded polystyrene, mineral insulation materials, extruded polystyrene, phenolic foam and mineral wool. These materials can be bonded onto most underlying surfaces; insulation onto insulation (multi-layer), masonry surfaces, steel roof decks, bituminous roofing felts, wooden boards, hard PVC, plaster. Also directly onto vapour barriers, subject to the technical approval of the manufacturer.

- Small canister format sprayable roofing insulation adhesive
- Kit format with gun and cleaner
- Fast strength build-up
- High bond strength
- Suitable for most insulation boards and most roofing substrates
- Suitable for uneven surfaces
- Quicker and more efficient than other fixing methods

OPTIONS

Multi-pack: 5 x 800ml Soudatherm Roof 250 adhesive, 1 x Soudafoam Gun & Foam Cleaner 500ml, 1 x Compact Foam Gun





SOUDATHERM ROOF 170

DESCRIPTION

POURABLE liquid, moisture curing, single component, polyurethane adhesive for bonding insulation materials on flat roofs. Totally solvent free, compatible with polystyrene (EPS) and most other roofing insulation boards. Easy-to-use.

APPLICATIONS

Bonding of most common roofing insulation materials such as PIR/PUR (mineral-coated glass fibre, bituminous glass fibre and aluminium foiled), expanded polystyrene, mineral insulation materials, extruded polystyrene, phenolic foam and mineral wool. These materials can be bonded onto most underlying surfaces; insulation onto insulation (multi-layer), masonry surfaces, steel roof decks, bituminous roofing felts, wooden boards, hard PVC, plaster. Also directly onto vapour barriers, subject to the technical approval of the manufacturer.

- Pourable polyurethane roofing insulation adhesive
- Fast strength build-up
- High bond strength
- Suitable for most insulation boards and most roofing substrates
- Quicker and more efficient than other fixing methods

OPTIONS

5.5kg Jerrycan: Yellowish



WATERSTOP



DESCRIPTION

ACRYLIC POLYMER based, brushable waterproof coating for instant repair in dry, damp and wet conditions. Ready to use, no mixing needed. Contains synthetic fibres which enhance structural strength. Waterproof and colourfast. Fully elastic when cured. Resistant to UV and temperature variations. Can be applied under all weather conditions. Excellent adhesion to many substrates.

APPLICATIONS

Emergency repair and renovating of flat and pitched roofs, gutters, cupolas etc. under all weather conditions. Waterproofing of cracks in roofing.

- Acrylic polymer based waterproof coating
- Can be used on dry, damp and wet surfaces
- Multi-surface adhesion
- Fully elastic after curing
- UV resistant

OPTIONS

4kg Tin: Grey

BUTYBAND



FLASHING TAPE

DESCRIPTION

BUTYL rubber based, ready to use, self-adhesive, elastoplastic flashing and sealing tape. Fast and excellent adhesion to many substrates. Waterproof. Flexible even when cold. UV and weather resistant. Self-adhesive.

APPLICATIONS

Sealing around chimneys, air vents, skylights, window sills and sliding doors. Universal sealing and repairing tape. Sealing of glass constructions. Sealing in general and metal sheet working (e.g. sealing of sectional elements in metal constructions).

- Butyl based flashing and sealing tape
- Self adhesive
- Waterproof
- Can be cut, shaped and formed
- Lead and aluminium versions

OPTIONS

10m roll: 75mm, 100mm, 150mm, 225mm, 300mm: Lead

10m roll: 75mm, 100mm, 150mm, 225mm, 300mm: Aluminium

SOUDAFALT

ROOF & GUTTER SEALANT

DESCRIPTION

BITUMEN based classical roof and gutter sealant. Excellent adhesion on bituminous substrates. Good adhesion on many other substrates, even under water. Slump resistant.

APPLICATIONS

Repair product for leaks in roof elements (metal sheeting, roofing felts), gutters and sewage pipes. Cold adhesive for all types of roofing. Emergency repairs, even in wet weather.

- Bitumen based sealant
- Can be used on dry, damp and wet surfaces
- Multi-surface adhesion
- Seals and bonds



OPTIONS

310ml Cartridge



Black

SOUDALEAD

LEAD SEALANT


DESCRIPTION

LOW MODULUS neutral cure silicone sealant and filler for use on lead and other metals. Very easy to apply (no mixing). Permanent colour, UV resistant. Stays elastic after curing. Very good adhesion on many materials. Compatible with all lead types. Virtually odourless. Primerless adhesion.

APPLICATIONS

Sealing between lead and other substrates such as treated wood, metal, PVC profiles and glass. Sealing of metal roofing sheets. Building and construction joints. Joints with high movement between different building materials.

- Low modulus neutral cure silicone
- Compatible with all types of lead (milled, cast, rolled etc)
- No mixing, easy to use
- UV resistant



OPTIONS

300ml Cartridge



Grey

SILIRUB® AL


DESCRIPTION

LOW MODULUS alcoxy neutral cure silicone sealant for use on polycarbonate and other difficult plastic materials. Does not cause stress cracking on polycarbonate. Permanent colour. UV resistant. Stays elastic after curing. Very good adhesion on most traditional construction materials. Virtually odourless. Primerless adhesion.

APPLICATIONS

Sealing between polycarbonate, treated wooden and metal profiles and glass. All usual building joints with high movement. Expansion joints between many different construction materials.

- Low modulus alcoxy neutral cure silicone
- Does not stress crack polycarbonate
- Colourfast and UV resistant
- Conforms to ISO 11600 F&G 25 LM
- Very good adhesion on many materials
- Low odour



OPTIONS

310ml Cartridge



AQUAFIX

ALL WEATHER SEALANT

DESCRIPTION

SOLVENT based plasto-elastic sealant that adheres onto most surfaces even when damp or under water. Ideal as an emergency repair product or as a general sealant where the job must be done even in the rain. Totally transparent. Easy to apply and tool. Highly flexible.

APPLICATIONS

Sealing & bonding of all usual building substrates including polycarbonate, wood metals, plastics, brick, concrete, MDF and glass. Emergency repair of active leaks.

- Solvent based sealant
- Can be used on dry, damp and wet surfaces
- Multi-surface adhesion
- Highly elastic



OPTIONS

300ml Cartridge





SMX®-30 PLUS

DESCRIPTION

PREMIUM QUALITY trowellable, SMX® polymer based, universal parquet adhesive. 100% solids content - solvent and water free. Suitable for bonding many types of parquet floors onto suitable indoor substrates. Very low emissions - conforms to EC-1R PLUS label. Ready to use, single component, no mixing required. Extremely rapid cure and strength build up - load bearing after 2 hours, sandable after 12 hours. Very high final bond strength - more than 2N/mm².

APPLICATIONS

Suitable for indoor bonding of all types of wooden floors such as solid, stab, pre-finished, on-end parquet, wood-plank, wood-block and laminates. Suitable for use on porous and non-porous substrates such as mosaic, anhydrite, concrete, screeds, wood, chipboard and OSB board. Also includes floors with underfloor heating. Plank widths; 180mm with solid wood, 240mm with engineered wood.

- SMX® polymer trowellable parquet adhesive
- Ready to use, single component, low odour
- Solvent, isocyanate and water free - 100% solids content
- EC-1R PLUS label: very low emission
- Load bearing - 2 hours
- Sandable - 12 hours
- High final bond strength - more than 2N/mm²
- Suitable for underfloor heating

OPTIONS

16kg Bucket: Light Brown

3 x 6kg Bag in Bucket: Light Brown



MS-30 PLUS

DESCRIPTION

SUPERIOR QUALITY trowellable, hybrid polymer based, parquet adhesive. 100% solids content - solvent and water free. For bonding many types of parquet onto indoor substrates. Very low emissions - conforms to EC-1R PLUS label. Single component, no mixing required. Very rapid cure

and strength build up - load bearing after 3 hours, sandable after 16 hours. Bond strength - more than 2N/mm².

APPLICATIONS

Suitable for bonding all types of wooden floors; solid, stab, pre-finished, on-end parquet, wood-plank, wood-block and laminates. Suitable for use on porous and non-porous substrates; anhydrite, concrete, screeds, wood, chipboard, OSB board and floors with underfloor heating. Plank widths; 180mm with solid wood, 240mm with engineered wood.

- Hybrid polymer trowellable parquet adhesive
- Ready to use, single component, low odour
- Solvent, isocyanate and water free - 100% solids content
- EC-1R PLUS label: very low emission
- Load bearing - 3 hours
- Sandable - 16 hours
- High final bond strength - more than 2N/mm²
- Suitable for underfloor heating



OPTIONS

6kg, 16kg Bucket: Light Brown

3 x 6kg Bag in Bucket: Light Brown



MS-20 PLUS

DESCRIPTION

HIGH QUALITY trowellable, hybrid polymer based parquet adhesive. 100% solids content - solvent and water free. For bonding many types of parquet onto indoor substrates. Very low emissions - conforms to EC-1R PLUS label. Single component, no mixing required. Rapid cure

and strength build up - load bearing after 8 hours, sandable after 24 hours. Bond strength - more than 1.2N/mm².

APPLICATIONS

Suitable for bonding all types of wooden floors; solid, stab, pre-finished, on-end parquet, wood-plank, wood-block and laminates. Suitable for use on porous and non-porous substrates; anhydrite, concrete, screeds, wood, chipboard, OSB board and floors with underfloor heating. Plank widths; 160mm with solid wood, 200mm with engineered wood.

- Hybrid polymer trowellable parquet adhesive
- Ready to use, single component, low odour
- Solvent, isocyanate and water free - 100% solids content
- EC-1R PLUS label: very low emission
- Load bearing - 8 hours
- Sandable - 24 hours
- High final bond strength - 1.2N/mm²
- Suitable for underfloor heating



OPTIONS

6kg, 16kg Bucket: Light Brown

3 x 6kg Bag in Bucket: Light Brown

SMX®-15 P

DESCRIPTION

SMX® POLYMER based, gunnable, high strength universal parquet adhesive. 100% solids content - free of solvents and water. Suitable for bonding engineered board by means of beads onto suitable indoor substrates. Load bearing and sandable after approximately 48 hours. Shear strength - 3N/mm².

APPLICATIONS

Suitable for indoor bonding of all types of wooden floors such as solid, stab, pre-finished, and on-end parquet, wood-plank, wood-block and laminates. Suitable for use on porous and non-porous substrates such as mosaic, anhydrite, concrete, screeds, wood and chipboard. Also includes floors with underfloor heating. Plank widths of 150mm to 180mm.

- SMX® polymer gunnable parquet adhesive
- Ready to use, single component, low odour
- Solvent, isocyanate and water free - 100% solids content
- Load bearing - 48 hours
- Sandable - 48 hours
- Shear strength - 3N/mm²
- Suitable for underfloor heating

OPTIONS

600ml Foilpack



Light Brown

MS-25P

DESCRIPTION

HYBRID POLYMER based, gunnable, high strength universal parquet adhesive. 100% solids content - free of solvents and water. Suitable for bonding engineered board by means of beads onto suitable indoor substrates. Load bearing and sandable after approximately 48 hours. Shear strength - 3.5N/mm².

APPLICATIONS

Suitable for indoor bonding of all types of wooden floors such as solid, stab, pre-finished, and on-end parquet, wood-plank, wood-block and laminates. Suitable for use on porous and non-porous substrates such as mosaic, anhydrite, concrete, screeds, wood, chipboard and OSB board, including floors with underfloor heating. Plank widths of 150mm to 180mm.

- Hybrid polymer gunnable parquet adhesive
- Ready to use, single component, low odour
- Solvent, isocyanate and water free - 100% solids content
- Load bearing - 48 hours
- Sandable - 48 hours
- Shear strength - 3.5N/mm²
- Suitable for underfloor heating

OPTIONS


600ml Foilpack



Black

SMX®-30 Plus • MS-30 Plus • MS-20 Plus**Universal elastic parquet adhesives**

- Fast curing
- High end strength
- Rapid load bearing
- Very low emission (EC-1R Plus)
- Excellent workability



PU-20P



DESCRIPTION
TWO COMPONENT
POLYURETHANE based adhesive for parquet and wooden flooring. Very easy to apply. Rapid build up of bond strength. Very high final bond strength. Excellent gap filling characteristics. Does not shrink. Suitable for all kinds of wood, including moisture sensitive types. Not affected by

fungus or bacteria.

APPLICATIONS

Bonding of all types of wooden floors including laminates and exotic timbers. Suitable for use on porous and non-porous surfaces such as concrete, screeds, wood and chipboard. Also includes floors with underfloor heating. Suitable for bonding moisture sensitive wood onto moderately porous surfaces.

- 2 component polyurethane polymer trowellable parquet adhesive
- Suitable for all woods including moisture sensitive types
- Porous and non-porous substrates
- Can be used with underfloor heating

OPTIONS

6kg Box, 4.9kg bucket & 1.1kg tin: Light Brown

SV-15P



DESCRIPTION
SOLVENT BASED PVAc based parquet adhesive. Suitable for bonding many types of parquet floors onto suitable indoor substrates. One component, ready to use. Free of water. Very easy to apply. Forms stable peaks once applied by a notched trowel or spreader comb. Load bearing after 24

hours, sandable after 48 hours.

APPLICATIONS

Bonding of wooden floors such as solid, stab, pre-finished, on-end parquet, wood-plank, wood-block and laminates. Suitable for use on porous substrates such as concrete, screeds, wood, mosaic, chipboard and OSB board.

- Solvent based PVAc based parquet adhesive
- Suitable for small area wooden flooring
- Porous substrates
- Solvent based

OPTIONS

13kg Tin: Light Brown

DS-10P



DESCRIPTION
SOLVENT FREE high solid content, dispersion based parquet adhesive for use on porous substrates. Water based. One component, so no mixing required. Long open time (up to 30 minutes). Fast build of strength. Virtually odourless. Load bearing after 24 hours, sandable after 48 hours or 24

hours (if used with nails).

APPLICATIONS

Bonding of parquet, exotic and hard wood flooring materials which are not sensitive to moisture. Bonding onto porous subfloors.

- Solvent free dispersion type parquet adhesive
- Suitable for wood types which are not moisture sensitive
- Porous substrates
- Water based
- Permanently elastic
- Virtually odourless

OPTIONS

15kg Bucket: Light Brown

TROWEL



DESCRIPTION
Professional quality notched trowel adhesive spreader.

Available in two sizes:

Small bead size (Nr 3) and Large beads size (Nr 11).

OPTIONS

Small NR3

Large NR11

WBPR-11P



DESCRIPTION

SOLVENT FREE primer for use on porous subfloors. High coverage. Very easy to apply. Fast drying. Binds dust. Increases adhesion on non-porous subfloors. Limits absorption by the subfloor. Dries transparent.

APPLICATIONS

Preliminary treatment of absorbing and non absorbing mineral subfloors such as cement bounded subfloors, concrete, calcium sulphate bounded (anhydrite) and levelled subfloors. Also

suitable for preliminary treatment of several moisture insensitive mineral subfloors and moisture sensitive non-mineral subfloors such as chipboard, OSB board and wooden subfloors.

- Solvent free universal use surface primer
- Compatible with many Soudal flooring adhesives
- Fast drying and easy to use
- Porous and non-porous substrates

OPTIONS

5L Jerrycan: White

WBPR-21P



DESCRIPTION

SOLVENT FREE, surface strengthening sealer and primer. Ready to use. High coverage. Very easy to apply. Fast drying. Strengthens sub-floor. Limits absorption by the sub-floor. Binds dust. Dries transparent.

APPLICATIONS

Preliminary treatment of sandy or powdery (highly) absorbing mineral subfloors such as cement bounded subfloors, concrete, calcium sulphate bounded (anhydrite) and levelled

subfloors.

- Solvent free universal use deep surface strengthening primer
- Compatible with many Soudal flooring adhesives
- Fast drying and easy to use
- Porous substrates

OPTIONS

5L Jerrycan: White

EPR-31P



DESCRIPTION

TWO COMPONENT EPOXY based sealer. Suppresses residual construction moisture and rising damp. Solvent and water free. Very easy to apply. For critical subfloors. Waterproof and chemical resistant. High bending, shear, compression and tensile strengths. Improves adhesion strength. Suitable for underfloor heating. For indoor and outdoor use.

APPLICATIONS

Suppresses rising damp and residual construction moisture. Ideally suited for preliminary treatment of sandy or powdery (highly) absorbing mineral subfloors such as cement bounded subfloors, concrete, calcium-sulphate bounded (anhydrite) and levelled subfloors. Also suitable on wooden subfloors, chipboard, terrazzo, ceramic tiles and metal.

- Two component epoxy sealer
- Moisture resistant
- Porous and non-porous substrates
- Suitable for underfloor heating
- High shear, compressive and tensile strengths

OPTIONS

7kg Tin: Brown

PARQUET & TIMBER SEALANT




DESCRIPTION

HIGH QUALITY water based acrylic polymer, plasto-elastic one component sealant. Ready to use. Solvent free. Very easy to apply. Colourfast and waterproof. Can be varnished after curing. Excellent adhesion on many porous surfaces. Colour range matched to various wood types. Virtually odourless. Conforms to ISO 11600 F 12.5 P.

APPLICATIONS

Filling sealant for joints in parquet and laminate floors. Connection joints between parquet floors, skirting board and walls. Also suitable for cracks in wooden floors.

- Water based acrylic
- Solvent free
- Fills and seals
- Virtually odourless
- Colour matched to many wood types
- Low odour



OPTIONS

300ml Cartridge





Swipex Super Cleaning **WIPES**

- Cleans hands, tools & surfaces
- Works with silicone, Hybrid Polymers, PU foam and adhesives
- Quick, easy and safe to use
- 100 wipes per tub





DUST SHEETS



DESCRIPTION

HEAVY DUTY cotton calico dust sheet. Genuine cotton twill.

APPLICATIONS

Protect surfaces e.g. floors and furniture from dust and other work debris. Heavy duty, so hardwearing - resists wear from foot traffic, stepladders etc. Machine washable.

- Heavy duty dust sheet
- Genuine cotton twill
- Resistant to foot traffic

OPTIONS

Heavy Duty: 9ft x 12ft

Economy: 9ft x 12ft

STAIR-RUNNER



DESCRIPTION

HEAVY DUTY cotton calico stair runner. Genuine cotton twill.

APPLICATIONS

Protect surfaces e.g. floors and furniture from dust and other work debris. Heavy duty, so hardwearing - resists wear from foot traffic, stepladders etc. Machine washable. Sized for use on stairways and corridors.

- Heavy duty dust sheet
- Genuine cotton twill
- Sized for use on stairs and corridors
- Resistant to foot traffic

OPTIONS

Sheet: 24ft x 3ft

TISSUE ROLLS



DESCRIPTION

HEAVY DUTY paper cleaning tissues. White colour. 2 Ply. Tear off sheet style. 100% recycled material. Shrink-wrapped.

APPLICATIONS

For all general cleaning applications in construction and industry. Can be used with Soudal cleaning range e.g PVCu frame

cleaner, frame and glass cleaner, glass and mirror cleaner.

- Heavy duty paper cleaning tissues
- White colour
- 2 Ply
- Tear off sheet style
- 100% recycled material

OPTIONS

Rolls: 190mm x 150m, 260mm x 400m

TARPAULIN



DESCRIPTION

WATERPROOF polyethylene tarpaulin for heavy duty construction use. Double laminated fabric. Reinforced or double stitched hems. Rustproof eyelets. 100% waterproof and tear resistant. Non-shrinking. Rot resistant.

APPLICATIONS

Protect surfaces and materials e.g. floors and building materials from dust and other heavy work debris. Extremely heavy duty. Hardwearing - resists all types of weather conditions. Can be used internally and externally.

- Waterproof heavy duty polyethylene tarpaulin
- 100% Waterproof
- Double laminated
- Internal and external use

OPTIONS

Heavy Duty: 9ft x 12ft, 18ft x 12ft

Economy: 18ft x 12ft

PVCu FRAME CLEANER



DESCRIPTION

SOLVENT based cleaner for PVCu materials. Fast acting. Non smear formulation. Removes ingrained dirt.

APPLICATIONS

Suitable for the removal of dirt, pen and pencil marks on all PVCu window and door frames, decorative trims, fascia and cladding. Can also be used on some types of plastic garden furniture.

- Solvent based cleaner
- Fast acting and drying
- Smear free
- Works on PVCu

OPTIONS

1L Bottle: Clear

FRAME & GLASS CLEANER



DESCRIPTION

NON-HAZARDOUS cleaner for use on windows and doors - PVCu and glass materials. Fast acting. Non smear formulation. Removes ingrained dirt. Non-flammable. Environmentally friendly, low VOC. Non-abrasive. Low odour.

APPLICATIONS

Suitable for the removal of dirt, pen and pencil marks on all PVCu materials. Can be used on foiled PVCu. Cleaning all glass surfaces especially in the window industry.

- Non-hazardous cleaner
- Fast acting and drying
- Works on PVCu, foiled PVCu and glass
- Very low VOC
- Non-flammable
- Smear free
- Low odour

OPTIONS

1L Bottle: White

PVCu CREAM CLEANER



DESCRIPTION

SOLVENT FREE cream cleaner for a sparkling finish on PVCu and other materials. Removes ingrained dirt. Can be buffed to a deep and attractive sheen.

APPLICATIONS

The cleaner restores the original sheen to PVCu window and door frames, decorative trims, fascia and claddings. Cleaning all PVCu window frames, trim etc.

- Solvent free cleaner
- Fast acting and drying
- Smear free
- Works on PVCu

OPTIONS

1L Bottle: White

GLASS & MIRROR CLEANER



DESCRIPTION

ALCOHOL based cleaner for the cleaning of different types of glass and mirrors. Fast drying. Non-smear formula. Foil safe.

APPLICATIONS

Cleaning all glass surfaces especially in the window industry. Suitable for use on mirrors.

- Alcohol based cleaner
- Fast acting and drying
- Smear free
- Suitable for glass and mirrors

OPTIONS

1L Bottle: Blue
5L Jerrycan: Blue

25L Jerrycan: Blue

SWIPEX WIPES



DESCRIPTION

HEAVY DUTY non-woven cleaning wipes impregnated with a mixture of solvents, biodegradable non-ionic surfactants and skin emollients.

APPLICATIONS

Designed for the quick and effective removal of adhesives, sealants, oils, paints and greases from hands, tools and non-porous surfaces.

- Heavy duty cleaning wipes
- Removes many types of contaminants
- Suitable for hands and tools
- Kind to skin

OPTIONS

Flowpack: 20 wipes
Tub: 100 wipes

SWIPEX HAND CLEANER



DESCRIPTION

HEAVY DUTY cleaner to remove all kinds of dirt from your hands. Granular texture helps to scrub dirt away. Suitable for removing adhesives, silicone and PU foam. Contains Sericin with moisturiser that protects skin and hands.

APPLICATIONS

Suitable for the removal of adhesives, silicone, PU foam, paint and oil from hands.

- Heavy duty hand cleaner
- Granular texture to help remove dirt quickly
- Fast acting and drying
- Contains Sericin which moisturises hands
- Works on adhesives, PU foam, silicone, paint and oil

OPTIONS

1L Bottle: Red

CLEANER & DEGREASER



DESCRIPTION

Powerful quick-drying cleaner and degreaser for various maintenance and assembly jobs. Can be used on most surfaces (metal, plastics, PVC) and leaves no residue.

APPLICATIONS

Suitable for cleaning and degreasing mechanical parts. Also suitable for the preparation of surfaces prior to the application of sealants or adhesives. For the removal of uncured excess hybrid, PU or silicone sealants, tar residue, grease, wax.

- Cleans and degreases
- Leaves no residue
- Quick-drying
- Aerosol can be used at any angle (360°)

OPTIONS

400ml Aerosol Spray

SEALANT REMOVER



DESCRIPTION

A ready-to-use and fast-working spray based on terpenes for removing hardened silicones and Hybrid Polymers. Can be applied on most surfaces, including aluminium, coatings, ceramics, laminated board, paint and certain plastics.

APPLICATIONS

Removal of old silicone residue, spilled silicone or spilled Hybrid Polymers from different kind of surfaces.

- Fast-working
- Does not drip
- Specifically for silicones and Hybrid Polymers
- Spray action

OPTIONS

400ml Aerosol Spray

ADHESIVE REMOVER



DESCRIPTION

Transparent solvent mixture suitable for removing fresh glue stains and for the cleaning and degreasing of metal surfaces.

APPLICATIONS

Transparent solvent mixture suitable for removing fresh glue stains. Cleans brushes, palette knives and spatulas. Removes excess contact adhesive. Not suitable for polystyrene and Plexiglas. May damage certain surfaces (e.g. plastics).

- Removes fresh glue stains
- Cleans and degreases
- Does not leave residue
- Aerosol can be used at any angle (360°)

OPTIONS

400ml Aerosol Spray



MULTI CLEANER



DESCRIPTION

A universal cleaning foam spray. Foam action helps to break down dirt and contaminants. Foam product means it does not drip or run.

APPLICATIONS

Ideally suited for cleaning vertical surfaces such as glass, tiles, mirrors, laminate, PVC, kitchens, car interiors, textile, carpets, office equipment, etc.

- Cleans and degreases
- Highly soluble
- Does not drip
- Does not leave any residues
- Foam action

OPTIONS

400ml Aerosol Spray

BRAKE CLEANER



DESCRIPTION

Powerful, fast-drying cleaner for brake and clutch parts.

APPLICATIONS

Removes excess brake fluid, excess oil, dirt, etc. quickly. Prevents squeaking brakes and clutch slipping. Easy to apply from all angles and does not corrode metals.

- Cleans and degreases
- Does not drip
- Quick-drying
- Does not corrode metals
- Prevents squeaking sounds
- Aerosol can be used at any angle (360°)

OPTIONS

400ml Aerosol Spray

VASELINE SPRAY



OPTIONS

400ml Aerosol Spray

DESCRIPTION

Transparent lubricating and protection spray. Dilutes acids and alkalis, and prevents general wear and tear. High temperature resistance.

APPLICATIONS

Used on metals and plastics to protect against water and weather conditions. Typical applications include door and window hinges, nuts, screws, garden tools and rolling shutters.

- Vaseline based
- Transparent
- Lubricates and protects
- High temperature resistance
- Silicone free
- Aerosol can be used at any angle (360°)

SILICONE SPRAY



OPTIONS

400ml Aerosol Spray

DESCRIPTION

Transparent lubricating and anti-adhesive spray based on high performance silicone oils. Lowers friction and prevents wear and tear on mechanical components. Prevents dirt and grease build up. Very high temperature resistance.

APPLICATIONS

Used on plastics and rubbers to lubricate and protect. Typical applications include sliding doors and rubber seals, lubricating gutter and pipe seals.

- Silicone based
- Transparent
- Lubricates and protects
- Very high temperature resistance
- Aerosol can be used at any angle (360°)



PTFE SPRAY



OPTIONS

400ml Aerosol Spray

DESCRIPTION

High grade PTFE based lubricant. Repels water and dirt. Long life protection against friction and wear. Excellent mechanical and thermal stability. High penetration characteristics.

APPLICATIONS

Used for parts subject to high pressure and temperature loads, especially metals and plastics. Applications include pulleys, chains, gears, ball bearings, conveyer belts and other critical applications.

- PTFE based
- High pressure & temperature resistance
- Long life protection
- Lubricates and protects
- Aerosol can be used at any angle (360°)

WHITE GREASE



OPTIONS

400ml Aerosol Spray

DESCRIPTION

Lithium soap and PTFE based penetrating lubricant and grease. Waterproof. Double action effect; applies like oil, then sets like grease. Anti-corrosive properties.

APPLICATIONS

Suitable for heavy duty lubrication of mechanical parts such as ball bearings, axles, sprockets, conveyer belts and rubber seals.

- Lithium and PTFE based
- Double action oil and grease
- Anti-corrosive
- Heavy duty applications

MULTI-SPRAY



OPTIONS

400ml Aerosol Spray

DESCRIPTION

High grade universal spray with 8-fold action: dust remover, lubricant, cleaner, penetrating oil, anti-corrosive, damp repellent, shock and contact spray. It does not corrode plastics or metals and leaves a protective film on surfaces after use.

APPLICATIONS

Universal use product that can be used on many components such as screws, bolts, nuts, moving parts, axles, hinges, chains and garden tools.

- Universal use spray
- 8-fold action
- Can be used on metals, plastics and rubbers
- Aerosol can be used at any angle (360°)

ZINC SPRAY (MATT)



DESCRIPTION

High-grade zinc spray with sprayable zinc compound (98% zinc). Has a galvanizing action. Protects zinc and unprocessed iron and steel against corrosion. Due to its cathode action, the spray is very economical and effective. Matt finish.

APPLICATIONS

To be used for coachwork, gutter braces, weld joints and spot welding. Can be used on rust. Good electrical conductor.

- Good resistance against mechanical shocks, rubbing and erosion
- Matt finish
- Suitable for spot welding
- Good electrical conductor

OPTIONS

400ml Aerosol Spray

ZINC SPRAY (SHINY)



DESCRIPTION

High-grade sprayable alu-zinc compound. Alu-Zinc spray has a galvanizing action. Protects zinc and unprocessed iron and steel against corrosion. Due to its cathode action, the spray is very economical and effective.

APPLICATIONS

To be used for coachwork, gutter braces, weld joints and spot welding. Can be used on rust. Good electrical conductor.

- Shiny finishing coat
- Good resistance against mechanical shocks, rubbing and erosion
- Very economic, effective and reliable
- Suitable for spot welding

OPTIONS

400ml Aerosol Spray

CONTACT SPRAY



DESCRIPTION

Universal spray for the cleaning and maintenance of electric contact areas. Dissolves corrosion and oxidation. Reduces humidity. Non corrosive. Suitable for interior and exterior applications.

APPLICATIONS

Suitable for electric contact points such as switches, batteries and light switches. Cleans and deoxidizes surfaces and improves the power transmission at electric contacts. Stops moisture penetration. Also suitable for dehumidifying of electric wirework and tools.

- Universal use
- Reduces humidity and corrosion
- Interior and exterior use
- Aerosol can be used at any angle (360°)



OPTIONS

400ml Aerosol Spray



DEGRIP ALL



DESCRIPTION

A high quality penetrating oil which dissolves rust and corrosion. Superior penetrating characteristics. Protects against rust and corrosion.

APPLICATIONS

Highly efficient in releasing corroded and rusted metal parts such as nuts, bolts and machine parts. Due to the very low surface tension it penetrates into very small openings to release stuck parts. Can be used with machinery, nuts, bolts, flanges, etc.

- Penetrating action
- Dissolves and protects against rust
- For interior and exterior applications
- Aerosol can be used at any angle (360°)



OPTIONS

400ml Aerosol Spray

CUTTING OIL



DESCRIPTION

A high quality oil which prevents overheating of metals when cutting and drilling. Excellent anti-mist characteristics. Silicone free.

APPLICATIONS

Reduces resistance in cutting tools. Suitable for drilling, milling, cutting, sawing, filing, tapping, turning, planing and punching of steel and most ferrous and non-ferrous metals. Reduces friction and wear. Excellent cooling characteristics.

- Non corrosive, does not contain silicones
- Can be used with most metals
- Anti-misting properties
- Aerosol can be used at any angle (360°)



OPTIONS

400ml Aerosol Spray



The Express range from Soudal is the market leading range of sealants for the serious DIYer. This premium quality offering is wholly focused on making DIY quick and easy with reliable long-term performance. All products are task specific. The formulations are developed to complete the work as speedily as possible.

GENERAL PURPOSE SILICONE

DESCRIPTION

A high quality general purpose neutral cure silicone sealant. Contains anti-fungicidal agents. Virtually odourless, fast skinning time and final cure. Thick bodied remaining permanently flexible, colour fast and UV resistant.

APPLICATIONS

Sealant suitable for all applications around the home including bathrooms, showers and kitchens, windows and doors. For internal and external use.

- Weatherproof in 1 hour
- For internal and external use
- Excellent adhesion
- Resists mold



OPTIONS

300ml Cartridge



WINDOW & DOOR SILICONE

DESCRIPTION

A high quality neutral cure silicone sealant which remains permanently flexible, colour fast and UV resistant. Excellent adhesion on most building materials including brick, masonry, PVCu, timber and aluminium.

APPLICATIONS

Perimeter sealing of PVCu, timber and aluminium window and door frames, glazing, expansion joints and other interior and exterior sealing applications. Do not use on natural stone, polyethylene (PE), polypropylene (PP). Avoid contact with insulated glass unit sealant.

- Weatherproof in 1 hour
- For internal & external use
- Highly flexible
- Excellent adhesion

OPTIONS

300ml Cartridge



DECORATORS SEALANT

DESCRIPTION

A high quality fast drying water based acrylic sealant which remains flexible and can be painted after 10 minutes. Excellent adhesion on most building materials including plaster, plasterboard, timber, brick, masonry, PVCu and aluminium.

APPLICATIONS

Filling cracks in plaster and concrete. Sealing around skirting boards, window sills, window and door frames and other interior joints. Do not use on natural stone, polyethylene (PE), polypropylene (PP), glass and metal.

- Ready to paint in 10 minutes
- Excellent adhesion
- Smooth Finish
- Interior use

OPTIONS

300ml Cartridge





KITCHEN SILICONE

DESCRIPTION

A high quality anti-mould food safe silicone sealant, which remains permanently flexible, colour fast and UV resistant. Neutral cure with excellent adhesion on most building and kitchen materials.

APPLICATIONS

Low odour sealant suitable for all sanitary applications in kitchens and food preparation areas, including on countertops, tiles, sinks, stainless steel, glass, timber, corian,... Do not use on natural stone, polyethylene (PE), polypropylene (PP).

- Waterproof in 1 hour
- Anti-bacterial
- Food safe
- Low odour

OPTIONS

300ml Cartridge



White Clear Black



BATHROOM & SHOWER SILICONE

DESCRIPTION

A premium quality neutral cure anti-mould silicone sealant which remains permanently flexible, colour fast and UV resistant. Excellent adhesion on most building and bathroom materials.

APPLICATIONS

Low odour sealant suitable for all sanitary applications in bathrooms and showers, including around shower trays, baths, basins, sinks, toilets, mirrors, tiles, bathroom panels and countertops. Do not use on natural stone, polyethylene (PE), polypropylene (PP).

- Waterproof in 1 hour
- Anti-mould
- Low odour
- Excellent adhesion

OPTIONS

300ml Cartridge



White Clear Ivory



NATURAL STONE

DESCRIPTION

A high quality, non-staining, low modulus neutral cure silicone. Contains powerful anti-fungal agents. Virtually odourless. Very fast skinning time and final cure. Excellent adhesion on most kitchen, bathroom and construction materials. Permanently flexible. Does not stain porous natural stones such as marble and granite.


APPLICATIONS

Sealing and bonding of marble and other porous natural stones in bathrooms and kitchens and other areas prone to high humidity. Sealing of all types of sanitary ware. Sealing of natural stone cladding façades.

- Waterproof in 1 hour
- Safe to use on porous stones and marble
- Resists mould
- Excellent adhesion on most surfaces

OPTIONS

300ml Cartridge



Clear Travertine Marble Grey



ROOF & GUTTER

DESCRIPTION

Flexible bitumen based sealant for all roofing, gutter repairs and joints. Can be applied under water, on damp surfaces and in cold conditions. Excellent adhesion on all materials including roof, gutter and insulation materials.

APPLICATIONS

Repair product suitable for emergency roof repairs and gutter joints. Can be used for sealing, bonding and filling of roofing materials, including felt, roof sheets, gutters and sewage pipes.

- Waterproof in 10 minutes
- Stop leaks
- Even under water
- Excellent adhesion

OPTIONS

300ml Cartridge



Black



PU ADHESIVE

DESCRIPTION

Genius Gun PU Adhesive is a fast curing hand held polyurethane adhesive, ideal for bonding all types of insulation materials and boards on walls and roofs. A specially designed patented trigger mechanism ensures precise dosage and removes the need for an additional gun. It is easy to use, can be operated with one hand and is re-useable up to 6-weeks after first use.

APPLICATIONS

All interior and exterior bonding of common building materials on (un)even surfaces. PU Adhesive can be applied on surfaces such as: plasterboard, dry lining, Rockwool, insulation board, bricks, concrete, plaster, wood, metal, aluminium, stone, ceramics, MDF, polystyrene, steel, lead, zinc, polyurethane, laminate, cork, chipboard, timber, bitumen and many more building materials.

- Re-usable
- One-handed operation
- Fast curing
- Vertical and horizontal applications

OPTIONS

750ml Genius Gun: Orange

PLASTERBOARD ADHESIVE

DESCRIPTION

Genius Gun Plasterboard Adhesive is a fast curing polyurethane adhesive which replaces traditional mortar based adhesives. Perfect for bonding plasterboard to walls. Ready to use without mixing which saves time, effort and money. A specially designed patented trigger mechanism ensures precise dosage. It is very easy to use. It can be operated with one hand and can be stored for up to six weeks between applications.

APPLICATIONS

For the bonding of plasterboard onto walls, but can also be used on dry lining, rockwool, insulation board, bricks, concrete, plaster, wood, metal, aluminium, stone, ceramics, MDF, polystyrene, steel, lead, zinc, polyurethane, laminate, cork and chipboard.

- No mixing
- Fast curing
- Re-usable
- One-handed operation

OPTIONS

750ml Genius Gun: Orange.





INSULATION FOAM

DESCRIPTION

Specially designed moisture curing polyurethane insulation foam for applications which have high and repetitive movement, or where vibration resistance is required. The specially designed Genius Gun patented trigger mechanism ensures precise dosage and removes the need for an additional gun. Easy to use, can be operated with one hand and is re-useable up to 6-weeks after first use.

APPLICATIONS

Excellent thermal and acoustic insulation around doors and window frames, pipe penetrations, insulation and roofing materials and general construction.

- Re-usable
- One-handed operation
- Flexible
- Excellent thermal & acoustic insulation

OPTIONS

750ml Genius Gun: Champagne

GAP FILLING FOAM

DESCRIPTION

All-purpose polyurethane B3 foam filler. Moisture curing self-expanding foam with the specially designed Genius Gun patented trigger mechanism that ensures precise dosage and removes the need for an additional gun. Easy to use, can be operated with one hand and is re-useable up to 6-weeks after first use.

APPLICATIONS

General all-purpose filling of holes, gaps and joints. Adheres to all common building materials, resistant to water, heat and ageing. Can be cut, sanded, plastered and painted after full cure. Not UV resistant.

- Re-usable
- One-handed operation
- Fast curing
- Expansion rate - 35 times initial volume

OPTIONS

500ml Genius Gun: Champagne

750ml Genius Gun: Champagne





The Trade range from Soudal is the market leading range of sealants, foams and adhesives for all serious construction projects - building, repair and maintenance. This premium quality offering is focused on completing the work as quick and easy as possible, with reliable long-term performance, but all at affordable pricing levels. All products are application specific and are easy to identify as they are grouped together by application area.



BUILDING SILICONE

DESCRIPTION

High quality low modulus neutral cure silicone sealant. Virtually odourless. Very fast skinning time and final cure. Excellent toolability and primerless adhesion on all common construction materials. High movement capability. Resistant to UV, rain, snow, ozone, high and low temperatures and many chemicals.

APPLICATIONS

Glazing construction and industrial sealing. Perimeter sealing of window, door frame and roofline systems. Can be used in direct contact with all types of glass, except self-cleaning types. Sealing of expansion joints. Roofing seals including lead, roofing slates and fibre-cement. Industrial sealing applications: coated metals, anodized aluminium, stainless steel. HVAC ducting, pipework and drainage joints. General maintenance sealing.

- For internal & external use
- Low odour
- Highly flexible
- Multi-use

OPTIONS

300ml Cartridge



MULTI-PURPOSE SILICONE

DESCRIPTION

Acetoxy silicone sealant that cures to form a flexible, durable weathertight seal on many common building surfaces, including glass, metals, wood and ceramic tiles. Contains a fungicide that resists mould growth. Suitable for interior and exterior use.


APPLICATIONS

General construction, masonry, woodworking & roofing, flooring, baths, showers & sinks, kitchen fittings, ceramic tiles, plumbing, hvac ducting, shop windows and signs, electrical conduit, automotive.

- All weather use
- Mould resistant
- Flexible
- For internal & external use

OPTIONS

300ml Cartridge



DECORATORS CAULK

DESCRIPTION

An acrylic, solvent free dispersion that cures to form a durable, flexible seal. For internal use. Can easily be painted or papered over when dry.

APPLICATIONS

Sealing gaps around internal window and door frames, skirting boards, plasterboard, staircases, architrave and coving.

- Flexible
- Paintable
- Smooth finish
- For Interior use

OPTIONS

300ml Cartridge



380ml Cartridge





B2 FOAM

DESCRIPTION

FIRE RATED one component, expanding polyurethane foam filler. Rapid curing. Excellent thermal and acoustic insulation properties. Excellent primerless adhesion on most construction materials. Available in Hand Held and Gun Grade versions.

APPLICATIONS

For use in passive fire protection systems as a large gap filler; installation of fire retardant window and door frames; sealing of expansion and connection joints, penetration seals. Thermal and acoustic insulation around doors and window frames, pipe penetrations, insulation and roofing materials and general construction.

- Fire rated polyurethane foam filler
- EN1366-4 – Fire resistance, up to 2 hours depending on joint configuration
- Fire class DIN 4102 B2
- Acoustic rating - 58 dB
- Insulation factor - 36mW/mK
- Hand Held and Gun Grade versions

OPTIONS

750ml Hand Held: Champagne
750ml Gun Grade: Champagne



B3 EXPANDING FOAM

DESCRIPTION

Moisture curing, self-expanding polyurethane foam adhering to all common building materials, resistant to water, heat and ageing. Excellent sound and heat insulation values. Can be cut, sanded, plastered and painted after full cure. Not UV resistant, cover once cured with sealant, paint or otherwise.

APPLICATIONS

Fixing, filling and insulating of door and window frames. Insulating around pipes and electrical wiring. Filling of holes, gaps and joints. Fixing and insulating of wall panels, corrugated sheets, roof tiles, etc.

- High thermal & acoustic insulation
- Expansion rate - 30-40 times initial volume
- For internal & external use
- Can be sanded & painted when cured

OPTIONS

150ml Hand Held: Champagne
750ml Hand Held: Champagne
750ml Gun Grade: Champagne



CLEANER

DESCRIPTION

Aerosol applied, solvent based polyurethane foam cleaner.

APPLICATIONS

Used for the cleaning of PU Foam applicator guns. Gun applied PU Foam valves and uncured PU Foam, can also be quickly and easily removed with the attachable spray nozzle.

- Quick & easy to use
- Attachable spray nozzle
- Solvent based

OPTIONS

500ml: Clear



LIGHTWEIGHT GAP FILLER

DESCRIPTION

Lightweight acrylic polymer based, repair plaster. For an easy and quick reparation or filling in walls & ceilings e.g. cracks, screw holes etc... Can be applied by trowel or gun. Sandable and over-paintable once dried. Non-shrinking.

APPLICATIONS

For the filling and repair of cracks and small holes in walls and ceilings – plasterboard, concrete, stone, plasterwork, masonry and decorative plaster. For the filling of static joints and cracks in walls and ceilings.

- For internal use
- Paintable
- Smooth finish
- Good adhesion

OPTIONS

300ml Cartridge



White

900ml Tub



White

SANITARY SILICONE



DESCRIPTION

Acetoxy curing silicone specially formulated for use in hot, humid conditions such as bathrooms and kitchens. Cures to form a flexible, durable waterproof seal with good resistance to abrasion and common detergents. Good adhesion to glass (without primer), most acrylics, ceramics, vitreous surfaces, painted surfaces and anodised aluminium.

APPLICATIONS

For all waterproofing applications where protection against mildew is required, such as the jointing of baths, sinks, toilets, showers, kitchen furniture, ceramic tiles and plumbing fixtures.

- Mould resistant
- Fast curing
- Good extrudability
- Durable

OPTIONS

300ml Cartridge



White Clear

KITCHEN SILICONE



DESCRIPTION

Food safe, low modulus neutral cure silicone. Contains a powerful anti-fungicidal agent. Virtually odourless. Very fast skinning time and final cure. 100% silicone, no shrinking. Thick-bodied. Primerless adhesion on all sanitary materials, including plastics. Highly elastic. Resistant to UV, rain, snow, ozone and many chemicals.

APPLICATIONS

Sealing sanitary, construction and industrial applications where food contact is required. Sealing in areas of high humidity such as container, cold-storage, air conditioning, washroom, kitchen and other areas prone to high humidity.

- Food safe
- Low odour
- Mould resistant
- Fast curing

OPTIONS

300ml Cartridge



Brilliant White Clear Black



BATHROOM & SHOWER SILICONE

DESCRIPTION

Low modulus neutral cure silicone. Contains a powerful anti-fungicidal agent. Virtually odourless. Very fast skinning time and final cure. Solvent free. Thick bodied. Highly elastic. Primerless adhesion on all common construction materials. Resistant to UV, rain, snow, ozone, and many chemicals. High/low temperature resistance.

APPLICATIONS

For all waterproofing applications where protection against mildew is required, such as the jointing of baths, sinks, toilets, showers, ceramic tiles and plumbing fixtures.

- Flexible
- Mould resistant
- Waterproof
- Low odour

OPTIONS

300ml Cartridge



Brilliant White Clear





INTERIOR FRAME SEALANT

DESCRIPTION

High quality acrylic polymer based sealant and filler. Solvent free and virtually odourless. Very easy to apply. Colourfast and waterproof after curing. Very good adhesion on many porous surfaces. Can be painted over after curing.

APPLICATIONS

Sealing of window sills, skirting boards, architraves, plasterboard, brickwork etc. Filling of small cracks in plaster.

- Flexible
- Paintable
- Smooth finish
- Virtually odourless

OPTIONS

300ml Cartridge



White



EXTERIOR FRAME SILICONE

DESCRIPTION

Low modulus neutral (LMN) formulation for high movement joints. Fast curing. Flexible and weathertight seal. Adheres to most common building materials including glass, other glazed surfaces, metals, wood, aluminium and PVCu.

APPLICATIONS

Sealing and perimeter pointing of wooden, aluminium and PVCu window and door frames. Sealing and bonding plastic trim and cladding. Glazing. Construction and general purpose joint sealing.

- Flexible
- Mould resistant
- Waterproof
- Fast curing

OPTIONS

300ml Cartridge



White



Clear



Brown



Grey



Black



GLAZING SILICONE

DESCRIPTION

Low modulus acetoxyl (LMA) silicone that cures rapidly to form a permanently flexible and extremely durable weathertight seal. It bonds strongly to clean uncoated glass, ceramics and glazed or painted surfaces without the need for a primer.

APPLICATIONS

Traditional glazing joints, door and window frames, shop windows, display cases, panels, signs, portable buildings, conservatories, greenhouse, heating, HVAC ducting.

- Low modulus acetoxyl
- Weather resistant
- Flexible
- No primer required

OPTIONS

300ml Cartridge



Clear



LEAD SHEET SEALANT

DESCRIPTION

Low modulus neutral cure silicone. Eliminates the need for grouting. Long life. Adhesion to most building materials - all types of lead (BS:EN 12588 (1999) compatible, milled, rolled, sand cast, water-cooled), other metals, brickwork, concrete, granite, marble, slate, cement, stone and roofing tiles. Stain free on most substrates. Lead grey colouring. Non-corrosive. Good UV and weather resistance. Forms a watertight and permanently flexible joint.

APPLICATIONS

Roofing joints. Sealing lead flashing into brick, stone or concrete. Joints on gutters, downpipes and venting. Steel roofing. Sealing overlaps in rigid sheet roofing.

- Excellent adhesion
- Stain free
- Good UV resistance
- Weather resistant



OPTIONS

300ml Cartridge



Grey

ALL WEATHER SEALANT

DESCRIPTION

A specially formulated sealant that provides strong adhesion to most building surfaces, even wet or under water. Suitable materials include wood, glass, aluminium, steel, bitumen, rigid PVC. The product remains flexible, will not crack or slump. Paintable.

APPLICATIONS

Sealing of cracks in typical roofing applications including attic windows, gutters and drainpipes. Emergency repairs during rain including leaks.

- Weather resistant
- Underwater use
- Excellent adhesion
- Paintable



OPTIONS

300ml Cartridge



Clear

ROOF & GUTTER SEALANT

DESCRIPTION

A rubberised, oil based sealant which remains predominantly in a semi-dry, paste like condition. The nature of this product ensures excellent adhesion to most common roofing materials including asphalt, bitumen, felt, metals and wood.

APPLICATIONS

Permanent weatherproofing of roofing applications. Sealing of guttering, downpipes, chimneystacks, lap joints, attic windows, cornices, ventilation ducts and flashings. Bedding of roof sheets and felts. Sealing of bituminous supports.

- Weatherproof
- Excellent adhesion
- Seals roof leaks
- Seals guttering



OPTIONS

300ml Cartridge



Black





GRIP ALL ADHESIVE

DESCRIPTION

High performance, premium grade, fast curing, gap filling, construction adhesive. Grip All has good initial grab in both vertical and horizontal positions. Fast drying. High bond strength. Excellent adhesion to most building surfaces including wood, metals, most plastics, glass, aluminium, concrete, ceramics, plasterboard and breezeblock. Overpaintable.

APPLICATIONS

Fixing battens, window sills, skirting boards, coving, plasterboard, carpet grippers, wall and floorboards and window frames.

- High bond strength
- Instant grip
- Fast cure
- Solvent based

OPTIONS

300ml Cartridge



Beige



GRIP ALL SOLVENT FREE ADHESIVE

DESCRIPTION

High performance, premium grade, fast curing, gap filling construction adhesive. Grip All has good initial grab in both vertical and horizontal positions. High bond strength. Excellent adhesion to most building surfaces including wood, metals, most plastics, glass, concrete, ceramics, plasterboard and polystyrene. Dries white. Overpaintable.

APPLICATIONS

Fixing battens, window sills, skirting boards, coving, carpet grippers, edge strips, wall and floorboards and window frames.

- Paintable
- Odourless
- Fast cure
- High strength

OPTIONS

300ml Cartridge



White



WATER RESISTANT WOOD GLUE

DESCRIPTION

A one component, humidity resistant, interior and exterior PVA wood adhesive that fulfills the requirements for long term high bond strength. Water resistant to class D3 (EN204).

APPLICATIONS

Suitable for bonding of wood products, MDF, particle board, formica, veneers, oak and tropical hardwood.

- Conforms to D3:EN204
- Odourless
- Fast drying
- High bond strength

OPTIONS

1 ltr Bottle



White

5 ltr Jerrycan



White

MITRE-KIT/ SUPERGLUE



DESCRIPTION

CYANOACRYLATE based high viscosity adhesive with aerosol activator. Particularly useful for production lines and UPVC window trim. Activator reduces blooming and odour. Fast acting. Curing will occur almost instantly. Easy to use. Non-yellowing.

APPLICATIONS

Used in the furniture, timber, kitchen and plastics industries where its instant bonding properties

dramatically reduce assembly times for mitre joints when compared to conventional wood adhesives. The product is also suitable for instant bonding of MDF, rubber, PVCu, metals and most plastics.



- Cyanoacrylate two part adhesive with activator spray
- High bond strength
- High viscosity adhesive
- Can be used on most non-porous substrates

OPTIONS

Mitre-Kit: 50g Bottle & 200ml Aerosol

Superglue: 50g Bottle

Activator: 200ml Aerosol

CONTRACTORS 100 DC



DESCRIPTION

ACRYLIC polymer based sealant and filler. Solvent free and virtually odourless. Very easy to apply. Colourfast and waterproof after curing. Can be painted over after curing. Very good adhesion on many porous surfaces.

APPLICATIONS

Sealing of window sills, skirting boards, architraves, plasterboard, brickwork, etc. Filling of small cracks in plaster.

- Acrylic polymer sealant and filler
- Paintable
- Virtually odourless

OPTIONS

280ml Cartridge



White

CONTRACTORS 200 MP



DESCRIPTION

ACETOXY multi-purpose silicone sealant. Mould resistant. Primerless adhesion on many common construction materials - glass, ceramic, porcelain, metals and wood. Resistant to weathering and high and low temperatures.

APPLICATIONS

Sanitary and construction applications. Sealing in areas prone to high humidity - bathrooms and kitchens. Sealing of all traditional sanitary ware including baths, basins, showers, toilets and glazed tile surrounds. General maintenance sealing.

- Acetoxy cure silicone
- Primerless adhesion on traditional materials
- S1 fungicide

OPTIONS

280ml Cartridge



Brilliant White



Clear



Black



Brown

CONTRACTORS 300 GG



DESCRIPTION

POLYURETHANE expanding foam filler. Easy to use, one component. Rapid curing. Excellent thermal and acoustic insulation properties. Primerless adhesion on most construction materials. Gun grade.

APPLICATIONS

General purpose gap filling: pipe penetrations, insulation and roofing materials and general construction.

- Polyurethane foam filler
- Gun Grade

OPTIONS

700ml Gun Grade: Champagne

CONTRACTORS 500 SB



DESCRIPTION

SOLVENT BASED gap filling, construction adhesive. Compatible with most building materials, except those sensitive to solvents. Direct application onto one surface. Moisture resistant. Replaces screws and nails.

APPLICATIONS

Bonding of battens, wooden skirting boards, window sills, plaster and plasterboard. Bonding of carpet grippers, edge strips and stair nosings. Bonding of wall and floorboards, window frames and partitions. Repair of loose tiles.

- Solvent based construction adhesive
- Gap filling properties
- Porous and non-porous materials

CONTRACTORS 400 HH



DESCRIPTION

POLYURETHANE expanding foam filler. Easy to use, one component. Rapid curing. Excellent thermal and acoustic insulation properties. Primerless adhesion on most construction materials. Hand held.

APPLICATIONS

General purpose gap filling: pipe penetrations, insulation and roofing materials and general construction.

- Polyurethane foam filler
- Hand Held

OPTIONS

700ml Hand Held: Champagne

OPTIONS

280ml Cartridge



Beige



CONTRACTORS 600 SF

DESCRIPTION

SOLVENT FREE gap filling, construction adhesive. Compatible with most building materials, but especially effective on porous surfaces. Direct application onto one surface. Moisture resistant. Replaces screws and nails. Works on materials which are sensitive to solvents e.g. polystyrene. Virtually odourless.

APPLICATIONS

Bonding of battens, wooden skirting boards, window sills, plaster and plasterboard. Bonding of carpet grippers, edge strips and stair nosings. Bonding of wall and floorboards, window frames and partitions. Repair of loose tiles. Fixing polystyrene and other soft construction materials.

- Solvent free construction adhesive
- Gap filling properties
- Virtually odourless
- Porous and solvent sensitive materials

OPTIONS

280ml Cartridge



White



CONTRACTORS 700 NS

DESCRIPTION

NEUTRAL CURE low modulus, silicone sealant. Virtually odourless. Fast skinning time and final cure. Primerless adhesion on most common construction materials. Resistant to UV, rain, snow, ozone and many chemicals.

APPLICATIONS

Glazing, construction and industrial sealing. Perimeter sealing of window and door frames and roofline systems. Can be used with all types of glass, except self cleaning types. Roofing seals including roofing slates and fibre-cement. Industrial sealing applications; coated metals, anodized aluminium, stainless steel. Pipework and drainage joints. General maintenance and sealing.

- Low modulus neutral cure silicone
- Virtually odourless
- Primerless adhesion on most surfaces

COLOUR OPTIONS

280ml Cartridge



White



Clear



Caramel



Teak



CONTRACTORS 800 MS

DESCRIPTION

HYBRID POLYMER sealant and adhesive. Internal and external use. Virtually odourless. Primerless adhesion on most construction materials, including wet and damp surfaces. Overpaintable with most paints. Contains fungicides.

APPLICATIONS

For all bonding and sealing applications in all weather conditions, on most surfaces. Paintable elastomeric sealing and bonding. Sanitary sealing and bonding - kitchens, bathrooms and showers.

- Hybrid polymer
- Primerless adhesion
- Virtually odourless
- Internal and external use
- Mould resistant - XS1 fungicide

OPTIONS

280ml Cartridge



White



CONTRACTORS 900 MS

DESCRIPTION

HYBRID POLYMER sealant and adhesive. Internal and external use. Virtually odourless. Primerless adhesion on most construction materials, including wet and damp surfaces. Overpaintable with most paints. Contains fungicides.

APPLICATIONS

For all bonding and sealing applications in all weather conditions, on most surfaces. Paintable elastomeric sealing and bonding. Sanitary sealing and bonding - kitchens, bathrooms and showers.

- Hybrid polymer
- Primerless adhesion
- Virtually odourless
- Internal and external use
- Mould resistant - XS1 fungicide

OPTIONS

280ml Cartridge



Clear

METAL PLASTIC STANDARD



DESCRIPTION

GENERAL PURPOSE, high quality, two component polyester body filler for the repair of damaged surfaces (dents, scratches and tears) in metals, wood or polyester. Very easy to mix and apply. Fast curing and can be sanded after about 20 minutes.

APPLICATIONS

Filling of scratches, tears, dents in metal plates, including zinc and galvanized steel. Repairing scratches, cracks, dents in cars. Repairs of metal, polyester and wooden surfaces. Filling of scratches and dents in wooden surfaces.

- 2-component polyester filler
- General purpose properties, suitable for most applications
- Very easy to apply
- Fast curing
- Long lasting adhesion

OPTIONS

250g Tin: Grey 1kg Tin: Grey	2kg Tin: Grey 3kg Dispenser System Tin: Grey
---------------------------------	---

METAL PLASTIC EXTRA FINE



DESCRIPTION

EXTRA FINE, high quality, two component polyester body filler. Very fine-grained polyester body filler for the finishing of damaged surfaces and as finishing layer prior to painting. Due to its improved sandability and fine grained structure especially suited as a finishing layer.

APPLICATIONS

Filling of scratches, tears, dents in metal plates, including zinc and galvanized steel. Repairing scratches, cracks, dents in cars. Repairs of metal, polyester and wooden surfaces. Filling of scratches and dents in wooden surfaces.

- 2-component polyester filler
- Extra fine quality suitable as a finishing layer
- Very easy to apply
- Fast curing
- Long lasting adhesion

OPTIONS

1kg Tin: White	2kg Tin: White
----------------	----------------

METAL PLASTIC BLACK



DESCRIPTION

BLACK coloured, high quality, two component polyester body filler. Special bond strength on hard plastic and polyester e.g. as a bumper filler. Also black colour makes it easier to traces unevenness during the sanding process. Very easy to mix and apply. Fast curing and can be sanded after

about 20 minutes.

APPLICATIONS

Repair of bumpers and other plastic surfaces. Filling of scratches, tears, dents in metal plates, including zinc and galvanized steel. Repairing scratches, cracks, dents in cars. Repairs of metal, polyester and wooden surfaces. Filling of scratches and dents in wooden surfaces.

- 2-component polyester filler
- Improved performance on hard plastics
- Very easy to apply
- Fast curing
- Long lasting adhesion

OPTIONS

2kg Tin: Black

METAL PLASTIC SOFT



DESCRIPTION

SANDABLE, high quality, two component polyester body filler for the repair of damaged surfaces (dents, scratches and tears) in metals, wood or polyester. Very easy to mix and apply. Extra soft finish to allow easier sanding of the finished product. Fast curing and can be sanded after about 20 minutes.

APPLICATIONS

Filling of scratches, tears, dents in metal plates, including zinc and galvanized steel. Repairing scratches, cracks, dents in cars. Repairs of metal, polyester and wooden surfaces. Filling of scratches and dents in wooden surfaces.

- 2-component polyester filler
- Easier to sand due to soft finish
- Very easy to apply
- Fast curing
- Long lasting adhesion

OPTIONS

1kg Tin: Beige 2kg Tin: Beige	3kg Dispenser System Tin: Beige
----------------------------------	---------------------------------

METAL PLASTIC UNIVERSAL



DESCRIPTION

UNIVERSAL application, high quality, two component polyester body filler. Improved performance on zinc and galvanised surfaces. Top quality polyester body filler with excellent adhesion on all types of metals, even when zinc-coated and galvanised. Can be applied in one layer as base and

finishing putty. Very easy to use.

APPLICATIONS

Filling of scratches, tears, dents in metal plates, including zinc and galvanized steel. Repairing scratches, cracks, dents in cars. Repairs of metal, polyester and wooden surfaces. Filling of scratches and dents in wooden surfaces.

- 2-component polyester filler
- Improved performance on zinc and galvanised surfaces
- Very easy to apply
- Fast curing
- Long lasting adhesion

OPTIONS

2kg Tin: Green	3kg Dispenser System Tin: Green
----------------	---------------------------------

METAL PLASTIC ALU



DESCRIPTION

ALUMINIUM coloured, high quality, two component polyester body filler. Reinforced with aluminium particles for the repair and reinforcement or damaged surfaces in metal and polyester. Suitable for applications which require thicker layers. Very easy to mix and apply. Fast curing and can be sanded after about 20 minutes.

APPLICATIONS

Filling of scratches, tears, dents in metal plates, including zinc and galvanized steel. Repairing scratches, cracks, dents in cars. Repairs of metal, polyester and wooden surfaces. Filling of scratches and dents in wooden surfaces.

- 2-component polyester filler
- Aluminium reinforced
- Very easy to apply
- Fast curing
- Long lasting adhesion

OPTIONS

2kg Tin: Aluminium



HARDENERS

DESCRIPTION

BPO Hardeners to be used as catalyst for polyester body fillers and resins. Also available for use with Soudal Dispenser System.

APPLICATIONS

Catalyst for polyester resins.

- Catalyst for polyester fillers.

OPTIONS

10g, 15g, 30g, 50g Tube: Red	50g Tube: White	55g Dispenser System Tube: Red
------------------------------	-----------------	--------------------------------

DISPENSER SYSTEM



DESCRIPTION

Soudal Dispenser System is an easy to use application tool to be used with the specialist 3kg Dispenser System packaging of Metal Plastic products. It yields exactly the required quantity of body filler and hardener, with the correct mixing ratio, to make the use of products as easy and quick as possible.

APPLICATIONS

Fast and effective mixing of 2 component polyester fillers.

- Mixer for 2 component polyester fillers.

OPTIONS

Dispenser

SPRAY FILLER



DESCRIPTION

SPRAYABLE, high quality, two component polyester body filler for the repair of damaged surfaces (dents, scratches and tears) in metals, wood or polyester. Developed particularly for all applications which require quick filling of large surface areas. Very fine finish.

APPLICATIONS

Filling of scratches, tears, dents in metal plates, including zinc and galvanized steel. Repairing scratches, cracks, dents in cars. Repairs of metal, polyester and wooden surfaces. Filling of scratches and dents in wooden surfaces.

- 2-component polyester filler
- Sprayable formulation with extra fine finish
- Very easy to apply
- Fast curing
- Long lasting adhesion

OPTIONS

1kg Tin: Grey

CELLUPLAST



DESCRIPTION

NITRO-CELLULOSE finishing putty. Single component finishing putty, especially suited for small repairs and scratches. Also suited as finishing prior to varnishing or spray painting.

APPLICATIONS


Filling of small scratches, tears, dents in metal plates, including zinc and galvanized steel. Repairing scratches, cracks, dents in cars. Repairs of metal, polyester and wooden surfaces. Filling of scratches and dents in wooden surfaces.

- Single component nitro-cellulose filler
- Very easy to apply
- No mixing required
- Long lasting adhesion
- Flexible

OPTIONS

175g Tube: Red	750g Tin: Red.
----------------	----------------

POLY LIQUID



DESCRIPTION

PRE-ACCELERATED two-component polyester resin, to be used with fibreglass mat. Repair of tears, gaps and holes in all metals, wood and polyester surfaces.

APPLICATIONS

Filling of scratches, tears, dents in metal plates, including zinc and galvanized steel. Repairing scratches, cracks, dents in cars. Repairs of metal, polyester and wooden surfaces. Filling of scratches and dents in wooden surfaces.

Repairing of small holes and dents in

car body parts. Replacing or reinforcing of rusted through parts.

- 2-component polyester resin
- Used in conjunction with Fibreglass Matt
- Very easy to apply
- Fast curing
- Long lasting adhesion

OPTIONS

1kg Tin: Brown

POLYFIBER



DESCRIPTION

GENERAL PURPOSE, high quality, glass fibre reinforced, two component polyester body filler for the repair of damaged surfaces (dents, scratches and tears) in metals, wood or polyester. Very easy to mix and apply. Fast curing and can be sanded after about 20 minutes. The glass fibres add additional

strength to weakened body parts.

APPLICATIONS

Heavy duty filling of scratches, tears, dents in metal plates, including zinc and galvanized steel. Repairing scratches, cracks, dents in cars. Repairs of metal, polyester and wooden surfaces. Filling of scratches and dents in wooden surfaces.

- 2-component polyester resin
- Fibre-reinforced for heavy duty applications
- Very easy to apply
- Fast curing
- Long lasting adhesion

OPTIONS

250g Tin: Grey	1kg Tin: Grey
500g Tin: Grey	1.5kg Tin: Grey

POLYSET



DESCRIPTION

READY TO USE all in one, repair set. For larger repair jobs on metals, wood and polyester surfaces. This set consists of pre-accelerated polyester resin, hardener, non-woven fibreglass matting tissue, mixing container, brush and spatula.

APPLICATIONS

Filling of scratches, tears, dents in metal plates, including zinc and galvanized steel. Repairing scratches, cracks, dents in cars. Repairs of metal, polyester and wooden surfaces. Filling of scratches and dents in

wooden surfaces.

- Ready to use all in one, repair set
- Pre-accelerated polyester resin & hardener
- Non-woven fibreglass matting tissue
- Mixing container, brush and spatula
- Different kit sizes

OPTIONS

Small Kit: 250g	Large Kit: 1kg
-----------------	----------------

FIBREGLASS MATT



DESCRIPTION

NON-WOVEN fibreglass matting tissue to be used with Poly Liquid or Polyset for the strengthening of surfaces or the preparation of new parts.

APPLICATIONS

Filling of scratches, tears, dents in metal plates, including zinc and galvanized steel. Repairing scratches, cracks, dents in cars. Repairs of metal, polyester and wooden surfaces. Filling of scratches and dents in wooden surfaces.

- Non-woven fibreglass matting tissue
- Used in conjunction with Poly Liquid or Polyset
- Different pack sizes

OPTIONS

Pack: 0.5m ²	Pack: 1m ²
-------------------------	-----------------------

POLYFIBER CLEAR



DESCRIPTION

TRANSPARENT, high quality, glass fibre reinforced, two component polyester body filler for the repair of damaged surfaces (dents, scratches and tears) in metals, wood or polyester. Pure polyester resin without fillers, reinforced with fibreglass. Very easy to mix and apply. The glass fibres add additional strength to weakened body

parts. Fast curing.

APPLICATIONS

Heavy duty filling of scratches, tears, dents in metal plates, including zinc and galvanized steel. Repairing scratches, cracks, dents in cars. Repairs of metal, polyester and wooden surfaces. Filling of scratches and dents in wooden surfaces.

- Clear 2-component polyester resin
- Fibre-reinforced for heavy duty applications
- Very easy to apply
- Fast curing
- Long lasting adhesion

OPTIONS

1.5kg Tin: Clear



CARBOND 940 FC

DESCRIPTION

POLYURETHANE based sealant and adhesive. Permanently elastic. Watertight. Excellent resistance to many chemicals. Good colour stability, weather and UV resistance. Can be painted with most water based paints. Very good primerless adhesion on many materials such as aluminium, steel, GRP, epoxy coatings etc. Suited for bonding and sealing of aluminium and other metals and polyester.

APPLICATIONS

Elastomeric bonding and sealing in car bodies, caravans and containers. For bonding, car body parts, wheel arch extensions, etc. Replaces the traditional weld or spot weld.

- Polyurethane sealant and adhesive
- Permanently elastic after curing
- Watertight
- Can be painted with most water based paints
- Excellent adhesion on most materials

OPTIONS

310ml Cartridge



CARBOND 945 FC

DESCRIPTION

POLYURETHANE based sealant and adhesive. Permanently elastic. Watertight. Excellent resistance to many chemicals. Good colour stability, weather and UV resistance. Can be painted with most water based paints. Very good primerless adhesion on many materials such as aluminium, steel, GRP, epoxy coatings etc. Suited for bonding and sealing of aluminium and other metals and polyester.

APPLICATIONS

Elastomeric bonding and sealing in car bodies, caravans and containers. For bonding car body parts, wheel arch extensions, etc. Replaces the traditional weld or spot weld.

- Polyurethane sealant and adhesive
- Permanently elastic after curing
- Watertight
- Can be painted with most water based paints
- Excellent adhesion on most materials

OPTIONS

310ml Cartridge



CARBOND 955 DG

DESCRIPTION

POLYURETHANE based windscreen adhesive, which remains permanently waterproof. Good resistance to sagging. Very high end strength. Good colour stability, weather and UV resistance. Drive out time of approximately 3 hours. Must be used in combination with Carbond 955 Cleaner/Activator and Primer.

APPLICATIONS

Installing of windscreens in vehicles.

- Polyurethane based windscreen adhesive
- Very high end strength
- Good colour stability, weather and UV resistance
- Drive out time of approximately 3 hours
- Must be used in combination with Carbond 955 Cleaner/Activator and Primer

OPTIONS

310ml Cartridge: Black



CARBOND 955 DG CLEANER/ACTIVATOR

DESCRIPTION

SPECIALIST cleaner and activator to be used in conjunction with Carbond 955 DG.

APPLICATIONS

Cleans and activates surfaces prior to the use of Carbond 955 DG.

- Cleans and activates surfaces
- Used with Carbond 955 DG

OPTIONS

30ml Flask



CARBOND 955 DG PRIMER

DESCRIPTION

SPECIALIST primer to be used in conjunction with Carbond 955 DG.

APPLICATIONS

Primes surfaces prior to the use of Carbond 955 DG.

- Primes surfaces
- Used with Carbond 955 DG

OPTIONS

30ml Flask



GASKET SEAL

DESCRIPTION

HIGH TEMPERATURE resistant gasket sealant. Acetoxy silicone sealant. Withstands high temperatures of up to 285°C. Highly flexible and weatherproof. Replaces gaskets made from cork, felt, fibres, cardboard and rubber in all sizes and dimensions. Remains elastic after full cure. Resistant to many chemicals. High movement capability.

APPLICATIONS

For the sealing of joints which require a high temperature resistance gasket.

- Gasket sealant
- Acetoxy cure silicone sealant
- High temperature resistant (up to 285°C)
- Replaces traditional gaskets
- Highly flexible and durable

OPTIONS

80ml Tube: Red

310ml Cartridge: Red



CARJOINT

DESCRIPTION

NEOPRENE RUBBER based elastic sealant for the sealing of metal parts, which have been mechanically bonded, car body parts, ventilation ducts, etc. Can be painted. High temperature resistance. Stays elastic. Paintable. Watertight. Solvent based.

APPLICATIONS

Sealing of metal parts, which have been mechanically bonded, car body parts, ventilation ducts, etc

- Neoprene rubber based elastic sealant
- Solvent based
- Can be painted
- Highly flexible and durable

OPTIONS

310ml Cartridge: Grey



MS SEAM SEALER

DESCRIPTION

HYBRID POLYMER based sealant for welding seams. Very good resistance against all weather conditions, water, oil and gasoline. Does not contain isocyanates nor silicones. Easy to apply with specialist applicator gun. Can be painted wet-on-wet with waterborn paints. Can be applied in beads as well as wide layers. Can be applied horizontally as well as vertically. Professional OEM-like finish.

APPLICATIONS

For the sealing of car body seams, such as metal overlaps, welded and folded seams, in boot and engine space, in doors and for various seam seals in the automotive and transport industries.

- Hybrid polymer based sealant
- Resists water, fuels and mineral oil
- Permanently elastic
- Excellent adhesion
- Contains no isocyanates or silicones

OPTIONS

290ml Cartridge: Grey, Beige.



CONNECTION RING

DESCRIPTION

CONNECTING RING, which can be applied on other types of pneumatic guns so that these become suitable for the application of Carsealer and MS Seam Sealant.

APPLICATIONS

For the conversion of pneumatic guns into guns suitable to use with Soudal seam sealing products.

- Specialist applicator ring

OPTIONS

Ring

CARSEALER



DESCRIPTION

SYNTHETIC RUBBER based sealant for welding seams. Quick drying. Can be applied horizontally as well as vertically. No filamenting. Resists water, fuels and mineral oil. Permanently elastic. Excellent adhesion. Can be applied in beads as well as wide layers. Available in sprayable and brushable versions. The brushable version can also be applied with airless spraying equipment. The sprayable version is applied using a specialist sealing gun.

APPLICATIONS

For the sealing of car body seams, such as metal overlaps, welded and folded seams, in boot and engine space, in doors and for various seam seals in the automotive and transport industries.

- Synthetic rubber based sealant
- Resists water, fuels and mineral oil
- Permanently elastic
- Excellent adhesion
- Brushable and sprayable versions available

OPTIONS

310ml Cartridge: Grey

1kg Tin: Grey.

MS SEAM SEALER GUN



DESCRIPTION

PNEUMATIC GUN for the application of Carsealer and MS Seam Sealer in beads and in coats.

APPLICATIONS

For the quick application of Soudal seamsealing products.

OPTIONS

Gun

SOUDAFLOOR SL2



DESCRIPTION

TWO-COMPONENT polyurethane based, self-levelling floor coating. High wear resistance. Excellent resistance to many chemicals. Stays elastic. Solvent free. Easy to maintain. To be applied with special roller to prevent air inclusion.

APPLICATIONS

Polyurethane based floor coating for truck floors and for floors in industrial buildings and garages.

- 2 component polyurethane floor coating
- Self-levelling
- High wear resistance
- Solvent free
- Excellent resistance to many chemicals

OPTIONS

10kg Tin: Grey



UNDERBODY PROTECTION

DESCRIPTION

BITUMEN based underbody coating. Solvent based. Absorbs heat and noise. Protects the underbody of cars and trucks and wheel openings. Resistance against rust, oil, grease, water, salt. Available in ready to use aerosol, brushable and gun sprayable versions. The gun sprayable version is applied using an airless spray machine with our pneumatic coating gun.

APPLICATIONS

For the protection of the underbodies of cars and trucks, wheel arches and openings. Forms a protective film against rust, oil, grease, water, salt.

- Bitumen based protective coating
- Solvent based
- Protects against sound and heat
- Excellent resistance against rust, oil, grease, water, salt
- Available in aerosol, brushable and gun sprayable versions

OPTIONS

500ml Aerosol: Black	1kg Tin - Brushable: Black
1kg Tin - Sprayable: Black	5kg Tin - Brushable: Black
5kg Tin - Sprayable: Black	60kg Tin - Brushable: Black

ANTI-GRAVEL



DESCRIPTION

SYNTHETIC RUBBER based stonechip protection coating. Provides a tough elastic film against rust, salt, sand, stones and gravel. Does not contain bitumen nor asphalt. Can be painted or sprayed. Protection for spoilers and the lower part of the car body. Fast curing and paintable. Creates a sound absorbing protective layer. Available in ready to use aerosol and gun sprayable versions. The gun sprayable version is applied using an airless spray machine with our specially developed pneumatic coating gun.

APPLICATIONS

Protects the lower flanks of the car body against stones and corrosion. The film also largely absorbs noise and vibration. Protects below the bumpers and side panels of cars. Anti-resonance product in wheel arches and undersides of cars.

- Synthetic based protective coating
- Bitumen and asphalt free
- Protects against rust, salt, sand, stones and gravel
- Available in aerosol and gun sprayable versions

OPTIONS

500ml Aerosol: Black, Grey	1kg Tin - Sprayable: Black, Grey, White
----------------------------	---

INCOAT ML-WAX



DESCRIPTION

WAX BASED cavity sealant. Highly water repellent. Fast curing. Does not drip. Forms a durable, sticky, waxy film after drying. Corrosion protection for wheel arches and empty cavities. Available in ready to use aerosol and gun sprayable versions. The gun sprayable version is applied using an airless spray machine with our specially developed pneumatic coating gun.

APPLICATIONS

For the protection against rust of cavities in cars. Protection of hollow coachwork spaces such as chassis beams, doors and door jambs, boot and bonnet, wheel arches and other rust sensitive parts.

- Wax based protective coating
- Highly water repellent
- Fast curing
- Does not drip
- Available in aerosol and gun sprayable versions

OPTIONS

500ml Aerosol: Clear	25L Tin - Sprayable: Clear
1L Tin - Sprayable: Clear	

INCOAT ML



DESCRIPTION

WAX BASED cavity sealant. Highly water repellent. Fast curing. Does not drip. Forms a durable, sticky, waxy film after drying. Corrosion protection for wheel arches and empty cavities. Available in ready to use aerosol and gun sprayable versions. The gun sprayable version is applied using an airless spray machine with our specially developed pneumatic coating gun.

APPLICATIONS

For the protection against rust of cavities in cars. Protection of hollow coachwork spaces such as chassis beams, doors and door jambs, boot and bonnet, wheel arches and other rust sensitive parts.

- Wax based protective coating
- Highly water repellent
- Fast curing
- Does not drip
- Available in aerosol and gun sprayable versions

OPTIONS

500ml Aerosol: Brown	1L Tin - Sprayable: Brown
----------------------	---------------------------

PNEUMATIC COATING GUN



DESCRIPTION

SPECIALIST pneumatic coating applicator gun for use with all Soudal gun sprayable anti-corrosion coatings - Underbody Protection, Anti-Gravel and Incoat ML and Incoat ML-Wax. Vaupel type system.

APPLICATIONS

For the fast application of Soudal anti-corrosion products.

- Can be used with all anti-corrosion products
- Airless and pressured air systems
- Vaupel type

OPTIONS

Gun



WWW.SOUDAL.BIKE



BIKE CLEANER

DESCRIPTION

LIQUID DETERGENT based, professional quality cleaner for the powerful and efficient cleaning of bicycle frames, wheels and handlebars. Removes dried dirt, sand and dust. Excellent cleaning properties. Used diluted with lukewarm water (ratio of about 1:10). Best used with a sponge and a brush for the less accessible places. Non-flammable. Does not contain harmful solvents and acids.

APPLICATIONS

Cleans stubborn dirt and mud on bicycle frames, wheels and handlebars. Suitable use on matt, painted and unpainted surfaces as well as carbon.

- Liquid detergent
- Remove stubborn dirt, sand and dust
- Excellent cleaning properties
- Diluted (mixed with water)
- Non-flammable
- Contains no harmful solvents or acids



OPTIONS

1 Ltr Bottle: Yellow

CHAIN CLEANER

DESCRIPTION

SOLVENT BASED degreaser and cleaner for removing all kinds of dirt, oil, grease and wax from the chain, chainrings, cassette and the front and rear derailleurs. Professional quality. High degreasing power. Suitable for most surfaces; carbon, aluminum and titanium.

APPLICATIONS

Used for the quick and efficient removal of all kinds of dirt, oil, grease and wax from the chain, chainrings, cassette and the front and rear derailleurs.

- Cleaner and degreaser
- Remove dirt, oil, grease and wax
- Solvent based
- Ready for use
- Professional quality



OPTIONS

1 Ltr Trigger Bottle: Blue



MUD REMOVER

DESCRIPTION

LIQUID DETERGENT based, ready-to-use, professional quality cleaner for the powerful and efficient cleaning of bicycle frames, wheels and handlebars. Remove dried dirt, sand and dust. Non-flammable and does not contain harmful solvents nor acids.

APPLICATIONS

Cleans stubborn dirt and mud on bicycle frames, wheels and handlebars. Suitable for matt, painted and unpainted surfaces as well as carbon.

- Liquid detergent
- Remove dried dirt, sand and dust
- Excellent cleaning properties
- Ready for use
- Non-flammable
- Contains no harmful solvents or acids

OPTIONS

1 Ltr Trigger Bottle: Green



DISC CLEANER

DESCRIPTION

SOLVENT BASED aerosol applied cleaner for the quick and efficient removal of oil, grease, grit and grime on disc brake rotors and other moving metal surfaces. Cleans and degreases. Leaves no residue after application. Fast drying. Does not corrode metals. The aerosol can be used at any angle (360°) and also has a long nozzle for getting into areas with difficult access.

APPLICATIONS

Professional quality spray applied disc brake rotor cleaner. Removes excess brake fluid, excess oil, dirt, etc. quickly and easily. Easy to apply from all angles and does not corrode metals.

- Solvent based aerosol disc brake rotor cleaner
- Cleans and degreases
- Leaves no residue
- Fast drying
- Does not corrode metals
- Aerosol can be used in any angle (360°)

OPTIONS

400ml Aerosol: Transparent



PROTECT & POLISH

DESCRIPTION

AEROSOL POLISH used to put a professional quality finishing shine on the bicycle frame. Forms a shiny thin film on the bicycle frame, which acts as a repellent against moisture. Suitable for lacquered surfaces as well for aluminum and carbon. Forms a temporary protection and prevents dirt and grease deposits. Also gives plastics and rubber a glossy finish. Aerosol can be used in any angle (360° application).

APPLICATIONS

Used to protect and polish all types of bicycle frames. Gives a professional quality finish to frames.

- Aerosol protection and finishing spray
- Glossy effect
- Temporary protection of the surface
- Water-repellent
- Reduced dirt deposits
- Rust and corrosion-resistant

OPTIONS

400ml Aerosol: Transparent



BIKE WIPES

DESCRIPTION

EXTRA LARGE wet-cleaning wipes. Specially developed for the quick, easy and professional removal of dirt from bicycles, hands and tools. The wipes will remove grease, sand, oils and many different dirt residues. More effective than water and soap. Excellent degreasing and cleaning properties. Safe to use.

APPLICATIONS

Cleaning of hands, tools and bicycles. Removes all kinds of dirt such as oil, grease, cleaning detergents and wax in a safe manner.

- Extra large wet-cleaning wipes
- Cleans tools, hands and bicycles
- Removes grease and dirt
- Safe to use

OPTIONS

Tub: 50 Wipes



DRY WAX

DESCRIPTION

DRY WAX is a specially formulated professional chain lubricant based on white liquid wax, which dries clear after application. Rust and corrosion-resistant. Ensures that dirt adheres less quickly. The wax penetrates into the innermost parts of the chain and settles in all openings in the chain.

APPLICATIONS

Used to protect and lubricate bicycle chains, jockey wheels, cassettes and chain rings. Can be used for all types of bikes - road, mountain etc.

- Liquid wax based chain lubricant
- Rust and corrosion-resistant
- Ensures that dirt adheres less quickly

OPTIONS

100ml Bottle: White



DRY WEATHER LUBRICANT

DESCRIPTION

DRY WEATHER lubricant based on biodegradable oil. Professional high-quality for lubricating moving parts such as chains, derailleurs, cables, etc. This lubricant is especially designed for use in dry weather. Reduces friction in moving parts. Rust and corrosion-resistant. Biodegradable. Water-repellent. Low viscosity, easy to apply.

APPLICATIONS

Suitable for lubrication of bicycle chains, jockey wheels, cassettes and chain rings. Suitable for dry weather use only. For heavy weathering conditions or off-road riding use WET WEATHER LUBRICANT.

- Dry weather biodegradable oil
- Rust and corrosion-resistant
- Eliminates cracking and squeaking
- Low viscosity and easy to apply
- Reduces friction and wear

OPTIONS

100ml Bottle: Yellowish



WET WEATHER LUBRICANT

DESCRIPTION

WET WEATHER lubricant based on biodegradable oil. Professional high-quality for lubricating moving parts such as chains, derailleurs, cables, etc. This lubricant is especially designed for use in wet weather. Reduces friction in moving parts. Rust and corrosion-resistant. Biodegradable. Water-repellent. Low viscosity, easy to apply.

APPLICATIONS

Suitable for lubrication of bicycle chains, jockey wheels, cassettes and chain rings. Suitable for wet weather use only. For light weathering conditions use DRY WEATHER LUBRICANT.

- Wet weather biodegradable oil
- Rust and corrosion-resistant
- Eliminates cracking and squeaking
- Low viscosity and easy to apply
- Reduces friction and wear

OPTIONS

100ml Bottle: Yellowish



ALL WEATHER LUBRICANT

DESCRIPTION

PTFE based, professional quality, aerosol applied lubricant. Reduces friction in moving parts. Rust and corrosion-resistant. Water-repellent. Aerosol can be used in any angle (360°) and has a long applicator straw for getting into areas with difficult access. Designed for use in all weather conditions thanks to the PTFE additive.

APPLICATIONS

Suitable for lubrication of bicycle chains, jockey wheels, cassette and chain rings and other moving parts. Suitable for all weather conditions.

- PTFE based aerosol lubricant
- Rust and corrosion-resistant
- Eliminates cracking and squeaking
- All weather use
- Reduces friction and wear

OPTIONS

400ml Aerosol: Transparent

ASSEMBLY PASTE



DESCRIPTION

ASSEMBLY PASTE is a specially developed professional assembly paste for moving parts such as bearings, headset and bottom bracket. Reduces friction and wear on moving parts. This also prevents creaks and squeaks.

APPLICATIONS

Used for moving parts such as headset bearings and bottom bracket bearings to lubricate and reduce wear and friction.

- Professional assembly paste
- Facilitates assembly and disassembly
- Rust and corrosion-resistant
- Eliminates cracking and squeaking
- Water-repellent properties
- Reduces friction and wear

OPTIONS

200ml Tub: Light Brown

CARBON ASSEMBLY PASTE



DESCRIPTION

CARBON ASSEMBLY PASTE made for use on carbon to carbon and carbon to aluminium and steel connections on bicycles. For use on non-moving parts. The granular structure facilitates assembly and disassembly. It also reduces the friction between the carbon components and prevents squeaking.

Increases the friction between carbon parts, as well as aluminium and steel. Also has water repellent properties.

APPLICATIONS

Suitable for the assembly of non-moving parts in carbon, aluminium and steel e.g. seatposts into frames, handlebars and stems. Applications where the torque can be reduced so that damage can be avoided to parts.

- Professional assembly paste
- Facilitates assembly and disassembly
- Granular structure
- Rust and corrosion-resistant
- Eliminates cracking and squeaking.
- Water-repellent properties

OPTIONS

200ml Tub: Anthracite.

SILICONE PASTE



DESCRIPTION

SILICONE PASTE with water-repellent effect. This paste also protects against rust and corrosion. Specially-developed professional quality protection of parts in connection with frames etc e.g. brake and gear cables. Suitable for use on carbon, aluminium, titanium and plastic.

APPLICATIONS

Used for the protection of connecting parts in bicycles e.g. brake and gear cables. Not used for lubrication of moving parts e.g. chain, bearings, headset and bottom bracket.

- Silicone based paste
- Suitable for use on carbon, aluminium, titanium and plastic
- Rust and corrosion-resistant
- Eliminates cracking and squeaking

OPTIONS

200ml Tub: Transparent

BIKE BOX



DESCRIPTION

MULTI PACK containing three different products from the Professional Soudabike range: Soudabike Bike Wipes, Soudabike All Weather Lubricant and Soudabike Bike Cleaner. Also comes with the exclusive Lotto-Soudal team issue bottle.

OPTIONS

Multi-Pack



Proud sponsor of





Technical Information

A Guide to CE Marking

Everything you need to know

EN 15651-1 Sealants for façade elements (F)

Non-structural façade sealants that are used in building construction for exterior & interior application.

TYPE: F-INT
Only for indoor use

TYPE: F-EXT-INT
Indoor and outdoor use

TYPE: F-EXT-INT-CC
Indoor and outdoor use; and suitable for use in cold climates.

As an additional identification code, with regard to the maximum total deformation, the elastic or plastic behaviour:

P(plastic), E(elastic) 7.5P, 12.5P, 12.5E
LM (Low Modulus), HM (High Modulus) 20LM, 20HM, 25LM, 25HM

EXAMPLE: F-EXT-INT-CC-25LM

EN 15651-2 Sealants for glazing (G)

Non-structural, elastic joint sealants for sealing of glazing in buildings.

- Glass to glass
- Glass to frame
- Glass to porous substrates

TYPE: G
Joint sealant for sealing glazing.

TYPE: G-CC
Joint sealant for sealing of glazing; and suitable for use in cold climates.

As an additional identification code, with regard to the elasticity and the movement range:

LM (Low Modulus), HM (High Modulus) 20LM, 20HM, 25LM, 25HM

EXAMPLE: G-CC-25LM

EN 15651-3 Sealants for sanitary joints (S)

Sealants for joints inside buildings that are exposed to humidity.

- Bathrooms
- Toilets
- Showers
- Kitchens

TYPE: S1, S2, S3
Joint sealant for sanitary applications
S1 to S3 differ according to the anti-fungal property of the sealant. The best resistance class is the S1, S3 the worst.

TYPE: X
The suffix "X" refers to a low shrinkage of the sealant. Without the designation "X" the shrinkage is higher.

EXAMPLE: XS1

EN 15651-4 Sealants for pedestrian walkways (PW)

Cold applied, non-structural elastic sealants that are used both indoors and outdoors, for joints in floors.

- Floor joints in pedestrian walkways, public areas and areas subject to foot traffic
- Expansion joints between concrete slabs. Such as in balconies, warehouses etc.

TYPE: PW-INT
Only for indoor use


TYPE: PW-EXT-INT
Indoor and outdoor use

TYPE: PW-EXT-INT-CC
Joint sealant for expansion joints in floors for indoor and outdoor use; and for use in cold climates.

As an additional identification code, with regard to the elasticity and the movement range:

LM (Low Modulus), HM (High Modulus) 20LM, 20HM, 25LM, 25HM

EXAMPLE: PW-EXT-INT-CC-25LM



CE Marking Explained

Product Information

EN 15651-1 TYPE F-INT	Joint sealant for façade elements for interior use
EN 15651-1 TYPE F-EXT-INT	Joint sealant for façade elements for interior and exterior use
EN 15651-1 TYPE F-EXT-INT-CC	Joint sealant for façade elements for interior and exterior use (for use in cold climates)
EN 15651-2 TYPE G	Joint sealant for glazing
EN 15651-2 TYPE G-CC	Joint sealant for glazing applications (for use in cold climates)
EN 15651-3 TYPE S	Joint sealant for Sanitary applications
EN 15651-4 TYPE PW-INT	Joint sealant for pedestrian walkways for interior use
EN 15651-4 TYPE PW-EXT-INT	Joint sealant for pedestrian walkways for interior and exterior use
EN 15651-4 TYPE PW-EXT-INT-CC	Joint sealant for pedestrian walkways for interior and exterior use (for use in cold climates)

Maximum Allowed Distortion

Maximum Allowed Distortion: Designation: Material class:	25%		20%		12.5%		7.5%
	Elastic					Plastic	
	25LM	25HM	20LM	20HM	12.5E	12.5P	7.5P
For sealing façade elements	X	X	X	X	X	X	X
For sealing glazing materials	X	X	X	X			
For sealing of pedestrian walkways	X	X	X	X			

Sealant joint length in linear Metres from a 300ml cartridge.

width (mm)	depth (mm)										
	5	6	7	8	9	10	11	12	13	14	15
5	12.00	10.00	8.57	7.50	6.67	6.00	5.45	5.00	4.62	4.29	4.00
6	10.00	8.33	7.14	6.25	5.56	5.00	4.55	4.17	3.85	3.57	3.33
7	8.57	7.14	6.12	5.36	4.76	4.29	3.90	3.57	3.30	3.06	2.86
8	7.50	6.25	5.36	4.69	4.17	3.75	3.41	3.13	2.88	2.68	2.50
9	6.67	5.56	4.76	4.17	3.70	3.33	3.03	2.78	2.56	2.38	2.22
10	6.00	5.00	4.29	3.75	3.33	3.00	2.73	2.50	2.31	2.14	2.00
11	5.45	4.55	3.90	3.41	3.03	2.73	2.48	2.27	2.10	1.95	1.82
12	5.00	4.17	3.57	3.13	2.78	2.50	2.27	2.08	1.92	1.79	1.67
13	4.62	3.85	3.30	2.88	2.56	2.31	2.10	1.92	1.78	1.65	1.54
14	4.29	3.57	3.06	2.68	2.38	2.14	1.95	1.79	1.65	1.53	1.43
15	4.00	3.33	2.86	2.50	2.22	2.00	1.82	1.67	1.54	1.43	1.33
16	3.75	3.13	2.68	2.34	2.08	1.88	1.70	1.56	1.44	1.34	1.25
17	3.53	2.94	2.52	2.21	1.96	1.76	1.60	1.47	1.36	1.26	1.18
18	3.33	2.78	2.38	2.08	1.85	1.67	1.52	1.39	1.28	1.19	1.11
19	3.16	2.63	2.26	1.97	1.75	1.58	1.44	1.32	1.21	1.13	1.05
20	3.00	2.50	2.14	1.88	1.67	1.50	1.36	1.25	1.15	1.07	1.00
21	2.86	2.38	2.04	1.79	1.59	1.43	1.30	1.19	1.10	1.02	0.95
22	2.73	2.27	1.95	1.70	1.52	1.36	1.24	1.14	1.05	0.97	0.91
23	2.61	2.17	1.86	1.63	1.45	1.30	1.19	1.09	1.00	0.93	0.87
24	2.50	2.08	1.79	1.56	1.39	1.25	1.14	1.04	0.96	0.89	0.83
25	2.40	2.00	1.71	1.50	1.33	1.20	1.09	1.00	0.92	0.86	0.80
26	2.31	1.92	1.65	1.44	1.28	1.15	1.05	0.96	0.89	0.82	0.77
27	2.22	1.85	1.59	1.39	1.23	1.11	1.01	0.93	0.85	0.79	0.74
28	2.14	1.79	1.53	1.34	1.19	1.07	0.97	0.89	0.82	0.77	0.71
29	2.07	1.72	1.48	1.29	1.15	1.03	0.94	0.86	0.80	0.74	0.69
30	2.00	1.67	1.43	1.25	1.11	1.00	0.91	0.83	0.77	0.71	0.67

Application Guide

Application Guide		CLEANING											LUBRICATING					ENGINEERING				
		PVCu Solvent Cleaner	PVCu Cream Cleaner	Industrial Glass Cleaner	Swipec	Cured PU Foam Remover	Silicone Remover	Brake Cleaner	Multi Cleaner	Cleaner & Degreaser	Adhesive Remover	Sealant Remover	Vaseline Spray	Silicone Spray	Multi Spray	PTFE Spray	White Grease	Zinc Spray (Matt)	Alu-Zinc Spray (Shiny)	Contact Spray	Degrip All	Cutting Oil
LUBRICATION	Use up to 200°C																					
	Use up to 250°C																					
	Heavy duty																					
	Rust remover																					
PROTECTION	Metal - Plastics (or synthetic material)																					
	Iron - Steel																					
	Rubber																					
	Against dirt																					
	Against oxidation - rust																					
	Against humidity - water																					
	Against weak acids - alkalis																					
	Against heat																					
CLEANING	For heavy loads																					
	Glass - tiles																					
	Hands & Tools																					
	Paint - coatings																					
	Adhesive																					
	Electric contacts																					
	Plastics - PVC																					
	Carpet - fabric - textile																					
REMOVAL	Metal - Aluminium																					
	Rubber																					
	Grease - Oil																					
	Cured silicone - MS Polymer																					
	Uncured adhesive																					

Application Guide

	Fix ALL® SMX® technology	Silirub® Acetoxy Silicones	Silirub® Neutral Silicones	Silirub® COLOR Service	Silirub® 2S	Silirub® MA	Butyrub	Soudaseal Hybrid Polymers	Soudaflex® Polyurethanes	Transpacyr®/Acryrub® / Decorators Caulk	Gap Filler	Soudafoam® Fillers	SMX® 506	Silirub® WS	Mir-O-Bond	Soudafalt	Aquafix	T-REX / Solvent Based	T-REX / Solvent Free
MASONRY (*)																			
concrete/cellular concrete/brick	■		■	■	■	■	■	■	■	■		■	■	■	■	■	■	■	■
fibre cement	■	■	■	■	■	■	■	■	■	■		■	■	■	■	■	■	■	■
granite/marble/natural stone	■					■		■	■	■		■					■	■	■
plaster	■		■	■	■	■		■	■	■		■		■	■		■	■	■
WOOD (*)																			
solid and untreated wood	■							■	■	■		■	■		■	■	■	■	■
fibre board/veneer	■							■	■	■		■			■		■	■	■
GLASS																			
glass	■	■	■	■	■	■							■	■	■	■	■		
self cleaning glass													■						
layered glass							■						■	■					
reflective glass	■	■	■	■	■	■							■	■	■		■		
ceramics/porcelain	■	■	■	■	■	■	■	■	■				■	■	■	■	■		
METALS																			
untreated and anodised aluminium	■	■	■	■	■	■	■	■	■	■		■	■	■	■	■	■	■	■
iron and galvanised iron	■		■	■	■	■	■	■	■	■		■	■	■	■	■	■	■	■
stainless steel	■	■	■	■	■	■	■	■	■	■		■	■	■	■	■	■	■	■
copper and copper alloys	■						■	■	■	■		■			■	■	■	■	■
lead	■		■	■	■	■	■	■	■	■		■		■	■	■	■	■	■
zinc	■		■	■	■	■	■	■	■	■		■		■	■	■	■	■	■
SYNTHETIC MATERIALS																			
PVC	■		■	■	■	■	■	■		■	■	■	■	■	■	■	■	■	■
acrylic/fibre glass	■	■	■	■	■	■	■	■	■			■		■	■		■		■
polycarbonate	■						■	■	■			■			■				■
polyester	■	■	■	■	■	■	■	■	■	■		■	■	■	■		■	■	■
PMMA	■		■	■	■	■	■	■	■	■		■		■	■		■		■
OTHERS																			
bitumen							■					■				■	■		
polystyrene	■		■	■	■	■		■		■		■		■	■				■
JOINTS																			
cracks	■						■	■		■						■	■		
connection joints	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■			
expansion joints		■	■	■	■	■		■	■	■			■	■	■				
APPLICATIONS																			
internal applications	■	■	■	■	■	■		■	■	■	■	■	■	■	■			■	■
external applications	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
sanitary applications	■	■		■	■	■		■											
damp surface adhesion	■							■		■		■				■	■		■
food contact					■														
roofing repairs	■											■				■	■		
PAINTABILITY																			
water based paints	■							■		■			■						■
solvent based paints									■	■						■			■

■ Suitable. □ Testing advised.

(*) For some applications we recommend an adhesion promoting primer.

Because of the diversity of materials and substrates, and the great number of possible applications which are out of our control, we cannot accept any responsibility for the results obtained. In every case it is recommended to carry out preliminary testing.

Soudal operate a policy of continual development and product improvement and reserve the right to change specifications without notice. E&OE.

® Fix ALL, SMX, SILIRUB, SOUDAFOAM, SOUDASEAL, SOUDAFLEX, ACRYRUB, T-REX, Genius Gun and CLICK & FIX are all registered trade marks of Soudal.



Product Information

PAGE NO.	PRODUCT NAME	SIZE	COLOUR	PACK TYPE	PRODUCT NUMBER	BOX UNITS	PALLET UNITS
SEALING - ACETOXY CURE SEALANTS							
9	SILIRUB® 1	300ml	brilliant white	cartridge	104836	15	1500
9	SILIRUB® 1	300ml	clear	cartridge	104835	15	1500
9	SILIRUB® A	295ml	brilliant white	cartridge	114571	24	1440
9	SILIRUB® A	295ml	white	cartridge	122406	24	1440
9	SILIRUB® A	295ml	clear	cartridge	114570	24	1440
9	SILIRUB® A	295ml	teak	cartridge	114569	24	1440
9	SILIRUB® A	295ml	brown	cartridge	122404	24	1440
9	SILIRUB® A	295ml	black	cartridge	122405	24	1440
9	SILIRUB® A	295ml	grey	cartridge	122403	24	1440
9	SILIRUB® A	295ml	alu grey	cartridge	122407	24	1440
SEALING - NEUTRAL CURE SEALANTS							
10	SILIRUB® 2	300ml	brilliant white	cartridge	114580	24	1440
10	SILIRUB® 2	300ml	clear	cartridge	114579	24	1440
10	SILIRUB® 2	300ml	teak	cartridge	114578	24	1440
10	SILIRUB® 2	300ml	brown	cartridge	121806	24	1440
10	SILIRUB® 2	300ml	black	cartridge	114577	24	1440
10	SILIRUB® 2	300ml	caramel	cartridge	114576	24	1440
10	SILIRUB® 2	300ml	maghogany	cartridge	127153	24	1440
10	SILIRUB® 2	300ml	toffee	cartridge	121452	24	1440
10	SILIRUB® 2	300ml	RAL7016 anthracite grey	cartridge	112979	24	1440
10	SILIRUB® 2	310ml	white	cartridge	102392	15	1500
10	SILIRUB® 2	310ml	grey	cartridge	102422	15	1500
10	SILIRUB® 2	310ml	dark grey	cartridge	106197	15	1500
10	SILIRUB® 2	310ml	alu-grey	cartridge	101270	15	1500
10	SILIRUB® 2	310ml	portland	cartridge	105962	15	1500
10	SILIRUB® 2	310ml	beige	cartridge	103978	15	1500
10	SILIRUB® 2	310ml	stone	cartridge	100335	15	1500
10	SILIRUB® 2	310ml	concrete grey	cartridge	120489	15	1500
10	SILIRUB® 2	310ml	oak	cartridge	101080	15	1500
10	SILIRUB® 2	310ml	light brown	cartridge	102419	15	1500
10	SILIRUB® 2	310ml	dark brown	cartridge	101940	15	1500
10	SILIRUB® 2	310ml	terracotta	cartridge	105960	15	1500
10	SILIRUB® 2	310ml	RAL7012 basalt grey	cartridge	100868	15	1500
10	SILIRUB® 2	310ml	buff	cartridge	105961	15	1500
10	SILIRUB® 2	310ml	bronze	cartridge	102423	15	1500
10	SILIRUB® 2	400ml	brilliant white	foilpack	129140	25	1500
10	SILIRUB® 2	600ml	brilliant white	foilpack	100727	12	792
10	SILIRUB® 2	600ml	white	foilpack	100251	12	792
10	SILIRUB® 2	600ml	clear	foilpack	104073	12	792
10	SILIRUB® 2	600ml	grey	foilpack	100252	12	792
10	SILIRUB® 2	600ml	black	foilpack	100253	12	792
10	SILIRUB® 2	600ml	brown	foilpack	100254	12	792
10	SILIRUB® LMN	300ml	brilliant white	cartridge	114574	24	1440
10	SILIRUB® LMN	300ml	white	cartridge	123207	24	1440
10	SILIRUB® LMN	300ml	clear	cartridge	114573	24	1440
10	SILIRUB® LMN	300ml	teak	cartridge	120348	24	1440
10	SILIRUB® LMN	300ml	brown	cartridge	120346	24	1440
10	SILIRUB® LMN	300ml	black	cartridge	120349	24	1440
10	SILIRUB® LMN	300ml	caramel	cartridge	120480	24	1440
10	SILIRUB® LMN	300ml	bronze	cartridge	120347	24	1440
10	SILIRUB® LMN-THICKENED	300ml	brilliant white - thickened	cartridge	115127	24	1440



PAGE NO.	PRODUCT NAME	SIZE	COLOUR	PACK TYPE	PRODUCT NUMBER	BOX UNITS	PALLET UNITS
10	SILIRUB® LMN	300ml	chartwell green	cartridge	130257	24	1440
10	SILIRUB® LMN	300ml	RAL9001 cream white	cartridge	130256	24	1440
10	SILIRUB® LMN	300ml	RAL7016 anthracite grey	cartridge	130268	24	1440
10	SILIRUB® LMN	300ml	grey	cartridge	122402	24	1440
10	SILIRUB® LMN	400ml	white	foilpack	126526	25	1200
10	SILIRUB® LMN	400ml	clear	foilpack	126525	25	1200
10	SILIRUB® LMN	400ml	teak	foilpack	126527	25	1200
10	SILIRUB® LMN	400ml	caramel	foilpack	126523	25	1200
11	SILIRUB® LM	300ml	brilliant white	cartridge	128335	24	1440
11	SILIRUB® LM	300ml	clear	cartridge	127926	24	1440
11	SILIRUB® LM	300ml	teak	cartridge	128333	24	1440
11	SILIRUB® LM	300ml	caramel	cartridge	128336	24	1440
11	SILIRUB® LM	300ml	black	cartridge	128334	24	1440
11	SILIRUB® LM	300ml	brown	cartridge	128337	24	1440
11	SILIRUB® N	300ml	brilliant white	cartridge	118985	24	1440
11	SILIRUB® N	300ml	white	cartridge	117856	24	1440
11	SILIRUB® N	300ml	clear	cartridge	117857	24	1440
11	SILIRUB® N	300ml	teak	cartridge	117858	24	1440
11	SILIRUB® N	300ml	brown	cartridge	117859	24	1440
11	SILIRUB® N	300ml	caramel	cartridge	122400	24	1440
11	SILIRUB® N	300ml	black	cartridge	122401	24	1440
11	SILIRUB® N	400ml	white	foilpack	123168	25	1500
11	SILIRUB® N	400ml	clear	foilpack	109689	25	1500
SEALING - SANITARY SEALANTS							
13	STAY FRESH	300ml	ice white	cartridge	125788	12	1440
13	STAY FRESH	300ml	clear	cartridge	125925	12	1440
13	STAY FRESH	300ml	ivory	cartridge	125924	12	1440
13	STAY FRESH	300ml	grey	cartridge	130301	12	1440
13	STAY FRESH	300ml	black	cartridge	130302	12	1440
13	SILIRUB® 2S	300ml	brilliant white	cartridge	107544	15	1500
13	SILIRUB® 2S	300ml	RAL9010 pure white	cartridge	101989	15	1500
13	SILIRUB® 2S	300ml	clear	cartridge	101990	15	1500
13	SILIRUB® 2S	300ml	RAL1015 light ivory	cartridge	103734	15	1500
13	SILIRUB® 2S	300ml	grey	cartridge	104846	15	1500
13	SILIRUB® 2S	300ml	RAL7038 light grey	cartridge	102307	15	1500
13	SILIRUB® 2S	300ml	jasmine	cartridge	102772	15	1500
13	SILIRUB® 2S	300ml	RAL9006 aluminium white	cartridge	104205	15	1500
13	SILIRUB® 2S	300ml	RAL9002 grey white	cartridge	105549	15	1500
13	SILIRUB® 2S	300ml	transparent grey	cartridge	105758	15	1500
13	SILIRUB® 2S	300ml	silver grey	cartridge	109034	15	1500
13	SILIRUB® 2S	300ml	concrete grey	cartridge	116521	15	1500
13	SILIRUB® 2S	300ml	bahama beige	cartridge	105753	15	1500
13	SILIRUB® 2S	300ml	RAL9001 cream white	cartridge	105665	15	1500
13	SILIRUB® S	310ml	white	cartridge	101448	15	1500
13	SILIRUB® S	310ml	clear	cartridge	101450	15	1500
13	SILIRUB® S	310ml	grey	cartridge	101533	15	1500
13	SILIRUB® S	310ml	brown	cartridge	102730	15	1500
13	SILIRUB® S	310ml	black	cartridge	101550	15	1500
SEALING - SPECIALIST SEALANTS							
15	SILIRUB® COLOR	310ml	any RAL colour	cartridge	see list	15	1500
15	SILIRUB® COLOR	310ml	RAL1002 sand yellow	cartridge	119643	15	1500
15	SILIRUB® COLOR	310ml	RAL1013 oyster white	cartridge	105822	15	1500



Product Information

PAGE NO.	PRODUCT NAME	SIZE	COLOUR	PACK TYPE	PRODUCT NUMBER	BOX UNITS	PALLET UNITS
15	SILIRUB® COLOR	310ml	RAL1015 light ivory	cartridge	105827	15	1500
15	SILIRUB® COLOR	310ml	RAL3004 purple red	cartridge	115681	15	1500
15	SILIRUB® COLOR	310ml	RAL3005 wine red	cartridge	105828	15	1500
15	SILIRUB® COLOR	310ml	RAL3007 black red	cartridge	115304	15	1500
15	SILIRUB® COLOR	310ml	RAL3020 traffic red	cartridge	114294	15	1500
15	SILIRUB® COLOR	310ml	RAL5010 gentian blue	cartridge	114299	15	1500
15	SILIRUB® COLOR	310ml	RAL5011 steel blue	cartridge	105829	15	1500
15	SILIRUB® COLOR	310ml	RAL6005 moss green	cartridge	114104	15	1500
15	SILIRUB® COLOR	310ml	RAL6009 fir green	cartridge	105830	15	1500
15	SILIRUB® COLOR	310ml	RAL6022 olive drab	cartridge	114298	15	1500
15	SILIRUB® COLOR	310ml	RAL7006 beige grey	cartridge	115028	15	1500
15	SILIRUB® COLOR	310ml	RAL7011 iron grey	cartridge	114481	15	1500
15	SILIRUB® COLOR	310ml	RAL7012 basalt grey	cartridge	115682	15	1500
15	SILIRUB® COLOR	310ml	RAL7015 slate grey	cartridge	116060	15	1500
15	SILIRUB® COLOR	310ml	RAL7016 anthracite grey	cartridge	105831	15	1500
15	SILIRUB® COLOR	310ml	RAL7021 grey black	cartridge	115271	15	1500
15	SILIRUB® COLOR	310ml	RAL7022 umbra grey	cartridge	114267	15	1500
15	SILIRUB® COLOR	310ml	RAL7030 stone grey	cartridge	113159	15	1500
15	SILIRUB® COLOR	310ml	RAL7032 pebble grey	cartridge	110727	15	1500
15	SILIRUB® COLOR	310ml	RAL7035 light grey	cartridge	118489	15	1500
15	SILIRUB® COLOR	310ml	RAL7039 quartz grey	cartridge	113228	15	1500
15	SILIRUB® COLOR	310ml	RAL8003 clay brown	cartridge	116305	15	1500
15	SILIRUB® COLOR	310ml	RAL8007 fawn brown	cartridge	121808	15	1500
15	SILIRUB® COLOR	310ml	RAL8014 sepia brown	cartridge	114296	15	1500
15	SILIRUB® COLOR	310ml	RAL8017 chocolate brown	cartridge	114750	15	1500
15	SILIRUB® COLOR	310ml	RAL9001 cream white	cartridge	105870	15	1500
15	SILIRUB® COLOR	310ml	RAL9006 aluminium white	cartridge	106735	15	1500
15	SILIRUB® COLOR	310ml	RAL9007 grey aluminium	cartridge	111713	15	1500
15	SILIRUB® COLOR	310ml	RAL9010 pure white	cartridge	118401	15	1500
15	SILIRUB® MA	310ml	white	cartridge	105100	15	1500
15	SILIRUB® MA	310ml	clear	cartridge	106120	15	1500
15	SILIRUB® MA	310ml	black	cartridge	106252	15	1500
15	SILIRUB® MA	310ml	travertine	cartridge	104547	15	1500
15	SILIRUB® MA	310ml	marble grey	cartridge	104528	15	1500
15	SILIRUB® MA	310ml	natural stone beige	cartridge	107725	15	1500
15	SILIRUB® MA	310ml	RAL7016 anthracite grey	cartridge	114060	15	1500
15	SILIRUB® MA	310ml	stone grey	cartridge	117637	15	1500
15	SILIRUB® MA	310ml	jasmine	cartridge	123597	15	1500
16	SOUDASEAL® CLEAN ROOM	290ml	white	cartridge	112302	12	1560
16	SILIRUB® CLEANROOM	310ml	white	cartridge	112346	15	1500
16	SOUDADUCT - DUCTING SEALANT	300ml	grey	cartridge	114411	24	1440
16	SOUDADUCT - DUCTING SEALANT	600ml	grey	foilpack	118836	12	792
16	BUTYRUB - NON-SETTING MASTIC	310ml	white	cartridge	102572	15	1500
16	BUTYRUB - NON-SETTING MASTIC	310ml	black	cartridge	101478	15	1500
16	BUTYRUB - NON-SETTING MASTIC	310ml	grey	cartridge	102570	15	1500
16	BUTYRUB - NON-SETTING MASTIC	600ml	grey	foilpack	102573	12	792
17	SILIRUB® P2	310ml	transparent	cartridge	118973	15	1500
17	SILIRUB® P2	310ml	black	cartridge	116362	15	1500
17	SILIRUB® P2	310ml	light brown	cartridge	119327	15	1500
17	SILIRUB® P2	310ml	RAL7004 signal grey	cartridge	116361	15	1500
17	SILIRUB® P2	310ml	RAL7023 concrete grey	cartridge	120317	15	1500
17	SILIRUB® P2	310ml	RAL8016 mahogany brown	cartridge	116384	15	1500

PAGE NO.	PRODUCT NAME	SIZE	COLOUR	PACK TYPE	PRODUCT NUMBER	BOX UNITS	PALLET UNITS
17	SILIRUB® P2	310ml	RAL9001 cream white	cartridge	116360	15	1500
17	SILIRUB® P2	310ml	RAL9010 pure white	cartridge	115962	15	1500
17	SOUDAFLEX® JGS*	600ml	concrete grey	foilpack	121059	12	792
17	AQUASWELL*	310ml	champagne	cartridge	124715	12	1440
17	AQUASWELL*	600ml	champagne	foilpack	124909	12	792
SEALING - SILIRUB® PLUS CONSTRUCTION SEALANTS							
18	SILIRUB® PLUS S1000	310ml	brilliant white	cartridge	127393	15	1500
18	SILIRUB® PLUS S1000	310ml	clear	cartridge	127394	15	1500
18	SILIRUB® PLUS S1000	310ml	ivory	cartridge	127395	15	1500
18	SILIRUB® PLUS S2000	380ml	white	cartridge	127214	24	1152
18	SILIRUB® PLUS S2000	380ml	clear	cartridge	127217	24	1152
18	SILIRUB® PLUS S2000	380ml	caramel	cartridge	127218	24	1152
18	SILIRUB® PLUS S2000	380ml	RAL9001 cream	cartridge	127219	24	1152
18	SILIRUB® PLUS S2000	380ml	portland stone	cartridge	127220	24	1152
18	SILIRUB® PLUS S2000	380ml	teak	cartridge	127221	24	1152
18	SILIRUB® PLUS S2000	380ml	brown	cartridge	127222	24	1152
18	SILIRUB® PLUS S2000	380ml	black	cartridge	127223	24	1152
18	SILIRUB® PLUS S2000	380ml	brick red	cartridge	127224	24	1152
18	SILIRUB® PLUS S2000	380ml	buff	cartridge	127225	24	1152
18	SILIRUB® PLUS S2000	380ml	grey	cartridge	127226	24	1152
18	SILIRUB® PLUS S2000	380ml	RAL7016 anthracite	cartridge	127227	24	1152
19	SILIRUB® PLUS S8800	310ml	anthracite	cartridge	120987	15	1500
19	SILIRUB® PLUS S8800	310ml	bright beige	cartridge	120988	15	1500
19	SILIRUB® PLUS S8800	310ml	manhattan grey	cartridge	120989	15	1500
19	SILIRUB® PLUS S8800	310ml	marble grey	cartridge	120990	15	1500
19	SILIRUB® PLUS S8800	310ml	middle grey	cartridge	120991	15	1500
19	SILIRUB® PLUS S8800	310ml	dust grey	cartridge	120992	15	1500
19	SILIRUB® PLUS S8800	310ml	clear	cartridge	120993	15	1500
19	SILIRUB® PLUS S8800	310ml	joint grey	cartridge	120994	15	1500
19	SILIRUB® PLUS S8800	310ml	brilliant white	cartridge	120995	15	1500
19	SILIRUB® PLUS S8800	310ml	black	cartridge	120996	15	1500
19	SILIRUB® PLUS S8800	310ml	jasmine	cartridge	123475	15	1500
19	SILIRUB® PLUS S8800	310ml	bahama beige	cartridge	123474	15	1500
19	SILIRUB® PLUS S8800	310ml	transparent grey	cartridge	123473	15	1500
SEALING - TAPES & BACKER RODS							
20	SOUDABAND PRO BG1	10/1-2 x 20m	anthracite	tape	110265	30	36000
20	SOUDABAND PRO BG1	15/1-4 x 13m	anthracite	tape	110267	20	15600
20	SOUDABAND PRO BG1	20/1-4 x 13m	anthracite	tape	121843	15	11700
20	SOUDABAND PRO BG1	12/2-6 x 12m	anthracite	tape	121842	25	18000
20	SOUDABAND PRO BG1	15/2-6 x 12m	anthracite	tape	110268	20	14400
20	SOUDABAND PRO BG1	20/2-6 x 12m	anthracite	tape	121841	15	10800
20	SOUDABAND PRO BG1	15/4-9 x 8m	anthracite	tape	121840	20	9600
20	SOUDABAND PRO BG1	20/4-9 x 8m	anthracite	tape	122338	15	7200
20	SOUDABAND PRO BG1	30/4-9 x 8m	anthracite	tape	123455	10	4800
20	SOUDABAND PRO BG1	15/5-12 x 5.6m	anthracite	tape	122844	20	6720
20	SOUDABAND PRO BG1	15/6-15 x 4.3m	anthracite	tape	122339	20	1152
20	SOUDABAND PRO BG1	20/6-15 x 4.3m	anthracite	tape	121839	15	3870
20	SOUDABAND PRO BG1	20/9-20 x 3.3m	anthracite	tape	122845	15	2970
20	BACKER RODS - PU	15mm	grey	rod	110283	250m	999
20	BACKER RODS - PU	20mm	grey	rod	110284	200m	2000
20	BACKER RODS - PU	25mm	grey	rod	110285	100m	999
20	BACKER RODS - PU	30mm	grey	rod	110286	100m	999



Product Information

PAGE NO.	PRODUCT NAME	SIZE	COLOUR	PACK TYPE	PRODUCT NUMBER	BOX UNITS	PALLET UNITS
20	BACKER RODS - PU	40mm	grey	rod	110287	50m	999
20	BACKER RODS - PU	50mm	grey	rod	110288	50m	999
20	WINBAG SET (4 PACK)	pack of 4	black	pack of 4	124490	4	360
20	CARTRIDGE CUTTER	n/a	red	cutter	300373	1	23100
SEALING - SEALANT ANCILLARIES & TOOLS							
21	CARTRIDGE GUN	310ml	orange	gun	106966	24	1152
21	CARTRIDGE GUN - HEAVY DUTY	310ml	black	gun	106617	12	432
21	CARTRIDGE GUN	400ml	red	gun	112107	24	864
21	CARTRIDGE GUN - COX BRAND	400ml	orange	gun	106848	25	1000
21	CARTRIDGE GUN - HEAVY DUTY	400ml	red	gun	117036	12	336
21	MANUAL FOIL PACK GUN - COX BRAND	400ml	aluminium	gun	106557	1	400
21	MANUAL FOIL PACK GUN	400ml	aluminium	gun	114926	1	240
21	MANUAL FOIL PACK GUN	600ml	aluminium	gun	112802	10	160
21	SILICONE REMOVER	100ml	clear	bottle	102853	12	2724
21	TWISTY NOZZLES	n/a	n/a	nozzle	117773	12	1800
SEALING & BONDING - Fix ALL®							
24	Fix ALL® FLEXI	290ml	white	cartridge	106036	12	1440
24	Fix ALL® FLEXI	290ml	black	cartridge	106039	12	1440
24	Fix ALL® FLEXI	290ml	grey	cartridge	106037	12	1440
24	Fix ALL® FLEXI	290ml	brown	cartridge	106038	12	1440
24	Fix ALL® FLEXI	80ml	white	tube	110833	10	1600
24	Fix ALL® CRYSTAL	290ml	crystal clear	cartridge	118779	12	1440
24	Fix ALL® CRYSTAL	80ml	crystal clear	tube	117774	10	1600
25	Fix ALL® HIGH TACK	290ml	white	cartridge	101444	12	1440
25	Fix ALL® HIGH TACK	290ml	black	cartridge	101459	12	1440
25	Fix ALL® HIGH TACK	290ml	grey	cartridge	101454	12	1440
25	Fix ALL® HIGH TACK	290ml	brown	cartridge	119270	12	1440
25	Fix ALL® HIGH TACK	80ml	white	tube	120460	10	1600
25	Fix ALL® HIGH TACK INVISIBLE	290ml	invisible	cartridge	131209	12	1440
26	Fix ALL® X-TREME POWER	290ml	white	cartridge	127479	12	1440
26	Fix ALL® TURBO	290ml	white	cartridge	122236	12	1440
SEALING & BONDING - HYBRID POLYMERS							
28	SOUDASEAL® 215LM	290ml	white	cartridge	105022	12	1440
28	SOUDASEAL® 215LM	290ml	concrete grey	cartridge	105023	12	1440
28	SOUDASEAL® 215LM	290ml	brown	cartridge	107302	12	1440
28	SOUDASEAL® 215LM	600ml	white	foilpack	102291	12	792
28	SOUDASEAL® 215LM	600ml	grey	foilpack	106334	12	792
28	SOUDASEAL® 215LM	600ml	black	foilpack	103911	12	792
28	SOUDASEAL® 215LM	600ml	concrete grey	foilpack	101010	12	792
28	SOUDASEAL® 215LM	600ml	brown	foilpack	106333	12	792
28	SOUDASEAL® 215LM	600ml	dark brown	foilpack	124409	12	792
28	SOUDASEAL® 215LM	600ml	basalt grey	foilpack	103780	12	792
28	SOUDASEAL® 215LM	600ml	medium grey	foilpack	106771	12	792
28	SOUDASEAL® 215LM	600ml	natural stone beige	foilpack	103011	12	792
28	SOUDASEAL® 215LM	600ml	brick red	foilpack	117487	12	792
28	SOUDASEAL® 215LM	600ml	dark beige	foilpack	105089	12	792
28	SOUDASEAL® 215LM	600ml	RAL9016 traffic white	foilpack	119157	12	792
28	SOUDASEAL® 215LM	600ml	RAL7039 quartz grey	foilpack	123904	12	792
28	SOUDASEAL® 225LM	600ml	white	foilpack	122374	12	792
28	SOUDASEAL® 225LM	600ml	grey	foilpack	122373	12	792
28	SOUDASEAL® 225LM	600ml	black	foilpack	122372	12	792
28	SOUDASEAL® 225LM	600ml	concrete grey	foilpack	118787	12	792



PAGE NO.	PRODUCT NAME	SIZE	COLOUR	PACK TYPE	PRODUCT NUMBER	BOX UNITS	PALLET UNITS
28	SOUDASEAL® 225LM	600ml	cement grey	foilpack	118769	12	792
28	SOUDASEAL® 225LM	600ml	basalt grey	foilpack	118771	12	792
28	SOUDASEAL® 225LM	600ml	medium grey	foilpack	122567	12	792
28	SOUDASEAL® 225LM	600ml	dark beige	foilpack	118770	12	792
28	SOUDASEAL® 225LM	600ml	old white	foilpack	121980	12	792
28	SOUDASEAL® 225LM	600ml	RAL9010 pure white	foilpack	123489	12	792
28	SOUDASEAL® 225LM	600ml	RAL9016 traffic white	foilpack	122839	12	792
28	SOUDASEAL® 225LM	600ml	grey beige	foilpack	122838	12	792
28	SOUDASEAL® 235SF	290ml	white	cartridge	101637	12	1560
28	SOUDASEAL® 235SF	290ml	black	cartridge	101811	12	1440
28	SOUDASEAL® 235SF	600ml	black	foilpack	110012	12	792
28	SOUDASEAL® 240FC	290ml	white	cartridge	101364	12	1560
28	SOUDASEAL® 240FC	290ml	grey	cartridge	105027	12	1440
28	SOUDASEAL® 240FC	290ml	brown	cartridge	105028	12	1440
28	SOUDASEAL® 240FC	290ml	black	cartridge	104925	12	1440
28	SOUDASEAL® 240FC	600ml	white	foilpack	101809	12	792
28	SOUDASEAL® 240FC	600ml	concrete grey	foilpack	106912	12	792
28	SOUDASEAL® 240FC	600ml	black	foilpack	108148	12	792
29	SOUDASEAL® 240LV	600ml	white	foilpack	109989	12	792
29	SOUDASEAL® MS CLEAR	290ml	crystal clear	cartridge	111586	12	1440
29	SOUDASEAL® 250XF	290ml	white	cartridge	113890	12	1440
29	SOUDASEAL® 250XF	290ml	grey	cartridge	113891	12	1440
29	SOUDASEAL® 250XF	290ml	black	cartridge	114120	12	1440
29	SOUDASEAL® 250XF	600ml	white	foilpack	119122	12	792
29	SOUDASEAL® 270HS	290ml	white	cartridge	110207	12	1560
29	SOUDASEAL® 270HS	290ml	black	cartridge	111029	12	1560
29	SOUDASEAL® 270HS	600ml	white	foilpack	113761	12	792
29	SOUDASEAL® 270HS	600ml	black	foilpack	110645	12	792
30	SOUDASEAL® HIGH TACK	290ml	white	cartridge	101639	12	1560
30	SOUDASEAL® HIGH TACK	290ml	black	cartridge	101810	12	1560
30	SOUDASEAL® SUPERTACK	290ml	white	cartridge	118456	12	1440
30	SOUDASEAL® SUPERTACK	290ml	black	cartridge	119764	12	1440
30	SOUDASEAL® SL	600ml	RAL9010 pure white	foilpack	117121	12	792
30	SOUDASEAL® 2K	250ml	grey	cartridge	119245	6	810
30	SOUDASEAL® 2K STATIC MIXER	n/a	n/a	nozzle	119561	10	n/a
SEALING & BONDING - POLYURETHANE POLYMERS							
31	SOUDAFLEX® 20LM*	600ml	white	foilpack	127290	12	684
31	SOUDAFLEX® 20LM*	600ml	basalt grey	foilpack	127186	12	684
31	SOUDAFLEX® 20LM*	600ml	dark beige	foilpack	127187	12	684
31	SOUDAFLEX® 20LM*	600ml	medium grey	foilpack	127188	12	684
31	SOUDAFLEX® 40FC*	310ml	white	cartridge	102642	12	1440
31	SOUDAFLEX® 40FC*	310ml	grey	cartridge	102640	12	1440
31	SOUDAFLEX® 40FC*	310ml	black	cartridge	102643	12	1440
31	SOUDAFLEX® 40FC*	310ml	teak	cartridge	102641	12	1440
31	SOUDAFLEX® 40FC*	600ml	white	foilpack	102486	12	792
31	SOUDAFLEX® 40FC*	600ml	black	foilpack	104103	12	792
31	SOUDAFLEX® 40FC*	600ml	grey	foilpack	102485	12	792
31	SOUDAFLEX® 40FC*	600ml	concrete grey	foilpack	107561	12	792
SEALING & BONDING - SURFACE PREPARATION & PRIMERS							
32	PRIMER 100	500ml	clear	flask	123012	6	360
32	PRIMER 150	500ml	clear	flask	123011	6	360
32	SURFACE ACTIVATOR	500ml	clear	flask	101638	6	432



Product Information

PAGE NO.	PRODUCT NAME	SIZE	COLOUR	PACK TYPE	PRODUCT NUMBER	BOX UNITS	PALLET UNITS
32	ALU PREP	250ml	clear	flask	122255	6	864
BONDING - T-REX®							
35	T-REX® - SOLVENT BASED	310ml	beige	cartridge	125935	12	1440
35	T-REX® - SOLVENT FREE	310ml	white	cartridge	126781	12	1440
BONDING - CONSTRUCTION ADHESIVES							
36	CONTACT ADHESIVE 370 SP SPRAYABLE	22L	transparent	canister	128508	1	24
36	CONTACT ADHESIVE 370 SP SPRAYABLE	22L	pink	canister	125780	1	24
36	ERGOGRIIP GUN	n/a	n/a	gun	125077	1	999
36	ERGOGRIIP GUN FLEXIBLE HOSE	n/a	n/a	hose	125075	1	999
36	ERGOGRIIP GUN SPRAY NOZZLE - 15°	n/a	n/a	nozzle	125083	1	999
36	ERGOGRIIP GUN SPRAY NOZZLE - 40°	n/a	n/a	nozzle	125086	1	999
36	ERGOGRIIP GUN SPRAY NOZZLE - 60°	n/a	n/a	nozzle	125076	1	999
37	ADHESIVE ROLLER - 75mm	n/a	n/a	roller	125077	1	999
37	ADHESIVE ROLLER - 120mm	n/a	n/a	roller	125083	1	999
37	DISSOLVER SP	500ml	transparent	canister	128510	12	624
37	CLEANING ADAPTOR	n/a	n/a	pack of 3	123457	1	1584
37	CONTACT ADHESIVE 270 SP SPRAYABLE	500ml	transparent	canister	128676	12	624
38	CONTACT ADHESIVE 170 TX	750ml	yellow	tin	125778	6	576
38	CONTACT ADHESIVE 170 TX	5L	yellow	tin	125779	4	144
38	CONTACT ADHESIVE 140 LQ LIQUID	750ml	yellow	tin	125777	6	576
38	CONTACT ADHESIVE 140 LQ LIQUID	5L	yellow	tin	125776	4	144
38	Fix ALL® FLOOR & WALL	4 kg	white	bucket	120137	1	80
38	Fix ALL® FILLS & BONDS HANDHELD	750ml	orange	canister	119228	12	648
38	Fix ALL® FILLS & BONDS GUN GRADE*	750ml	orange	canister	119241	12	624
39	SUPERGLUE MV	20g	clear	bottle	114747	25	1000
39	SUPERGLUE MV	50g	clear	bottle	124041	25	1000
39	SUPERGLUE HV	20g	clear	bottle	124042	25	1000
39	SUPERGLUE HV	50g	clear	bottle	115107	25	1000
39	SUPERGLUE HV	100g	clear	bottle	130475	10	1200
39	MITRE KIT	50g+200ml	clear	multi-pack	115103	12	1440
39	MITRE KIT	100g+400ml	clear	multi-pack	130623	6	600
39	SUPERGLUE ACTIVATOR	200ml	clear	canister	114746	12	1260
39	SUPERGLUE ACTIVATOR	400ml	clear	canister	128709	12	624
BONDING - TIMBER ADHESIVES							
40	PRO 45P*	750gr	brown	bottle	108765	6	720
40	PRO 45P*	5 kg	brown	jerrycan	108902	4	144
40	PRO 40P*	750gr	brown	bottle	108766	6	720
40	PRO 40P*	5 kg	brown	jerrycan	108901	4	144
40	PUROCOL EXPRESS*	310ml	transparent	cartridge	112524	12	1560
40	PUROCOL*	310ml	transparent	cartridge	107300	15	1500
41	PU CONSTRUCT	310ml	beige	cartridge	112523	15	1500
41	PRO 30D	750gr	white	bottle	108769	6	630
41	PRO 30D	5 kg	white	bucket	108900	5	120
41	PRO 30D	20 L	white	jerrycan	103069	1	24
41	PRO 20D	750gr	white	bottle	108767	6	630
41	PRO 20D	5 kg	white	bucket	108899	5	120
41	PRO 20D	20 L	white	jerrycan	103057	1	24
41	PRO 10D	750gr	white	bottle	108768	6	630
41	PRO 10D	5 kg	white	bucket	108898	5	120
41	PRO 10D	20 L	white	jerrycan	103051	1	24



PAGE NO.	PRODUCT NAME	SIZE	COLOUR	PACK TYPE	PRODUCT NUMBER	BOX UNITS	PALLET UNITS
FILLING - POLYURETHANE FOAM - WINDOWS & DOORS							
44	SOUDAFOAM® WINDOW & DOOR XTRA GUN GRADE*	750ml	champagne	canister	130578	12	624
44	SOUDAFOAM® WINDOW & DOOR GUN GRADE*	750ml	champagne	canister	130582	12	624
44	SOUDAFOAM® WINDOW & DOOR GUN GRADE* COMBI-BOX APPLICATOR PACK	PACK	champagne	multi-pack	130689	1	52
44	SOUDAFOAM® WINDOW & DOOR CLICK & FIX®	750ml	champagne	canister	130579	12	624
44	SOUDAFOAM® WINDOW & DOOR HAND HELD	750ml	champagne	canister	130581	12	624
44	SOUDAFOAM® WINDOW & DOOR GENIUS GUN® MAX	600ml	champagne	canister	130580	12	624
FILLING - POLYURETHANE FOAM - GAP FILLING							
45	SOUDAFOAM® GAP FILLER XTRA GUN GRADE*	750ml	champagne	canister	130587	12	624
45	SOUDAFOAM® GAP FILLER XTRA HAND HELD MEGA-ADAPTOR	750ml	champagne	canister	130588	12	624
45	SOUDAFOAM® GAP FILLER XTRA GENIUS GUN®	750ml	champagne	canister	130586	12	624
45	SOUDAFOAM® GAP FILLER GUN GRADE*	750ml	champagne	canister	130585	12	624
45	SOUDAFOAM® GAP FILLER GUN GRADE* COMBI-BOX APPLICATOR PACK	PACK	champagne	multi-pack	130690	1	52
45	SOUDAFOAM® GAP FILLER CLICK & FIX®	750ml	champagne	canister	130589	12	624
45	SOUDAFOAM® GAP FILLER HAND HELD	750ml	champagne	canister	130584	12	624
45	SOUDAFOAM® GAP FILLER HAND HELD	500ml	champagne	canister	130583	12	624
45	SOUDAFOAM® GAP FILLER GENIUS GUN®	600ml	champagne	canister	130590	12	624
FILLING - POLYURETHANE FOAM - SPECIALIST							
46	SOUDAFOAM® ONE SHOT HAND HELD	150ml	champagne	canister	130575	12	1296
46	SOUDAFOAM® SMX® HAND HELD	500ml	white	canister	130592	6	624
46	SOUDAFOAM® EXPRESS	400ml	green	canister	130593	12	624
46	SOUDAFOAM® B2 HAND HELD	750ml	champagne	canister	114413	12	624
46	SOUDAFOAM® B2 GUN GRADE*	750ml	champagne	canister	114414	12	624
FILLING - POLYURETHANE FOAM - CLEANERS, TOOLS & ANCILLARIES							
47	GUN & FOAM CLEANER - GUN GRADE	500ml	clear	canister	130576	12	624
47	GUN & FOAM CLEANER - CLICK & FIX	500ml	clear	canister	102080	12	624
47	COMPACT PU FOAM GUN - STANDARD	n/a	n/a	gun	109953	1	240
47	COMPACT PU FOAM GUN - CLICK & FIX	n/a	n/a	gun	110226	1	440
47	DESIGN PU FOAM GUN - STANDARD	n/a	n/a	gun	103266	1	240
47	DESIGN PU FOAM GUN - LONG	n/a	n/a	gun	122129	1	320
47	DESIGN PU FOAM GUN - EXTRA LONG	n/a	n/a	gun	119559	1	200
47	DESIGN PU FOAM GUN - CLICK & FIX	n/a	n/a	gun	106016	1	400
47	CURED PU FOAM REMOVER	100ml	clear	bottle	115778	6	1296
47	PU FOAM NOZZLES	n/a	n/a	nozzle	102998	5	864
DECORATING SEALANTS & FILLERS - FLEXIBLE FILLERS48							
48	ACRYRUB®	310ml	white	cartridge	102600	15	1500
48	ACRYRUB®	310ml	grey	cartridge	102598	15	1500
48	ACRYRUB®	310ml	teak	cartridge	102599	15	1500
48	ACRYRUB®	310ml	black	cartridge	102601	15	1500
48	ACRYRUB®	600ml	white	foilpack	102603	12	792
48	ACRYRUB®	600ml	grey	foilpack	102602	12	792
48	ACRYRUB® UK	300ml	extra white	cartridge	111098	24	1440
48	ACRYRUB® UK	380ml	extra white	cartridge	106176	12	1152
48	ACRYRUB® UK	400ml	extra white	foilpack	127349	25	1200
48	DEC CAULK	300ml	white	cartridge	115320	24	1440



Product Information

PAGE NO.	PRODUCT NAME	SIZE	COLOUR	PACK TYPE	PRODUCT NUMBER	BOX UNITS	PALLET UNITS
48	TRANSPACRYL	310ml	clear	cartridge	102901	15	1500
DECORATING SEALANTS & FILLERS - SPECIALIST FILLERS							
49	CEMENT REPAIR EXPRESS	300ml	grey	cartridge	127455	12	1440
49	REPA-CRYL D	310ml	white	cartridge	106184	15	1500
49	SOUDAFILL LIGHT	310ml	white	cartridge	119307	15	1500
49	SOUDAFILL LIGHT	900ml	white	tub	119492	6	480
49	PVCu GAP FILLER	300ml	white	cartridge	111324	24	1500
AIRTIGHT CONSTRUCTION - WINDOW CONNECTIONS - SOUDAL WINDOW SYSTEM®							
50	SILIRUB PRO N - SWS	310ml	clear	cartridge	117152	15	1500
50	SILIRUB PRO N - SWS	310ml	oak	cartridge	121077	15	1500
50	SILIRUB PRO N - SWS	310ml	light brown	cartridge	121078	15	1500
50	SILIRUB PRO N - SWS	310ml	white	cartridge	117151	15	1500
50	SILIRUB PRO N - SWS	310ml	light concrete grey	cartridge	121075	15	1500
50	SILIRUB PRO N - SWS	310ml	chocolate brown	cartridge	118970	15	1500
50	SILIRUB PRO N - SWS	310ml	grey	cartridge	117150	15	1500
50	SILIRUB PRO N - SWS	310ml	manhattan grey	cartridge	121076	15	1500
50	SILIRUB PRO N - SWS	310ml	black	cartridge	118969	15	1500
50	SILIRUB PRO N - SWS	310ml	brown	cartridge	123754	15	1500
50	SILIRUB PRO N - SWS	310ml	anthracite	cartridge	123813	15	1500
50	SILIRUB PRO N - SWS	310ml	dust grey	cartridge	123814	15	1500
50	SILIRUB PRO N - SWS	400ml	black	foilpack	123811	25	1500
50	SILIRUB PRO N - SWS	400ml	white	foilpack	121074	25	1500
50	SILIRUB PRO N - SWS	400ml	clear	foilpack	121073	25	1500
50	SILIRUB PRO N - SWS	600ml	cloudy transparent	foilpack	123812	12	792
50	SILIRUB PRO N - SWS	600ml	chocolate brown	foilpack	121071	12	792
50	SILIRUB PRO N - SWS	600ml	grey	foilpack	121072	12	792
50	SILIRUB PRO N - SWS	600ml	manhattan grey	foilpack	121063	12	792
50	SILIRUB PRO N - SWS	600ml	black	foilpack	121066	12	792
50	SILIRUB PRO N - SWS	600ml	clear	foilpack	121064	12	792
50	SILIRUB PRO N - SWS	600ml	white	foilpack	121065	12	792
50	SILIRUB PRO N - SWS	600ml	middle grey	foilpack	121067	12	792
50	SILIRUB PRO N - SWS	600ml	light concrete grey	foilpack	121062	12	792
50	SILIRUB PRO N - SWS	600ml	brown	foilpack	123755	12	792
50	SILIRUB PRO N - SWS	600ml	oak	foilpack	123815	12	792
50	SILIRUB PRO N - SWS	600ml	light grey	foilpack	121070	12	792
50	SILIRUB PRO N - SWS	600ml	earth brown	foilpack	123701	12	792
51	SOUDAFoam® WINDOW & DOOR SWS GUN GRADE*	750ml	blue	canister	130577	12	624
51	ACRYRUB® SWS	310ml	white	cartridge	124483	15	1500
52	SOUDABAND ACTIV PLUS - BG1 + BGR	54/5-10 x 5.6m	red/grey	tape	123045	5	60
52	SOUDABAND ACTIV PLUS - BG1 + BGR	64/5-10 x 5.6m	red/grey	tape	123044	4	60
52	SOUDABAND ACTIV PLUS - BG1 + BGR	74/5-10 x 5.6m	red/grey	tape	123036	4	60
52	SOUDABAND ACTIV PLUS - BG1 + BGR	84/5-10 x 5.6m	red/grey	tape	123043	3	60
52	SOUDABAND ACTIV PLUS - BG1 + BGR	54/7-15 x 4.3m	red/grey	tape	123042	5	60
52	SOUDABAND ACTIV PLUS - BG1 + BGR	64/7-15 x 4.3m	red/grey	tape	123041	4	60
52	SOUDABAND ACTIV PLUS - BG1 + BGR	74/7-15 x 4.3m	red/grey	tape	123040	4	60
52	SOUDABAND ACTIV PLUS - BG1 + BGR	84/7-15 X 4.3m	red/grey	tape	123035	3	60
52	SOUDABAND ACTIV PLUS - BG1 + BGR	54/10-20 x 3.3m	red/grey	tape	123039	5	60
52	SOUDABAND ACTIV PLUS - BG1 + BGR	64/10-20 x 3.3m	red/grey	tape	123034	4	60
52	SOUDABAND ACTIV PLUS - BG1 + BGR	74/10-20 x 3.3m	red/grey	tape	123038	4	60
52	SOUDABAND ACTIV PLUS - BG1 + BGR	84/10-20 x 3.3m	red/grey	tape	123037	3	60
53	SWS INSIDE TAPE	70mm x 25m	pink	roll	123884	1	480

PAGE NO.	PRODUCT NAME	SIZE	COLOUR	PACK TYPE	PRODUCT NUMBER	BOX UNITS	PALLET UNITS
53	SWS INSIDE TAPE	100mm x 25m	pink	roll	123883	1	360
53	SWS INSIDE TAPE	150mm x 25m	pink	roll	123885	1	240
53	SWS INSIDE TAPE	200mm x 25m	pink	roll	123886	1	168
53	SWS INSIDE TAPE	400mm x 20m	pink	roll	124453	1	96
53	SWS OUTSIDE TAPE	70mm x 25m	white	roll	123887	1	480
53	SWS OUTSIDE TAPE	100mm x 25m	white	roll	123888	1	360
53	SWS OUTSIDE TAPE	150mm x 25m	white	roll	123889	1	240
53	SOUDAFoil 330D	310ml	white	cartridge	122660	15	1500
53	SOUDAFoil 330D	600ml	white	foilpack	120158	12	792
53	SOUDAFoil 360H	600ml	grey	foilpack	120157	12	792
AIRTIGHT CONSTRUCTION - FAÇADE CLADDING							
54	EPDM MEMBRANE FIX	150mm x 20m	black	roll	130283	4	72
54	EPDM MEMBRANE FIX	200mm x 20m	black	roll	130284	4	72
54	EPDM MEMBRANE FIX	250mm x 20m	black	roll	130285	2	36
54	EPDM MEMBRANE FIX	300mm x 20m	black	roll	130286	2	36
54	EPDM MEMBRANE	200mm x 20m	black	roll	130287	4	72
54	EPDM MEMBRANE	250mm x 20m	black	roll	130288	4	72
54	EPDM MEMBRANE	300mm x 20m	black	roll	130289	2	36
54	EPDM MEMBRANE	400mm x 20m	black	roll	130290	2	36
54	SOUDASEAL® EPDM	600ml	black	foilpack	130549	12	792
54	SILIRUB® EPDM	310ml	black	cartridge	112501	15	1500
54	SILIRUB® EPDM	600ml	black	foilpack	112130	12	792
AIRTIGHT CONSTRUCTION - ROOFING							
55	VAPOURSEAL	310ml	blue	cartridge	122391	15	1500
55	VAPOURSEAL	600ml	blue	foilpack	123020	12	792
55	SOUDATAPE CONNECT	60mm x 40m	yellow	tape	125013	5	600
55	SOUDATAPE FLEX	60mm x 25m	white	tape	125014	10	800
55	SOUDATAPE FLEX	150mm x 25m	white	tape	128401	10	320
55	SOUDATAPE FAÇADE	60mm x 25m	black	tape	125012	10	800
55	SOUDATAPE FAÇADE	60mm x 25m	black	tape	130548	10	800
AIRTIGHT CONSTRUCTION - WALLS & FLOORS							
56	SOUDATIGHT LQ LIQUID	5kg	blue	bucket	127954	1	100
56	SOUDATIGHT SP SPRAYABLE	10kg	blue	bucket	128272	1	33
56	BUTYBAND FLEECE	100mm x 20m	black	roll	125547	2	112
56	BUTYBAND FLEECE	150mm x 20m	black	roll	125548	2	84
AIRTIGHT CONSTRUCTION - WINDOW FABRICATION							
57	SOUDATHERM SFI 600P	10.4kg	grey	canister	127997	1	36
57	SOUDATHERM SFI 600P NOZZLE	n/a	n/a	nozzle	128221	1	8000
57	SOUDATHERM SFI 600P MULTI GUN	n/a	n/a	gun	128119	1	240
57	SOUDATHERM SFI 600P GUN	n/a	n/a	gun	127337	1	240
57	SOUDATHERM TROLLEY	n/a	n/a	trolley	127270	1	4
WINDOW FABRICATION RANGE							
58	SOUDABOND® 641	310ml	white	cartridge	130870	12	1440
58	SOUDABOND® 642 DUO	620ml (2x310ml)	beige	cartridge	128065	6	810
58	SOUDABOND® 642 DUO APPLICATOR GUN	2x310ml	n/a	gun	128708	1	1000
59	ALUSEAL	310ml	transparent	cartridge	128138	12	1440
59	SURFACE CLEANER	500ml	clear	tin	107789	6	900
FIRE RANGE							
60	FIRE SILICONE B1 FR	310ml	white	cartridge	108998	15	1500
60	FIRE SILICONE B1 FR	310ml	grey	cartridge	102530	15	1500
60	FIRE SILICONE B1 FR	600ml	white	foilpack	122156	12	792
60	FIRE SILICONE B1 FR	600ml	grey	foilpack	109952	12	792

Product Information

PAGE NO.	PRODUCT NAME	SIZE	COLOUR	PACK TYPE	PRODUCT NUMBER	BOX UNITS	PALLET UNITS
60	FIRECRYL FR	310ml	white	cartridge	106329	15	1500
60	FIRECRYL FR	310ml	grey	cartridge	107433	15	1500
60	FIRECRYL FR	600ml	white	foilpack	105229	12	1500
60	FIRECRYL FR	600ml	grey	foilpack	110947	12	1500
60	SOUDASEAL® FR	600ml	grey	foilpack	113628	12	792
60	SOUDAFOAM® FR HAND HELD 1K	750ml	pink	canister	108289	12	624
60	SOUDAFOAM® FR GUN GRADE*	750ml	pink	canister	123233	12	624
60	SOUDAFOAM® FR CLICK & FIX®*	750ml	pink	canister	110203	12	624
HIGH TEMPERATURE RANGE							
61	SILIRUB® HT-N	310ml	black	cartridge	108266	15	1500
61	SILIRUB® HT-A	310ml	black	cartridge	108265	15	1500
61	FIRECEMENT HT	310ml	black	cartridge	108264	15	1500
GLASS & GLAZING RANGE							
62	SMX® 506	290ml	black	cartridge	119538	12	1440
62	SMX® 506	290ml	white	cartridge	120831	12	1440
62	SILIRUB® WS	310ml	black	cartridge	119652	15	1500
62	SILIRUB® WS	600ml	black	foilpack	117910	12	792
62	SILIRUB® AQ	310ml	clear	cartridge	102543	15	1500
62	SILIRUB® AQ	310ml	black	cartridge	105751	15	1500
63	SOUDASEAL® MIROR	290ml	light grey	cartridge	117339	12	1560
63	MIR-O-BOND	310ml	light grey	cartridge	103146	15	1500
ROOFING RANGE - ADHESIVES							
64	SOUDATHERM ROOF 330	10.4kg	orange	Canister	124159	1	36
65	SOUDATHERM ROOF 330 APPLICATOR GUN	600mm	n/a	Gun	121825	1	320
65	SOUDATHERM ROOF 330 APPLICATOR GUN	100mm	n/a	Gun	121824	1	200
65	SOUDATHERM ROOF 330 GUN BACKPACK	n/a	n/a	Backpack	122956	1	128
66	SOUDATHERM ROOF 250	800ml	orange	Canister	120886	12	624
66	SOUDATHERM ROOF 250 COMBI-BOX	Pack	n/a	Multi-pack	128609	1	52
67	SOUDATHERM ROOF 170	5.5kg	yellowish	Jerrycan	125729	4	96
ROOFING RANGE - SEALANTS, TAPES & COATINGS							
68	WATERSTOP	4kg	grey	tin	112595	4	96
68	BUTYBAND BUTYL FLASHING TAPE	10m	lead	roll	111088	8	320
68	BUTYBAND BUTYL FLASHING TAPE	10m	lead	roll	111089	8	320
68	BUTYBAND BUTYL FLASHING TAPE	10m	lead	roll	111090	4	192
68	BUTYBAND BUTYL FLASHING TAPE	10m	lead	roll	111091	4	192
68	BUTYBAND BUTYL FLASHING TAPE	10m	lead	roll	111092	4	96
68	BUTYBAND BUTYL FLASHING TAPE	10m	aluminium	roll	111083	8	320
68	BUTYBAND BUTYL FLASHING TAPE	10m	aluminium	roll	111084	8	320
68	BUTYBAND BUTYL FLASHING TAPE	10m	aluminium	roll	111085	4	160
68	BUTYBAND BUTYL FLASHING TAPE	10m	aluminium	roll	111086	4	192
68	BUTYBAND BUTYL FLASHING TAPE	10m	aluminium	roll	111087	4	96
68	SOUDAFALT - ROOF & GUTTER SEALANT	310ml	black	cartridge	102668	15	1500
68	SOUDALEAD Pb - LEAD SEALANT	300ml	grey	cartridge	113146	15	1800
69	SILIRUB® AL	300ml	white	cartridge	120648	24	1440
69	SILIRUB® AL	300ml	clear	cartridge	120647	24	1440
69	SILIRUB® AL	300ml	grey	cartridge	120649	24	1440
69	SILIRUB® AL	300ml	stone	cartridge	120650	24	1440
69	SILIRUB® AL	300ml	bronze	cartridge	120652	24	1440
69	SILIRUB® AL	300ml	black	cartridge	120653	24	1440
69	SILIRUB® AL	300ml	brown	cartridge	120651	24	1440
69	SILIRUB® AL	400ml	clear	foilpack	111531	25	1500
69	SILIRUB® AL	600ml	clear	foilpack	112474	12	792

PAGE NO.	PRODUCT NAME	SIZE	COLOUR	PACK TYPE	PRODUCT NUMBER	BOX UNITS	PALLET UNITS
69	AQUAFIX - ALL WEATHER SEALANT	300ml	clear	cartridge	104789	15	1500
FLOORING RANGE							
70	SMX®-30 PLUS PARQUET ADHESIVE	16 kg	light brown	bucket	124166	1	33
70	SMX®-30 PLUS PARQUET ADHESIVE	3x6kg	light brown	bucket	124036	1	30
70	MS-30 PLUS PARQUET ADHESIVE	16 kg	light brown	bucket	124163	1	33
70	MS-30 PLUS PARQUET ADHESIVE	6 kg	light brown	bucket	124204	1	100
70	MS-30 PLUS PARQUET ADHESIVE	3x6kg	light brown	bucket	124167	1	30
70	MS-20 PLUS PARQUET ADHESIVE	16kg	light brown	bucket	124165	1	33
70	MS-20 PLUS PARQUET ADHESIVE	6 kg	light brown	bucket	124203	1	100
70	MS-20 PLUS PARQUET ADHESIVE	3x6kg	light brown	bucket	124164	1	30
71	SMX®-15P PARQUET ADHESIVE	600ml	light brown	foilpack	122513	12	792
71	MS-25P PARQUET ADHESIVE	600ml	black	foilpack	118015	12	792
72	PU-20P PARQUET ADHESIVE	6kg	light brown	bucket	113065	6	60
72	SV-15P PARQUET ADHESIVE	13kg	light brown	tin	112923	1	45
72	DS-10P PARQUET ADHESIVE	15kg	light brown	bucket	112924	1	33
72	TROWEL - SMALL NR3	n/a	n/a	trowel	112946	12	n/a
72	TROWEL - LARGE NR11	n/a	n/a	trowel	112945	12	n/a
73	WBPR-11P SURFACE PRIMER	5L	white	jerrycan	113357	1	64
73	WBPR-21P DEEP PRIMER	5L	white	jerrycan	113358	1	64
73	EPR-31P EPOXY SEAL	7kg	brown	tin	114605	1	48
73	PARQUET & TIMBER SEALANT	300ml	ash/maple	cartridge	125587	6	1152
73	PARQUET & TIMBER SEALANT	300ml	cherry	cartridge	125588	6	1152
73	PARQUET & TIMBER SEALANT	300ml	medium oak	cartridge	125589	6	1152
73	PARQUET & TIMBER SEALANT	300ml	light oak	cartridge	125590	6	1152
73	PARQUET & TIMBER SEALANT	300ml	beech	cartridge	125591	6	1152
73	PARQUET & TIMBER SEALANT	300ml	mocca	cartridge	125592	6	1152
73	PARQUET & TIMBER SEALANT	300ml	merbau	cartridge	125595	6	1152
CLEANING RANGE							
75	DUST SHEETS - HEAVY DUTY	9ft x 12ft	natural cotton	sheet	124762	1	560
75	DUST SHEETS - ECONOMY	9ft x 12ft	natural cotton	sheet	131207	1	250
75	STAIR-RUNNER (DUST SHEET)	24ft x 3ft	natural cotton	sheet	124258	1	820
75	TISSUE ROLLS	190mm x 150m	white	roll	123870	6	300
75	TISSUE ROLLS	260mm x 400m	white	roll	124193	2	84
75	TARPAULIN - HEAVY DUTY	9ft x 12ft	blue/white	sheet	127061	1	150
75	TARPAULIN - HEAVY DUTY	18ft x 12ft	blue/white	sheet	127791	1	150
75	TARPAULIN - ECONOMY	18ft x 12ft	blue	sheet	131208	1	250
76	PVCu FRAME CLEANER	1L	clear	bottle	113621	12	528
76	FRAME & GLASS CLEANER - FOIL SAFE	1L	white	bottle	127216	12	528
76	PVCu CREAM CLEANER	1L	clear	bottle	113619	12	528
76	GLASS & MIRROR CLEANER	1L	blue	bottle	113620	12	528
76	GLASS & MIRROR CLEANER	5L	blue	jerrycan	131549	4	160
76	GLASS & MIRROR CLEANER	25L	blue	jerrycan	115319	1	24
76	SWIPEX WIPES	100	n/a	tub	113551	6	396
76	SWIPEX HAND CLEANER	1L	red	bottle	127329	12	480
77	CLEANER & DEGREASER	400ml	n/a	canister	119708	6	624
77	SEALANT REMOVER	400ml	n/a	canister	119709	6	624
77	ADHESIVE REMOVER	400ml	n/a	canister	119710	6	624
77	MULTI CLEANER	400ml	n/a	canister	119711	6	624
77	BRAKE CLEANER	400ml	n/a	canister	119712	6	624
LUBRICATING AEROSOLS							
78	VASELINE SPRAY	400ml	n/a	canister	119703	6	624
78	SILICONE SPRAY	400ml	n/a	canister	119704	6	624



Product Information

PAGE NO.	PRODUCT NAME	SIZE	COLOUR	PACK TYPE	PRODUCT NUMBER	BOX UNITS	PALLET UNITS
78	PTFE SPRAY	400ml	n/a	canister	119705	6	624
78	WHITE GREASE	400ml	n/a	canister	119706	6	624
78	MULTI-SPRAY	400ml	n/a	canister	119707	6	624
ENGINEERING AEROSOLS							
79	ZINC SPRAY (MATT)	400ml	n/a	canister	119713	6	624
79	ZINC SPRAY (SHINY)	400ml	n/a	canister	119714	6	624
79	CONTACT SPRAY	400ml	n/a	canister	119715	6	624
79	DEGRIP ALL	400ml	n/a	canister	119716	6	624
79	CUTTING OIL	400ml	n/a	canister	119717	6	624
EXPRESS - PREMIUM DIY SEALANTS							
80	EXPRESS GENERAL PURPOSE SILICONE	300ml	white	cartridge	127235	12	1488
80	EXPRESS GENERAL PURPOSE SILICONE	300ml	clear	cartridge	127236	12	1488
80	EXPRESS GENERAL PURPOSE SILICONE	300ml	brown	cartridge	127237	12	1488
80	EXPRESS WINDOW & DOOR SILICONE	300ml	white	cartridge	127229	12	1488
80	EXPRESS WINDOW & DOOR SILICONE	300ml	brown	cartridge	127234	12	1488
80	EXPRESS DECORATORS SEALANT	300ml	white	cartridge	127238	12	1488
81	EXPRESS KITCHEN SILICONE	300ml	white	cartridge	127231	12	1488
81	EXPRESS KITCHEN SILICONE	300ml	clear	cartridge	127232	12	1488
81	EXPRESS KITCHEN SILICONE	300ml	Black	cartridge	127233	12	1488
81	EXPRESS BATHROOM & SHOWER SILICONE	300ml	white	cartridge	127239	12	1488
81	EXPRESS BATHROOM & SHOWER SILICONE	300ml	ivory	cartridge	127240	12	1488
81	EXPRESS BATHROOM & SHOWER SILICONE	300ml	clear	cartridge	127241	12	1488
81	EXPRESS NATURAL STONE SILICONE	300ml	clear	cartridge	131297	12	1488
81	EXPRESS NATURAL STONE SILICONE	300ml	travertine	cartridge	131298	12	1488
81	EXPRESS NATURAL STONE SILICONE	300ml	marble grey	cartridge	131299	12	1488
81	EXPRESS ROOF & GUTTER	300ml	black	cartridge	127466	12	1488
GENIUS GUN - PREMIUM DIY PU FOAM							
82	GENIUS GUN PU ADHESIVE	750ml	orange	canister	128404	12	648
82	GENIUS GUN PLASTERBOARD	750ml	orange	canister	130599	12	648
83	GENIUS GUN INSULATION FOAM	750ml	champagne	canister	123234	12	648
83	GENIUS GUN GAP FILLER	750ml	champagne	canister	123236	12	648
83	GENIUS GUN GAP FILLER	500ml	champagne	canister	123895	12	624
TRADE RANGE - CONSTRUCTION							
84	MULTI-PURPOSE SILICONE	300ml	brilliant white	cartridge	121643	12	1860
84	MULTI-PURPOSE SILICONE	300ml	clear	cartridge	121644	12	1860
84	MULTI-PURPOSE SILICONE	300ml	brown	cartridge	116713	12	1440
84	MULTI-PURPOSE SILICONE	300ml	black	cartridge	116824	12	1440
84	MULTI-PURPOSE SILICONE 6-Pack	6x300ml	brilliant white	multi-pack	121645	1	310
84	MULTI-PURPOSE SILICONE 6-Pack	6x300ml	clear	multi-pack	121646	1	310
84	BUILDING SILICONE	300ml	white	cartridge	128440	12	1440
84	BUILDING SILICONE	300ml	clear	cartridge	128442	12	1440
84	BUILDING SILICONE	300ml	teak	cartridge	128441	12	1440
84	BUILDING SILICONE	300ml	black	cartridge	128443	12	1440
84	DECORATORS CAULK	300ml	white	cartridge	121638	12	1860
84	DECORATORS CAULK	300ml	magnolia	cartridge	128444	12	1440
84	DECORATORS CAULK	300ml	brown	cartridge	128445	12	1440
84	DECORATORS CAULK 6-Pack	6x300ml	white	multi-pack	121642	1	310
84	DECORATORS CAULK	380ml	white	cartridge	121639	12	1152
84	DECORATORS CAULK	380ml	magnolia	cartridge	121640	12	1152
84	DECORATORS CAULK	380ml	brown	cartridge	121641	12	1152
85	HAND HELD B2 EXPANDING FOAM	750ml	champagne	canister	128449	12	624
85	GUN GRADE B2 EXPANDING FOAM	750ml	champagne	canister	128450	12	624



PAGE NO.	PRODUCT NAME	SIZE	COLOUR	PACK TYPE	PRODUCT NUMBER	BOX UNITS	PALLET UNITS
85	HAND HELD EXPANDING FOAM	150ml	champagne	canister	128448	12	1296
85	HAND HELD FIXING FOAM B3	750ml	champagne	canister	116744	12	624
85	GUN GRADE FIXING FOAM B3*	750ml	champagne	canister	116745	12	624
85	FOAM & GUN CLEANER	500ml	clear	canister	116924	12	624
85	LIGHT WEIGHT GAP FILLER	300ml	white	cartridge	128447	12	1440
85	LIGHT WEIGHT GAP FILLER	900ml	white	tub	128446	6	480
TRADE RANGE - SANITARY							
86	SANITARY SILICONE	300ml	white	cartridge	121647	12	1860
86	SANITARY SILICONE	300ml	clear	cartridge	121648	12	1860
86	KITCHEN SILICONE	300ml	brilliant white	cartridge	128451	12	1440
86	KITCHEN SILICONE	300ml	clear	cartridge	128452	12	1440
86	KITCHEN SILICONE	300ml	black	cartridge	128439	12	1440
86	BATHROOM & SHOWER SILICONE	300ml	brilliant white	cartridge	116714	12	1440
86	BATHROOM & SHOWER SILICONE	300ml	clear	cartridge	116715	12	1440
TRADE RANGE - GLAZING							
87	INTERIOR FRAME SEALANT	300ml	white	cartridge	129157	12	1440
87	EXTERIOR FRAME SILICONE	300ml	white	cartridge	121649	12	1860
87	EXTERIOR FRAME SILICONE	300ml	brown	cartridge	121654	12	1860
87	EXTERIOR FRAME SILICONE	300ml	clear	cartridge	128453	12	1440
87	EXTERIOR FRAME SILICONE	300ml	black	cartridge	128454	12	1440
87	EXTERIOR FRAME SILICONE	300ml	grey	cartridge	128455	12	1440
87	GLAZING SILICONE SEALANT	300ml	clear	cartridge	121655	12	1860
TRADE RANGE - ROOFING							
88	LEAD SHEET SEALANT	300ml	grey	cartridge	116726	12	1440
88	ALL WEATHER SEALANT	300ml	clear	cartridge	116727	12	1440
88	ROOF & GUTTER SEALANT	300ml	black	cartridge	121656	12	1860
TRADE RANGE - ADHESIVES							
89	GRIP ALL ADHESIVE	300ml	beige	cartridge	116740	12	1440
89	GRIP ALL SOLVENT FREE ADHESIVE	300ml	white	cartridge	116741	12	1440
89	WATER RESISTANT WOOD GLUE	1ltr	white	bottle	117245	6	480
89	WATER RESISTANT WOOD GLUE	5ltr	white	jerrycan	116946	4	96
89	MITRE-KITS	50g+200ml	clear	multi-pack	130474	12	1440
89	SUPERGLUE HV	50g	clear	bottle	130471	25	1000
89	SUPERGLUE ACTIVATOR	200ml	clear	canister	130632	12	1260
CONTRACTORS RANGE							
90	CONTRACTORS 100 DC	280ml	white	cartridge	130309	24	1440
90	CONTRACTORS 200 MP	280ml	white	cartridge	130316	24	1440
90	CONTRACTORS 200 MP	280ml	clear	cartridge	130317	24	1440
90	CONTRACTORS 200 MP	280ml	black	cartridge	130314	24	1440
90	CONTRACTORS 200 MP	280ml	brown	cartridge	130315	24	1440
90	CONTRACTORS 300 GG	700ml	champagne	canister	130308	12	624
90	CONTRACTORS 400 HH	700ml	champagne	canister	130307	12	624
90	CONTRACTORS 500 SB	280ml	beige	cartridge	130306	12	1440
91	CONTRACTORS 600 SF	280ml	white	cartridge	130305	12	1440
91	CONTRACTORS 700 NS	280ml	white	cartridge	130313	24	1440
91	CONTRACTORS 700 NS	280ml	clear	cartridge	130312	24	1440
91	CONTRACTORS 700 NS	280ml	caramel	cartridge	130310	24	1440
91	CONTRACTORS 700 NS	280ml	teak	cartridge	130311	24	1440
91	CONTRACTORS 800 MS	280ml	white	cartridge	130304	12	1440
91	CONTRACTORS 900 MS	280ml	clear	cartridge	130303	12	1440
AUTOMOTIVE RANGE - BODY REPAIR							
92	METAL PLASTIC STANDARD	250gr	grey	tin	103419	12	864



PAGE NO.	PRODUCT NAME	SIZE	COLOUR	PACK TYPE	PRODUCT NUMBER	BOX UNITS	PALLET UNITS
92	METAL PLASTIC STANDARD	1 kg	grey	tin	103420	12	648
92	METAL PLASTIC STANDARD	2 kg	grey	tin	103421	6	420
92	METAL PLASTIC STANDARD	3kg	grey	dispenser tin	105348	4	240
92	METAL PLASTIC SOFT	1 kg	beige	tin	104314	12	648
92	METAL PLASTIC SOFT	2 kg	beige	tin	105975	6	420
92	METAL PLASTIC SOFT	3 kg	beige	dispenser tin	105346	4	240
92	METAL PLASTIC EXTRA FINE	1 kg	white	tin	103424	12	648
92	METAL PLASTIC EXTRA FINE	2 kg	white	tin	103425	6	420
92	METAL PLASTIC UNIVERSAL	2 kg	green	tin	110347	6	420
92	METAL PLASTIC UNIVERSAL	3 kg	green	dispenser tin	105347	4	240
92	METAL PLASTIC ALU	2 kg	aluminium	tin	103426	6	420
92	METAL PLASTIC BLACK	2 kg	black	tin	110234	6	420
93	HARDENER	10gr	red	tube	121173	24	20000
93	HARDENER	15gr	red	tube	121175	24	20000
93	HARDENER	30gr	red	tube	121176	24	10000
93	HARDENER	50gr	red	tube	121174	24	8000
93	HARDENER	50gr	white	tube	306123	24	12000
93	HARDENER - DISPENSER SYSTEM	55gr	red	tube	122738	6	900
93	DISPENSER SYSTEM	n/a	n/a	dispenser system	106923	1	40
93	SPRAY FILLER	1 L	grey	tin	100315	6	486
93	CELLUPLAST	175ml	red	tube	102477	12	1248
93	CELLUPLAST	750gr	red	tin	103430	12	648
94	POLY LIQUID	1 kg	brown	tin	103438	6	300
94	FIBRE GLASS MAT	0.5m²	n/a	pack	104443	12	864
94	FIBRE GLASS MAT	1m²	n/a	pack	104442	12	576
94	POLYFIBER	250gr	grey	tin	103431	12	1008
94	POLYFIBER	500gr	grey	tin	103432	12	864
94	POLYFIBER	1 kg	grey	tin	103433	12	648
94	POLYFIBER	1.5 kg	grey	tin	103434	6	420
94	POLYFIBER CLEAR	1.5 kg	clear	tin	103435	6	420
94	POLYSET	250gr	n/a	kit	103436	12	576
94	POLYSET	1 kg	n/a	kit	103437	6	360
AUTOMOTIVE RANGE - SEALANTS, ADHESIVES & COATINGS							
95	CARBOND 940 FC	310ml	black	cartridge	103445	12	1152
95	CARBOND 940 FC	310ml	grey	cartridge	103446	12	1152
95	CARBOND 940 FC	310ml	white	cartridge	103447	12	1152
95	CARBOND 945 FC	310ml	black	cartridge	103448	12	1152
95	CARBOND 955 DG	310ml	black	cartridge	105894	6	1200
95	CARBOND 955 DG	30ml	clear	flask	105928	6	12000
95	CARBOND 955 DG	30ml	n/a	flask	105927	6	14400
95	GASKET SEAL	80ml	red	tube	103459	12	2352
95	GASKET SEAL	310ml	red	cartridge	103460	12	1152
96	CARJOINT	310ml	grey	cartridge	103454	12	1560
96	CARSEALER	310ml	grey	cartridge	101838	12	1152
96	CARSEALER	1 kg	grey	tin	102352	6	2376
96	MS SEAM SEALER	290ml	grey	cartridge	110326	12	1200
96	MS SEAM SEALER	290ml	beige	cartridge	110327	12	1200
96	MS SEAM SEALER GUN		n/a	gun	108068	1	999
96	MS SEAM SEALER GUN CONNECTION RING		n/a	connection ring	102582	1	999
96	SOUDAFLOOR SL2	10kg	grey	tin	103483	1	8



PAGE NO.	PRODUCT NAME	SIZE	COLOUR	PACK TYPE	PRODUCT NUMBER	BOX UNITS	PALLET UNITS
96	SL2 PRIMER	5 L	n/a	tin	100226	1	45
96	ROLLER SOUDAFLOOR SL2	n/a	n/a	brush	106690	1	140
n/a	ANTI SLIP STONE CHIPS	25kg	n/a		100777	1	40
AUTOMOTIVE RANGE - ANTI-CORROSION							
97	UNDERBODY PROTECTION AEROSOL	500ml	black	aerosol	106702	12	600
97	UNDERBODY PROTECTION GUN	1 kg	black	tin	106703	12	600
97	UNDERBODY PROTECTION GUN	5 kg	black	tin	106705	4	384
97	UNDERBODY PROTECTION BRUSH	1 kg	black	tin	106704	4	480
97	UNDERBODY PROTECTION BRUSH	5 kg	black	tin	106662	1	384
97	UNDERBODY PROTECTION BRUSH	60 kg	black	tin	106511	12	6
97	ANTI GRAVEL AEROSOL	500ml	black	aerosol	106706	12	672
97	ANTI GRAVEL AEROSOL	500ml	grey	aerosol	106709	12	600
97	ANTI GRAVEL GUN	1 kg	black	tin	106707	12	600
97	ANTI GRAVEL GUN	1 kg	grey	tin	106710	12	600
97	ANTI GRAVEL GUN	1 kg	white	tin	106708	12	600
97	INCOAT ML AEROSOL	500ml	brown	tin	106711	12	56
97	INCOAT ML GUN	1 L	brown	tin	106712	12	50
97	INCOAT ML WAX GUN	1 L	clear	tin	106713	12	50
97	INCOAT ML WAX GUN	25 L	clear	tin	106763	1	22
97	PNEUMATIC COATING GUN	n/a	n/a	gun	106813	1	200
PROFESSIONAL BIKE RANGE - CLEANERS							
98	BIKE CLEANER	1L	yellow	bottle	128370	6	600
98	CHAIN CLEANER	1L	blue	bottle	128332	6	480
99	MUD REMOVER	1L	green	bottle	128363	6	540
99	DISC CLEANER	400ml	transparent	aerosol	128364	6	1044
99	PROTECT & POLISH	400ml	transparent	aerosol	128365	6	1044
99	BIKE WIPES - SPECIAL CYCLING	50 pcs	n/a	tub	128369	6	624
PROFESSIONAL BIKE RANGE - LUBRICATION							
100	DRY WAX	100ml	white	bottle	128366	12	1200
100	DRY WEATHER LUBRICANT	100ml	yellowish	bottle	128406	12	1200
100	WET WEATHER LUBRICANT	100ml	yellowish	bottle	128407	12	1200
100	ALL WEATHER LUBRICANT	400ml	transparent	aerosol	128367	6	1044
101	ASSEMBLY PASTE	200ml	light brown	tub	128545	6	1470
101	CARBON ASSEMBLY PASTE	200ml	anthracite	tub	128596	6	1470
101	SILICONE PASTE	200ml	transparent	tub	128368	6	1470
101	SOUDAL BIKE BOX	pack	n/a	multi-pack	128546	8	48

Silirub® color

RAL CLASSIC Colours	Product Code
RAL 1000 green beige	117256
RAL 1001 beige	119022
RAL 1002 sand yellow	119643
RAL 1003 signal yellow	
RAL 1004 golden yellow	122658
RAL 1005 honey yellow	
RAL 1006 maize yellow	
RAL 1007 daffodil yellow	
RAL 1011 brown beige	119053
RAL 1012 lemon yellow	124439
RAL 1013 oyster white	105822
RAL 1014 ivory	113190
RAL 1015 light ivory	105827
RAL 1016 sulfur yellow	
RAL 1017 saffron yellow	115875
RAL 1018 zinc yellow	123882
RAL 1019 grey beige	114640
RAL 1020 olive yellow	123847
RAL 1021 rape yellow	
RAL 1023 traffic yellow	118764
RAL 1024 ochre yellow	125616
RAL 1026 luminous yellow	
RAL 1027 curry	
RAL 1028 melon yellow	
RAL 1032 broom yellow	123440
RAL 1033 dahlia yellow	
RAL 1034 pastel yellow	
RAL 1035 pearl beige	
RAL 1036 pearl gold	121807
RAL 1037 sun yellow	
RAL 2000 yellow orange	120568
RAL 2001 red orange	121298
RAL 2002 vermilion	
RAL 2003 pastel orange	
RAL 2004 pure orange	
RAL 2005 luminous orange	
RAL 2007 luminous bright orange	
RAL 2008 bright red orange	
RAL 2009 traffic orange	
RAL 2010 signal orange	
RAL 2011 deep orange	

RAL CLASSIC Colours	Product Code
RAL 2012 salmon orange	
RAL 2013 pearl orange	114472
RAL 3000 flame red	116256
RAL 3001 signal red	115954
RAL 3002 carmine red	118878
RAL 3003 ruby red	113060
RAL 3004 purple red	115681
RAL 3005 wine red	105828
RAL 3007 black red	115304
RAL 3009 oxid red	114119
RAL 3011 brown red	123396
RAL 3012 beige red	
RAL 3013 tomato red	117108
RAL 3014 antique pink	
RAL 3015 light pink	114295
RAL 3016 coral red	117137
RAL 3017 rose	
RAL 3018 strawberry red	
RAL 3020 traffic red	114294
RAL 3022 salmon pink	119078
RAL 3024 luminous red	
RAL 3026 luminous bright red	
RAL 3027 raspberry red	
RAL 3031 orient red	
RAL 3032 pearl ruby red	
RAL 3033 pearl pink	
RAL 4001 red lilac	
RAL 4002 red violet	
RAL 4003 heather violet	
RAL 4004 claret violet	
RAL 4005 blue lilac	123959
RAL 4006 traffic purple	
RAL 4007 purple violet	
RAL 4008 signal violet	
RAL 4009 pastel violet	
RAL 4010 telemagenta	
RAL 4011 pearl violet	
RAL 4012 pearl blackberry	
RAL 5000 lilac blue	115029
RAL 5001 green blue	116103
RAL 5002 ultramarine blue	117165

RAL CLASSIC Colours	Product Code
RAL 5003 sapphire blue	114148
RAL 5004 black blue	130375
RAL 5005 signal blue	
RAL 5007 brilliant blue	116146
RAL 5008 grey blue	115253
RAL 5009 azure blue	113809
RAL 5010 gentian blue	114299
RAL 5011 steel blue	105829
RAL 5012 light blue	114242
RAL 5013 cobalt blue	116631
RAL 5014 pigeon blue	115964
RAL 5015 sky blue	111738
RAL 5017 traffic blue	115130
RAL 5018 turquoise blue	116945
RAL 5019 capri blue	123940
RAL 5020 ocean blue	121783
RAL 5021 water blue	116321
RAL 5022 night blue	
RAL 5023 distant blue	114103
RAL 5024 pastel blue	115185
RAL 5025 pearl gentian blue	
RAL 5026 pearl night blue	
RAL 6000 patina green	127326
RAL 6001 emerald green	
RAL 6002 leaf green	116630
RAL 6003 olive green	114007
RAL 6004 blue green	116001
RAL 6005 moss green	114104
RAL 6006 grey olive	117130
RAL 6007 bottle green	122210
RAL 6008 brown green	
RAL 6009 fir green	105830
RAL 6010 grass green	113227
RAL 6011 reseda green	116325
RAL 6012 black green	116617
RAL 6013 reed green	122656
RAL 6014 yellow olive	
RAL 6015 black olive	117002
RAL 6016 turquoise green	121904
RAL 6017 may green	121170
RAL 6018 yellow green	114478



Silirub® color

RAL CLASSIC Colours	Product Code
RAL 6019 whitegreen	114116
RAL 6020 chrome green	121158
RAL 6021 pale green	115986
RAL 6022 olive drab	114298
RAL 6024 traffic green	
RAL 6025 fern green	
RAL 6026 opal green	
RAL 6027 light green	
RAL 6028 pine green	115058
RAL 6029 mint green	119252
RAL 6032 signal green	
RAL 6033 mint turquoise	123284
RAL 6034 pastel turquoise	120430
RAL 6035 pearl green	
RAL 6036 pearl opal green	
RAL 7000 squirrel grey	115391
RAL 7001 silver grey	114243
RAL 7002 olive grey	116710
RAL 7003 moss grey	114568
RAL 7004 signal grey	116632
RAL 7005 mouse grey	113691
RAL 7006 beige grey	115028
RAL 7008 khaki grey	115879
RAL 7009 green grey	114636
RAL 7010 tent grey	113838
RAL 7011 iron grey	114481
RAL 7012 basalt grey	115682
RAL 7013 brown grey	114484
RAL 7015 slate grey	116060
RAL 7016 anthracite grey	105831
RAL 7021 grey black	115271
RAL 7022 umbra grey	114267
RAL 7023 concrete grey	114170
RAL 7024 graphite grey	120487
RAL 7026 granite grey	121199
RAL 7030 stone grey	113159
RAL 7031 blue grey	115230
RAL 7032 pebble grey	110727
RAL 7033 cement grey	115570
RAL 7034 yellow grey	115097
RAL 7035 light grey	118489

RAL CLASSIC Colours	Product Code
RAL 7036 platinum grey	118402
RAL 7037 dusty grey	114005
RAL 7038 agate grey	114293
RAL 7039 quartz grey	113228
RAL 7040 window grey	116968
RAL 7042A traffic grey A	117801
RAL 7043B traffic grey B	117237
RAL 7044 silk grey	116033
RAL 7045 telegrey 1	121263
RAL 7046 telegrey 2	118043
RAL 7047 telegrey 4	114720
RAL 7048 pearl mouse grey	118963
RAL 8000 green brown	126000
RAL 8001 ochre brown	114749
RAL 8002 signal brown	117671
RAL 8003 clay brown	116305
RAL 8004 copper brown	119493
RAL 8007 fawn brown	121808
RAL 8008 olive brown	
RAL 8011 nut brown	121061
RAL 8012 red brown	119172
RAL 8014 sepia brown	114296
RAL 8015 chestnut brown	118186
RAL 8016 mahogany brown	118698
RAL 8017 chocolate brown	114750
RAL 8019 grey brown	116106
RAL 8022 black brown	124358
RAL 8023 orange brown	116567
RAL 8024 beige brown	119814
RAL 8025 pale brown	121279
RAL 8028 terra brown	121060
RAL 8029 pearl copper	
RAL 9001 cream	105870
RAL 9002 grey white	116322
RAL 9003 signal white	124216
RAL 9004 signal black	115955
RAL 9005 jet black	127838
RAL 9006 aluminium white	106735
RAL 9007 grey aluminium	111713
RAL 9010 pure white	118401
RAL 9011 graphite black	

RAL CLASSIC Colours	Product Code
RAL 9016 traffic white	116894
RAL 9017 traffic black	
RAL 9018 papyrus white	121497
RAL 9022 pearl light grey	117131
RAL 9023 pearl dark grey	129174

* Please check standard RAL® Colours



Lined area for notes, consisting of multiple horizontal lines.



Soudal (UK) Limited
Unit A Tame Park
Vanguard,
Tamworth, B77 5DY
☎ 01827 261 092
☎ 01827 284 454
🌐 salesuk@soudal.com

www.soudal.com
www.fixall.co.uk

Headquarters:
Soudal N.V.
Everdongenlaan 18-20,
BE-2300 Turnhout
☎ +32 14 42 42 31
☎ +32 14 42 65 14
🌐 info@soudal.com

Distributor information

